Literaturverzeichnis der einzelnen Kapitel und Links

1 Menschen mit Intelligenzminderung in Deutschland: Statistik, Lebenswelten, Hilfesysteme und Sozialrecht

Allianz der deutschen Nichtregierungsorganisationen zur UN-Behindertenrechtskonvention: Erster Bericht der Zivilgesellschaft zur Umsetzung der UN-Behindertenrechtskonvention in Deutschland. Berlin 2013 [http://www.brk-allianz.de/attachments/article/87/beschlossene_fassung_final_endg-logo.pdf, 21.5.2013].

Aly G. Die Belasteten. „Euthanasie“ 1939 – 1945. Eine Gesellschaftsgeschichte. Frankfurt am Main: Fischer 2013.

American Association on Mental Retardation (ed). Mental Retardation: Definition, classification, and systems of supports. 10th ed. Washington/DC: American Association on Mental Retardation 2002.

American Psychiatric Association (ed). Diagnostic and statistical manual of mental disorders. 4th ed. DSM-IV. Washington/DC: American Psychiatric Association 1994.

Bundesministerium für Arbeit und Soziales: Behindertenbericht 2009. Bericht der Bundesregierung über die Lage von Menschen mit Behinderungen für die 16. Legislaturperiode. Bonn 2009 [http://www.bmas.de/SharedDocs/Downloads/DE/PDF-Publikationen/a125-behindertenbericht.pdf?__blob=publicationFile, 21.5.2013].

Bundesverband Evangelische Behindertenhilfe e.V. in Kooperation mit den drei anderen Fachverbänden der Behindertenhilfe. Positionspapier „Die gesundheitliche Versorgung von Menschen mit geistiger Behinderung“. 2. Aufl. Reutlingen: Diakonie-Verlag 2001.

Deutscher Bundestag. Bericht über die Lage der Psychiatrie in der Bundesrepublik Deutschland – Zur psychiatrischen und psychotherapeutisch/psychosomatischen Versorgung der Bevölkerung. Bundestagsdrucksache 7/4200, 1975a.

Deutscher Bundestag. Anhang zum Bericht über die Lage der Psychiatrie in der Bundesrepublik Deutschland – Zur psychiatrischen und psychotherapeutisch/psychosomatischen Versorgung der Bevölkerung. Bundestagsdrucksache 7/4200, 1975b.

Deutscher Bundestag. Bericht der Bundesregierung über die Lage behinderter Menschen und die Entwicklung ihrer Teilhabe. Bundestagsdrucksache 15/4575, 2004. [http://www.bmgs.bund.de/download/broschueren/a125.pdf, 10.6.2005].

Dilling H, Mombour W, Schmidt MH (Hrsg). Internationale Klassifikation psychischer Störungen. ICD-10 Kapitel V (F). Klinisch-diagnostische Leitlinien. Weltgesundheitsorganisation. 5. Aufl. Bern, Göttingen, Toronto: Huber 2005.

Fandrey W. Krüppel, Idioten, Irre. Zur Sozialgeschichte behinderter Menschen in Deutschland. Stuttgart: Silberburg-Verlag 1990.

Gesetz zur Modernisierung der gesetzlichen Krankenversicherung (GKV-Modernisierungsgesetz – GMG). Bundesgesetzblatt Teil I, Nr. 55 v. 19. November 2003; 2190–258. [http://www.bmgs.bund.de/downloads/GKV_Modernisierungsgesetz.pdf]

Klevinghaus J. Hilfe zum Leben. Zur Geschichte der Sorge für Behinderte. Beiträge zur Diakonie und Sozialhilfe. Bd. I. Bielefeld: Bechauf 1972.

Neubert E. Kirchenpolitik. In: Judt M (Hrsg). DDR-Geschichte in Dokumenten. Schriftenreihe. Band 350. Bonn: Bundeszentrale für politische Bildung 1998; 363–430.

Möckel A. Geschichte der Heilpädagogik. Stuttgart: Klett-Cotta 1988.

Orlowski U, Wasem J. Gesundheitsreform 2004. GKV-Modernisierungsgesetz (GMG), Heidelberg: Economica 2003.

Pomona Project. Health indicators for people with intellectual disabilities in the member states. Interims report 2004. [http://europa.eu.int/comm/health/ph_projects/2002/monitoring/fp_monitoring_2002_inter_05_en.pdf, 10.6.2005]

Rotzoll M, Hohendorf G, Fuchs P, Richter P, Mundt C, Eckart WU. Die nationalsozialistische „Euthanasie“-Aktion „T4“ und ihre Opfer. Geschichte und ethische Konsequenzen für die Gegenwart. Paderborn, München, Wien, Zürich: Schöningh 2010.

Schädler J, Schwarte N, Wissel T, Aselmeier L. Germany. In: European Intellectual Disability Research Network: Intellectual Disability in Europe. Working Paper 2003. [Download: http://www.uni-siegen.de/~zpe/neuedokumente/IDRESNET WorkingPapersMarch2003.pdf; 20.7.2005]

Seidel M (Hrsg). Die stationär-psychiatrische Versorgung von psychisch erkrankten Menschen mit geistiger Behinderung. Materialien der DGSGB. Bd. 10. Berlin 2005.

SGB V: Sozialgesetzbuch (SGB) Fünftes Buch (V) – Gesetzliche Krankenversicherung – vom 20. Dezember 1988. In: Sozialgesetzbuch. Textausgabe mit ausführlichem Sachregister und einer Einführung von Schulin. 32. A. Stand: 30. Januar 2005. Beck-Texte. München: Deutscher Taschenbuch Verlag 2005; 341–605.

SGB IX: Sozialgesetzbuch (SGB) Neuntes Buch (IX) – Rehabilitation und Teilhabe behinderter Menschen – vom 19. Juni 2001. In: Sozialgesetzbuch. Textausgabe mit ausführlichem Sachregister und einer Einführung von Schulin. 32. A. Stand: 30. Januar 2005. Beck-Texte. München: Deutscher Taschenbuch Verlag 2005; 1089–176.

SGB XI: Sozialgesetzbuch (SGB) Elftes Buch (XI) – Soziale Pflegeversicherung – vom 26. Mai 1994. In: Sozialgesetzbuch. Textausgabe mit ausführlichem Sachregister und einer Einführung von Schulin. 32. A. Stand: 30. Januar 2005. Beck-Texte. München: Deutscher Taschenbuch Verlag 2005; 1241–324.

SGB XII: Sozialgesetzbuch (SGB) Zwölftes Buch (XII) – Sozialhilfe – vom 27. Dezember 2003. In: Sozialgesetzbuch. Textausgabe mit ausführlichem Sachregister und einer Einführung von Schulin. 32. A. Stand: 30. Januar 2005. Beck-Texte. München: Deutscher Taschenbuch Verlag 2005; 1325–80.

Wittchen HU, Jacobi F, Rehm J, Gustavsson A, Svensson M, Jönsson B, Olesen J, Allgulander C, Alonso J, Faravelli C, Fratiglioni L, Jennum P, Lieb R, Maercker A, van Os J, Preisig M, Salvador-Carulla L, Simon R, Steinhausen HC (2011). The size and burden of mental disorders and other disorders of the brain in Europe 2010. European Neuropsychopharmacology 2010; 21: 655–79.

World Health Organization. WHO Report 2001 – Mental Health: New Understanding, New Hope. WHO 2001. [Download: http://www.who.int/entity/whr/2001/en, 10.6.2005]

2 Intelligenzminderung und psychische Störung – Grundlagen, Epidemiologie, Erklärungsansätze

BakkenTL, Helverschou SB, Eilertsen DE, Heggelund T, Myrbakk E, Martinsen H. Psychiatric disorders in adolescent and adults with autism and intellectual disability: A representative study in one county in Norway. Res Dev Disabil 2010; 31: 1669–77.

Bayerisches Landesamt für Statistik und Datenverarbeitung: Volksschulen zur sonderpädagogischen Förderung und Schulen für Kranke in Bayern – Schuljahr 2004/2005.

Bhaumik S, Tyrer FC, McGrother C, Ganghadaran SK. Psychiatric service use and psychiatric disorders in adults with intellectual disability. J Intellect Disabil Res 2008; 52: 986–95.

Carson RC, Butcher JN. Abnormal psychology and modern life (9th Ed). New York: Harpercollins College Div 1992.
Ciompi L. Affektlogik. 5. Aufl. Stuttgart: Klett-Cotta 1998.
Cooper SA, Smiley E, Morrison J, Williamson A, Allan L. Mental ill-health in adults with intellectual disabilities: prevalence and associated factors. Br J Psychiatry 2007; 190: 27–35.
Deb F, Matthews T, Holt G, Bouras N. Practice guidelines for the assessment and diagnosis of mental health problems in adults with intellectual disability. Brighton: Pavilion Publishing 2001.
Dekker MC, Koot HM. DSM-IV disorders in children with borderline to moderate intellectual disability. Prevalence and Impact. J Am Acad Child Adolesc Psychiatry 2003; 42: 915–22.
Deutsches Zentrum für Altersfragen. Statistisches Informationssystem © GeroStat, Berlin. DOI 10.5156/GEROSTAT, Internet: www.gerostat.de. 2009.
Fegert JM. Ethik, Patientenrechte von Menschen mit geistiger Behinderung. In: Häßler F, Fegert JM. Geistige Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005; 49–79.
Lingg A. Theunissen G. Psychische Störungen bei Geistigbehinderten. Freiburg: Lambertus-Verlag 1997.
Maier W, Franke P, Minges J, Lichtermann D, Heun R. Vulnerabilität für Schizophrenie: Entwicklung einer Modellvorstellung anhand von Familienstudien. In: Möller HJ, Deister A (Hrsg). Vulnerabilität für affektive und schizophrene Erkrankungen. Berlin: Springer 1998.
Minns RA. Pre and perinatal conditions contributing to mental retardation. Curr Opin Psychiat 1997; 10: 354–59.
Möller HJ, Deister A (Hrsg). Vulnerabilität für affektive und schizophrene Erkrankungen. Berlin: Springer 1998.
Möschler JB. Genetic Evaluation of Intellectual Disabilities. Semin Pediatr Neurol 2008; 15: 2–9.
Myrbakk E, Tetzschner v. S. Psychiatric disorders and behavior problems in people with intellectual disability. Res Dev Disabil 2008; 29: 316–32.
Neuhäuser G, Steinhausen HC. Geistige Behinderung. Grundlagen, klinische Syndrome, Behandlung und Rehabilitation. 3. Aufl. Stuttgart Kohlhammer 2003.
NIMH (National Institute of Mental Health); http://www.nimh.nih.gov/healthinformation/statisticsmenu.cfm; 12.12.2005
Petermann F, Kusch M, Niebank K. Entwicklungspsychopathologie. Weinheim: Beltz 1998.
Roeleveld N, Zielhuis GA, Gabreels F. The prevalence of mental retardation: a critical review of recent literature. Develop Med Child Neurol 1997; 39: 125–32.
Rutter M. Syndroms attribute to „minimal brain dysfunction“ in childhood. Am J Psychiatry 1982; 139: 21–33.
Schanze C. Die Behandlung mit Psychopharmaka – Ein Element im Rahmen der multidimensionalen psychiatrischen Therapie und Förderung von Menschen mit Intelligenzminderung. In: Koniarczyk M, Hennike K (Hrsg). Psychopharmaka bei Menschen mit geistiger Behinderung. Berlin: Eigenverlag der DGSGB 2003; 29–52.
Schmidt-Degenhardt M. Disposition – Vulnerabilität – Verletzlichkeit. Nervenarzt 1988; 59: 573–85.
Schmidt MH, Voll R. Intelligenzminderung und andere Varianten der Intelligenz. In: Remschmidt H, Schmidt MH (Hrsg). Kinder und Jugendpsychiatrie in Klinik und Praxis. Band II: Entwicklungsstörungen, organisch bedingte Störungen, Psychosen, Begutachtungen. Stuttgart 1985; 29–140.
Seidel M. Die Internationale Klassifikation der Funktionsfähigkeit, Behinderung und Gesundheit. Nervenarzt 2005; 76: 79–92.
Spitzer M. Geist im Netz. Heidelberg, Berlin: Spektrum Verlag 2000a.
Spitzer M. Fundamentals of neural network modeling: neuropsychology and cognitiv neuroscience. Am J Psychiatry 2000b; 157: 1037–8.
Spitzer M. Geist, Gehirn und Nervenheilkunde. Stuttgart: Schattauer 2001.
Spitzer M. Neuronale Netzwerke und Psychopathologie. Nervenarzt 1997; 68: 21–37.
Sternbach RA. Principles of psychophysiology: An introductiory text and readings. New York: Academic Press 1966.
Strydom A, Livingston G, King M, Hassiotis A. Prevalence of dementia in intellectual disability using different diagnostic criteria. Br J Psychiatry 2007; 191: 150–7.
WHO. ICD-10 Guide for Mental Retardation. Geneva: World Health Organization 1996.
WHO. International Classification of Functioning, Disability and Health (ICF). Geneva: Word Health Organization 2001a
WHO. World Health Organization. Mental and neurological disorders. Fact sheet No 265. December 2001b. http://www.who.int/mediacentre/factsheets/fs265/en/print.html. [31.07.2006]
Wustmann C. Widerstandsfähigkeit von Kindern in Tageseinrichtungen fördern. Weinhaim: Beltz 2004.
Yeargin-Allsopp M, Murphy CC, Cordero JF, Decoufle P, Hallowell JG. Reported biomedical causes and associated medical conditions for mental retardation among 10-year-old children, metropolitan Atlanta, 1985–1987. Dev Med Child Neurol 1997; 39:142–9.
Zubin J, Spring B. Vulnerability – a new view of schizophrenia. J Abnorm Psychol 1977; 86: 103–26.

3 Strukturelle und methodologische Besonderheiten in der Diagnostik bei geistig Behinderten

Dilling H. Psychiatrische Klassifikation. In: Helmchen M, Henn F, Lauter H, Sartorius N (Hrsg). Psychiatrie der Gegenwart. Bd. 2 Allgemeine Psychiatrie. 4. Auflage. Berlin, Heidelberg, New York: Springer 1999; 60–88.
Moss S. Assessment: conceptual issues. In: Bouras N. Psychiatric and Behavioural Disorders in Developmental Disabilities and Mental Retardation. Cambridge: Cambridge University Press 1999; 18–37.
Schanze C. Symptome und Syndrome. Diagnostische Probleme bei Menschen mit Intelligenzminderung und psychischen Auffälligkeiten. Vortrag in Lautrach am 18.02.05.
Seidel M. Psychische Störungen bei Menschen mit geistiger Behinderung. In: Richter U. Psychische Störungen bei Menschen mit geistiger Behinderung. Referate und Materialien zur Tagung im Hessischen Diakoniezentrum Hephata. Schwalmstadt-Treysa, vom 29. Februar bis 1. März 2000. Akzente – Dialoge zwischen Praxis und Theorie, (Bd. 6) Heidelberg 2000: 8–32.
Sovner R. Limiting factors in using DSM-III criteria with mentally ill/mentally retarded persons. Psychopharmacol Bull 1986; 22: 1055–9.
Sturmey P. Classification: concepts, progress and future. In Bouras N. Psychiatric and Behavioural Disorders in Developmental Disabilities and Mental Retardation. Cambridge: Cambridge University Press 1999; 3–17.

4 Tauglichkeit internationaler Diagnosesysteme

Dilling H. Psychiatrische Klassifikation. In: Helmchen H, Henn F, Lauter H, Sartorius N (Hrsg). Psychiatrie der Gegenwart. Bd. 2 Allgemeine Psychiatrie. 4. Auflage. Berlin, Heidelberg, New York: Springer 1999; 60–88.

Došen A. Diagnsotische und therapeutische Probleme. In: Gaedt C, Bothe S, Michels H (Hrsg). Psychisch krank und geistig behindert. Regionale Angebote für psychisch kranke Menschen mit geistiger Behinderung. Dortmund: Verlag modernes lernen 1993; 91–107.
Lingg A, Theunissen G. Psychische Störungen bei geistig Behinderten. Freiburg im Breisgau: Lambertus 1993.
Meir-Korell S. Psychologische Maßnahmen. In: Neuhäuser G, Steinhausen HC (Hrsg). Geistige Behinderung. Grundlagen, klinische Syndrome, Behandlung und Rehabilitation. Stuttgart, Berlin, Köln: Kohlhammer 2003; 232–47.
WHO: History of the development of the ICD. http://www.who.int/entity/substance_abuse/terminology/ICD10ClinicalDiagnosis.pdf [03.08.2006].
WHO 1996: ICD-10 Guide for mental retardation. http//:www.who.int/entity/mental_health/media/en/69.pdf [03.08.2006].

5 Diagnoseinstrumente für Menschen mit Intelligenzminderung

Deb S, Thomas M, Bright C. Mental disorder in adults with intellectual disability: I: prevalence of functional psychiatric illness among a community-based population aged between 16 and 64 years. J Intellectual Disabil Res 2001; 45: 495–505.
Durand VM. Severe Behavior Problems: A Functional Communication Training Approach. New York: Guilford Press 1990.
Einfeld S, Tonge B, Steinhausen HC. Verhaltensfragebogen für Kinder mit Entwicklungsstörungen (VFE).Göttingen: Hogrefe Verlag 2006.
Goldberg D, Huxley P. Mental Illness in the Community. London: Tavistock Publications 1980.
Holden B, Gitlesen JP. The association between severity of intellectual disability and psychiatric symptomatology. J Intellect Disabil Res 2004; 46: 556–62.
Marchetti JL, Campbell VA. Social Skills. In: JL Matson (Hrsg). Handbook of Behavior Modification with the Mentally Retarded. 2. Aufl. New York: Plenum Press 1990.
Moss SC, Prosser H, Goldberg DP. Validity of the Schizophrenia diagnosis of the Psychiatric Assessment Schedule for Adults with Developmental Disability (PAS-ADD). Brit J Psychiat 1996; 168: 359–67.
Roy A, Martin DM, Wells MB. Health gain through screening-mental health: developing primary health care services for people with an intellectual disability. J Intellect Develop Disabil 1997; 22: 227–39.
Taylor JL, Hatton C, Dixon L, Douglas C. Screening for psychiatric symptoms: PAS-ADD Checklist norms for adults with intellectual disabilities. J Intellect Disabil Res 2004; 48: 37–41.

Weiterführende Adressen:

Martin, P.: Leiter Séguin-Klinik für Menschen mit schwerer geistiger Behinderung, Epilepsiezentrum Kork, Landstr.1, D-77694 Kehl-Kork

6 Emotionaler Entwicklungsstand, Erfassung und Umsetzung im aktiven Milieumanagement

Došen A. Psychische Störungen bei geistig behinderten Menschen. München: Urban & Fischer 1997.
Došen A. Psychische Störungen, Verhaltensprobleme und intellektuelle Behinderung. Göttingen: Hogrefe Verlag 2010.
Došen A: http//seo-gb.de/download/handout zum Vortrag von A. Došen; pdf 2013a.
Došen A: http//seo-gb.de/download/handout zum Workshop von A. Došen; pdf 2013b.
Kolb J. http//seo-gb.de/download/handout zum Workshop von J. Kolb; pdf 2013a.
Kolb et al. http//seo-gb.de/download/SEO-Lukas-Version 3.0; pdf 2013b.
Kolb et al. http//seo-gb.de/download/SEO-Milieutherapie; pdf 2013c.
LeDoux J. Synaptic Self: How Our Brains Become Who We Are. New York: Macmillian 2002.

7 Testpsychologische Untersuchung bei Erwachsenen mit Intelligenzminderung in der Psychiatrie

Bondy C. Testbatterie für geistig behinderte Kinder TBGB. Weinheim: Beltz 1969.
CIPS. Internationale Skalen für Psychiatrie. Göttingen: Beltz, Test, Göttingen 1996.
Ewert JP. Neurobiologie des Verhaltens. Bern: Hans Huber 1998.
Eysenck HJ. Intelligence: The New Look. Psycholog Beiträge 28, 1986
Gallhofer B. Messung der kognitiven Leistungsfähigkeit bei schizophrenen Patienten unter verschiedenen Antipsychotika. Psycho 1995; 21: 235–45.
Götze R, Zenz K. Neuropsychologisches Befundsystem für die Ergotherapie. Heidelberg: Springer-Verlag 2010.
Harwood E, Naylor GFK. Rates and information transfer in elderly subjects. Aust J Psychol 1969; 2: 126–36.
Lehrl S. Intelligenz, informationspsychologisch Enzyklopädie, Naturwissenschaft und Technik, Jahresband. Landsberg am Lech: Verlag Moderne Industrie 1983; 196–207.
Lehrl S, Gallwitz A, Blaha l, Fischer B. Geistige Leistungsfähigkeit Theorie und Messung der biologischen Intelligenz mit den Kurztests KAI. Ebersberg: Vless 1991.
Lehrl S, Lehr M, Weickmann E. MAT, Gehirn-Jogging; Einführung in das Mentale Aktivierungs-Training. Ebersberg: Vless 1994.
Lehrl S, Kinzel W, Fischer B, Weidenhammer W. Psychiatrische und Medizinipsychobiologische Messverfahren des deutschsprachigen Raumes. Ebersberg: Vless 1996.
Michal C. Neuropsychologisches Befundsystem für die Ergotherapie. Berlin, Heidelberg: Springer 1996.
Möller HJ, v. Zerssen D. Psychopathometrische Verfahren. Nervenarzt 1982; 53: 493–503.
Neubauer A. Intelligenz und Geschwindigkeit der Informationsverarbeitung. Wien, New York: Springer 1995.
Peterander F, Strasser E, Stadler T, Kahabka T. WTB, Werdenfelser Testbatterie. Göttingen: Hogrefe 2009.
Reischies FM. Neuropsychologisches Defizit-Screening. Nervenarzt 1987; 58: 219–26.
Satzger W, Dragon E, Engel RR. Zur Normäquivalenz von HAWIE-R und HAWIE. Diagnostica 1996; 43: 119–38.
Wechsler, David. Wechsler Adult Intelligence Scale Fourth Edition (WAIS-IV) Deutsche Version. Frankfurt/Main: Pearson Assessment 2012.
Wieck HH (Hrsg). Angewandte Psychopathometrie. Düsseldorf: Jansse 1973.

8 Organische Psychosen (F0x)

Adams D, Oliver C, Kalsy S, Peters S, Broquard M, Basra T, Konstandinidi E, McQuillan S. Behavioural characteristics associated with dementia assessment referrals in adults with Down syndrome. J Intellect Dis Res 2008; 52: 358–68.
Ball SL, Holland AJ, Huppert FA, Treppner P, Watson PC. Personality and behaviour changes mark the early stages of Alzheimer's disease in adults with Down's syndrome: findings from

a prospective population-based study. International Journal of Geriatric Psychiatry 2006; 21: 661–73.
Barnhart RC, Connolly B. Aging and Down Syndrome: Implications for Physical Therapy. Physical Therapy 2007; 87: 1399–1406.
Bauer J. Die Alzheimer Krankheit. Stuttgart: Schattauer 1994.
Bhaumik S, Watson JM, Thorp CF., Tyrer F, McGrother CW. Body mass index in adults with intellectual disability: distribution, associations and service implications: a population-based prevalence study. J Intellect Dis Res 2007; 52: 287–98.
Bittles AH, Bower C, Hussain R, Glasson EJ. The four ages of Down syndrome. Eur J Public Health 2007; 17: 221–5.
Bush A, Beail N. Risk Factors for Dementia in People with Down-Syndrom: Issues in Assessment and Diagnosis. Am J Ment Retard 2004; 109: 83–97.
Collacot R. Psychiatric problems in elderly people with learning disabilities. In: Russel O. Seminars in the Psychiatry of Learning Disabilities. Gaskell 1997.
Cooper SA. High Prevalence of Dementia among People with Learning Disabilities not Attribute to Down Syndrome. Psychological Med 1997; 27: 609–16.
Cooper SA, Smiley E, Morrison J, Williamson A, Allan L. Mental ill-health in adults with intellectual disabilities: prevalence and associated factors. The British Journal of Psychiatry 2007; 190: 27–35.
Coppus A, Evenhuis H, Verberne G-J, Visser F, Van Gool P, Eikelenboom P, Van Duijin C. Dementia and mortality in persons with Down's syndrome. J Intellect Disabil Res 2006; 50: 768–77.
Coppus A, Telbis-Kankainen H. Geistige Behinderung und Demenz: Epidemiologie und einleitende Bemerkungen. Medizin bei Menschen mit geistiger oder mehrfacher Behinderung 2012. 8. Jahrgang, Supplement 1.
Day K, Jancar J. Mental and physical health and ageing in mental handicap: a review. J Intellect Disabil Res 1994; 38: 241–56.
Deb S, Braganza J. Comparison of rating scales for the diagnosis of dementia in adults with Down's Syndrome. J Intellect Disabil Res 1999; 43: 400–7.
Deb S, Hare M, Prior L. Symptoms of dementia among adults with Down‘s syndrome: a qualitative study. J Intellect Dis Res 2007; 51: 726–39.
Deutsche Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde (DGPPN), Gaebel W, Falkai P (Hrsg). Praxisleitlinien in Psychiatrie und Psychotherapie. Band 3: Behandlungsleitlinie Demenz. Darmstadt: Steinkopf 2000.
Deutsche Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde (DGPPN), Deutsche Gesellschaft für Neurologie (DGN) und Deutsche Alzheimer Gesellschaft e.V. (Hrsg). S3-Leitlinie „Demenzen“ (Kurzversion) 2009.
Doody RS, Stevens, JC, Beck RN, Dubinsky RM, Kaye JA, Gwyther L et al. Practise Parameter: Management of dementia (an evidence-based review). Neurology 2001; 56: 1154–66.
Draheim CC. Cardiovascular disease prevalence and risk factors of persons with mental retardation. Ment Retard Dev Disabil Res Rev 2006; 12: 3–12.
Ebert D. Psychiatrie systematisch. Bremen: UNI-MED 1997.
Evenhuis HM. The Natural History of Dementia in Down Syndrom. Archives of Neurology 1990; 47: 263–7.
Evenhuis HM. Evaluation of a screening instrument for dementia in ageing mentally retarded persons. J Intellect Disabil Res 1992; 36: 337–47.
Fraser J, Mitchell A. Kalmuc idiocy: report of a case with autopsy with notes on 62 cases. J Mental Sci 1876; 22: 161–2.
Gauthier S, Emre M, Farlow M. Strategies for continued successful treatment of Alzheimer's disease: switching cholinesterase inhibitor. Curr Med Res Opin 2003; 19: 707–14.
Gedye A. Dementia scale for Down syndrome. Vancouver/Canada: Gedye Research and Consulting 1995.
Gedye A. Neuroleptic-Induced Dementia Documented in four adults with mental retardation. Mental Retard 1998; 36: 182–6.
Gutzmann H. Nicht-medikamentöse Therapie demenzbedingter Verhaltensstörungen. DGPPN Vortrag 2004.
Head E, Lott I. Down Syndrome and beta-amyloid deposition. Curr Opin Neurol 2004; 17: 95–100.
Holland A. Down's Syndrome and Alzheimer Disease. In: Bouras N (Hrsg). Mental Health in Mental Retardation. Cambridge: Cambridge University Press 1994.
Huber G. Psychiatrie. 5. Auflage. Stuttgart: Schattauer 1994.
Huxley A, Prasher VP, Haque MS. The dementia scale for Down's syndrome. J Intellect Dis Res 2000; 44: 697–8.
Janicki MP, Davidson PW, Henderson CM et al. Health characteristics and health services utilization in older adults with intellectual disability living in community residences. J Intellect Dis Res 2002; 46: 287–98.
Jost BC, Grossberg GT. The Evaluation of psychiatric symptoms in Alzheimer Disease. A natural history. J Am Geriat Soc 1996; 44: 1078–81.
Kalsy S, Heath R, Adams D, Oliver C. Effects of training on controllability attributions of behavioural excesses and deficits shown by adults with Down syndrome and dementia. J Appl Res Intellect 2007; 20: 64–8.
Kaschke I. Special Olympics und das Gesundheitsprogramm Healthy Athlets®. Medizin für Menschen mit geistiger oder mehrfacher Behinderung 2010; Heft 1.
Kishanani P, Spiridiglozzi G, Heller J, Sullivan J, Doraiswamy P, Keishnan K. Donezepil for Down-Syndrom. Amer J Psychiatry 2001; 158: 143–6.
Kondoh T, Amamoto N, Doi T, Hamada H. Dramatic improvement in Down-Syndrom-associated cognitive impairment with donezepil. Annals Pharmacother 2005; 39: 563–6.
Lott IT, Dierssen M. Cognitive deficits and associated neurological complications in individuals with Down‘s syndrome. Lancet Neurol 2010; 9: 623–33.
Lund J. The Prevalence of Psychiatric Morbidity in mentally retarded Adult. Acta Psychiatrica Scand 1985; 72: 557–70.
Lingg A, Theunissen G. Psychische Störungen und geistige Behinderung. Freiburg: Lambertus Verlag 2000.
Mann DMA. Alzheimer's Disease and Down-Syndrom. Histopathology 1988; 13: 125–37.
Martin P. Epilepsie im Verlauf einer Demenz vom Alzheimer-Typ bei Trisomie 21. Medizin bei Menschen mit geistiger oder mehrfacher Behinderung 2012. 8. Jahrgang, Supplement 1.
McGuire BE, Daly P, Smyth F. Lifestyle and health behaviours of adults with an intellectual disability. Journal of Intellectual Disability Research 2007; 51: 497–510.
Moss S, Patel P. Psychiatric Symptoms associated with dementia in older people with learning disability. Br J Psychiatry 1995; 167: 663–7.
MRC CFAS: Neuropathology Group of the Medical Research Council Cognitive Function and Ageing Study: Pathological correlates of late-onset dementia in a multicenter, community-based population in England and Wales. Lancet 2001; 357: 169–75.
Pollin TI, Damcott CM, Shen H, Ott SH, Shelton J, Horenstein RB, Post W, McLenithan JC, Bielak LF, Peyser PA, Mitchell BD, Miller M, O‘Connell JR, Shuldiner AR. A Null Mutation in Human APOC3 Confers a Favorable Plasma Lipid Profile and Apparent Cardioprotection. Science 2008; 322(5908): 1702–5.
Prasher VP. Age specific prevalance, thyroid dysfunction and depressive symptomatology in Adults with Down Syndrome and Dementia. Int J Geriat Psychiat 1995; 10: 25–31.

Prasher VP. Dementia Questionaire for persons with mental retardation (DMR). Modified criteria for adults with Down's syndrome. J Appl Res Intellect 1997; 10: 54–60.

Prasher VP. Review of Donezepil, Rivastigmin, Galantamin and Memantin for the Treatment of Dementia in Alzheimer Disease in Adults with Down Syndrome: Implications for the Intellektual Disability Population. Int J Geriatr Psychiatry 2004; 19: 509–15.

Reisberg B, Doody R, Stöffler A, Schmitt F, Ferris S. Memantine in Moderate-to-severe Alzheimer Disease. N Engl J Med 2003; 348: 1333–41.

Royal College of Psychiatrists DC-LD (Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation). London: Gaskell 2001.

Ryan R. Handbook of mental health care for persons with developmental disabilities. Quebec: Diverse City Press 2001.

Schanze C. Früherkennung und Diagnostik demenzieller Erkrankungen bei Menschen mit geistiger Behinderung. DGPPN, 2004, Berlin.

Schanze C. Klinische Symptomatik demenzieller Erkrankungen bei Menschen mit Intelligenzminderung. Medizin bei Menschen mit geistiger oder mehrfacher Behinderung 2012; 8. Jahrgang, Supplement 1.

Schmidtke K. Medikamentöse Demenz-Therapie bei Menschen mit geistiger Behinderung. Medizin bei Menschen mit geistiger oder mehrfacher Behinderung 2012. 8. Jahrgang, Supplement 1.

Schneider K. Klinische Psychopathologie. 14. unveränd. Auflage. Stuttgart: Thieme 1992.

Stanton LR, Coetzee RH. Down's syndrome and dementia. Advances in Psychiatric Treatment 2004; 10: 50–8.

Strydom A, Hassiotis A. Diagnostic instruments for dementia in older people with intellectual disability in clinical practice. Aging and mental health 2003; 7: 431–7.

Strydom A, Livingston G, King M, Hassiotis A. Prevalence of dementia in intellectual disability using different diagnostic criteria. British Journal of Psychiatry 2007; 191: 150–7.

Theunissen G. Psychische Störungen bei Menschen mit geistiger Behinderung im Alter. Geistige Behinderung 2001; 2/01: 167–80.

Tomka-Hoffmeister M, Huber B, Seidel M. Eine atypische Epilepsiesymptomatik als Ursache eines demenzähnlichen Bildes bei einem geistig und körperlich behinderten Patienten. Fortschr Neurol Psychiat 2004; 72: 160–3.

Trautwein EM, Radlbeck-Cooper P. Nichtmedikamentöse Therapieansätze bei geistiger Behinderung und Demenz. Medizin bei Menschen mit geistiger oder mehrfacher Behinderung 2012. 8. Jahrgang, Supplement 1.

Urv TK, Zigman WB, Silverman W. Maladaptive behaviors related to dementia status in adults with Down syndrom. Am J Ment Retard 2008; 113: 73–86.

Wilkinson H, Janicki MP. The Edinburgh Principles with accompanying guidelines and recommendations. J Intellect Disabil Res 2002; 46: 279–84.

Wilkinson H, Kerr D, Cunningham C. Equipping staff to support people with an intellectual disability and dementia in care home settings. Dementia 2005; 4: 387–400.

Wöber C, Dal-Bianco P, Hufgard J, Lind C, Deecke L. Zur Ätiologie der Alzheimer-Krankheit. Nervenarzt 1992, 63: 74–81.

Zigman W, Schupf N, Devenny D, Miezejeski C, Ryan R, Urv T. Incidence and Prevalence of Dementia in Elderly Adults with Mental Retardation without Down Syndrome. Am J Ment Retard 2004; 109: 126–41.

Zigman WB, Devenny DA, Krinsky-McHale SJ, Jenkins EC, Urv TK, Wegiel J, Schupf N, Silverman W. Alzheimer's Disease in Adults with Down Syndrome. Int Rev Res Ment Retard 2008; 36: 103–45.

9 Epilepsie (F0) und psychische Störungen bei Intelligenzminderung

Abubakr A, Kablinger A, Caldito G. Psychogenic seizures: clinical features and psychological analysis. Epilepsy Behav 2003; 4: 241–5.

Alldredge BK. Seizure risk associated with psychotic drugs: clinical and pharmacokinetic considerations. Neurology 1999; 53 (Suppl 2): S68–S75.

Aldenkamp AP, Mulder OG. Behavioural mechanisms involved in pseudoepileptic seizures: a comparison between patients with epileptic seizures and patients with pseudoepileptic seizures. Seizure 1997; 6: 275–82.

Armon C, Shin C, Miller P, Carwile S, Brown E, Edinger JD, Paul RG. Reversible parkinsonism and cognitive impairment with chronic valproate use. Neurology 1996; 47: 626–35.

Asano E, Chugani DC, Muzik O, Behen M, Janisse J, Rothermel R, Mangner TJ, Chakraborty PK, Chugani HT. Autism in tuberous sclerosis complex is related to both cortical and subcortical dysfunction. Neurology 2001; 57: 1269–77.

Asato MR, Hardan AY. Neuropsychiatric problems in tuberous sclerosis complex. J Child Neurol 2004; 19: 241–9.

Barker MJ, Benitez JG, Ternullo S, Juhl GA. Acute oxcarbazepine and atomoxetine overdose with quetiapine. Vet Hum Toxicol 2004; 46: 130–2.

Barraclough BM. The suicide rate of epilepsy. Acta Psychiatr Scand 1987; 76: 339–45.

Barry JJ, Huynh N. Psychotropic drug use in patients with epilepsy and developmental disabilities. In: Devinsky O, Westbrook LE (eds). Epilepsy and Developmental Disabilities. Boston, Oxford, Auckland, Johannesburg, Melbourne, New Delhi: Butterworth-Heinemann 2002; 205–17.

Bauer J, Elger CE. Die akute Valproinsäure-Enzephalopathie. Akt Neurol 1993; 20: 16–21.

Bear DM, Fedio P. Quantitative analysis of interictal behaviour in temporal lobe epilepsy. Arch Neurol 1977; 34: 454–67.

Benbadis SR, Wolgamuth BR, Goren H, Brener S, Fouad-Tarazi F. Value of tongue biting in the diagnosis of seizures. Arch Intern Med 1995; 155: 2346–9.

Besag FM, Berry D. Interactions between antiepileptic and antipsychotic drugs. Drug Safety 2006; 29: 95– 118.

Beydoun A, Passaro EA. Anticonvulsants and psychiatric disorders. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 251–60.

Binnie CD, Darby CE, De Korte RA, Wilkins AJ. Self-induction of epileptic seizures by eye closure: incidence and recognition. J Neurol Neurosurg Psychiatry 1980; 43: 386–9.

Blanchet P, Frommer GP. Mood change prededing epileptic seizures. J Nerv Ment Dis 1986; 174: 471–6.

Bolton PF, Park RJ, Higgins JNP, Griffiths PD, Pickles A. Neuro-epileptic determinants auf autism spectrum disorders in tuberous sclerosis complex. Brain 2002; 125: 1247–55.

Bowman ES, Markand ON. Psychodynamics and psychiatric diagnoses of pseudoseizure subjects. Am J Psychiatry 1996; 153: 57–63.

Bruni J. Phenytoin Toxicity. In: Levy RH, Mattson RH, Meldrum BS (eds). New York: Raven Press 1995; 345–50.

D'Amelio M, Shinnar S, Hauser WA. Epilepsy in children with mental retardation and cerebral palsy. In: Devinsky O, Westbrook LE (eds). Epilepsy and Developmental Disabilities. Boston, Oxford, Auckland, Johannesburg, Melbourne, New Delhi: Butterworth-Heinemann 2002; 3–16.

Devinsky O. Cognitive and behavioral effects of antiepileptic drugs. Epilepsia 1995; 36 (Suppl 2): S46–S65.

Devinsky O. Nonepileptic psychogenic seizures: quagmires of pathophysiology, diagnosis and treatment. Epilepsia 1998; 39: 458–62.

Dodrill CB. Behavioral effects of antiepileptic drugs. Adv Neurol 1991; 55: 213–24.

Dunn DW. Attention-deficit hyperactivity disorder,oppositional defiant disorder, and conduct disorder. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 111–26.

Ettinger AB, Steinberg AL. Psychiatric issues in patients with epilepsy and mental retardation. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001;181–99.

Ettinger AB, Weisbrot DM, Nolan E, Devinsky O. Postictal symptoms help to distinguish patients with epileptic seizures from those with non-epileptic seizures. Seizure 1999; 8: 149–51.

Fitzgerald BJ, Okos AJ. Elevation of carbamazepine-10,11-epoxide by quetiapine. Pharmacotherapy 2002; 22: 1500–3.

Gates JR, Ramani V, Whalen SM, Loewenson R. Ictal characteristics of pseudoseizures. Arch Neurol 1985; 42: 1183–7.

Gibbs EL, Gibbs FA, Fuster B. Psychomotor epilepsy. Arch Neurol Psychiatr 1948; 60: 331–9.

Gillberg C. The treatment of epilepsy in autism. J Autism Dev Disord 1991; 21: 61–77.

Gillberg IC, Gillberg C, Ahlsen G. Autistic behavior and attention deficits in tuberous sclerosis: a population-based study. Dev Med Child Neurol 1994; 36: 50–6.

Gillberg C, Coleman M (eds). The biology of autistic syndromes. London: MacKeith Press 2000.

Glaze D, Schultz RJ, Frost JD. Rett syndrome: characterization of seizures versus non-seizures. Electroencephalogr Clin Neurophysiol 1998; 106: 185–8.

Guerrini R, Belmonte A, Canapicchi R, Casalini C, Perucca E. Reversibile pseudoatrophy of the brain and mental deterioration associated with valproate treatment. Epilepsia 1998; 39: 27–32.

Hauser WA, Hesdorffer DC. Psychosis, depression, and epilepsy. Epidemiologic considerations. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 7–17.

Hawton K, Fagg J, Marsack P. Association between epilepsy and attempted suicide. J Neurol Neurosurg Psychiatry 1980; 43: 168–70.

Hemmer SA, Pasternak JF, Zecker SG, Trommer BL. Stimulant therapy and seizure risk in children with ADHD. Pediatr Neurol 2001; 24: 99–102.

Hempel AM, Frost MD, Ritter FJ. Factors influencing the incidence of ADHD in pediatric epilepsy patients. Epilepsia 1995; 36 (Suppl 4): 122.

Hermann BP, Whitman S. Neurobiological, psychosocial, and pharmacological factors underlying interictal psychopathology in epilepsy. Adv Neurol 1991; 55: 439–52.

Howell SJ, Owen L, Chadwick DW. Pseudostatus epilepticus. Q J Med 1989; 71: 507–19.

Huber B. Effekte von Topiramat bei Patienten mit Epilepsie und intellektueller Beeinträchtigung. Nervenarzt 2002; 73: 525–32.

Hunt A. Psychiatric and psychological aspects. In: Gómez MR, Sampson JR, Whittemore VH (eds). Tuberous Sclerosis Complex. New York, Oxford: Oxford University Press 1999; 47–62.

Jacoby A, Baker GA, Steen N, Potts P, Chadwick DW. The clinical course of epilepsy and its psychosocial correlates: findings from a U.K. community study. Epilepsia 1996; 37: 148–61.

Kalachnik JE, Hanzel TE. Behavioral side effects of barbiturate antiepileptic drugs in individuals with mental retardation and developmental disabilities. NADD Bull 2001; 4: 49–55.

Kanemoto K, Kawasaki J, Mori E. Violence and epilepsy: a close relation between violence and postictal psychosis. Epilepsia 1999; 40: 107–9.

Kanner AM, Kuzniecky R. Psychiatric phenomena as an expression of postictal and paraictal events. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 163–79.

Koch-Stoecker S. Antipsychotic drugs and epilepsy: indications and treatment guidelines. Epilepsia 2002; 43 (Suppl 2): 19–24.

Lambert MV, Robertson MM. Depression in epilepsy: etiology, phenomenology, and treatment. Epilepsia 1999; 40 (Suppl 10): S21–S47.

Landolt H. Serial electroencephalographic investigations during psychotic episodes in epileptic patients and during schizophrenic attacks. In: Lorentz de Haas AM (ed). Lectures on Epilepsy. Amsterdam: Elsevier 1958; 91–133.

Lewis JN, Tonge BJ, Mowat DR, Einfeld SL, Siddons HM, Rees VW. Epilepsy and associated psychopathology in young people with intellectual disability. J Paediatr Child Health 2000; 36: 172–5.

Lhatoo SD, Sander JWAS. The epidemiology of epilepsy and learning disability. Epilepsia 2001; 42 (Suppl 1): 6–9.

Longsdail SJ, Toone BK. Postictal psychoses. A clinical and phenomenological description. Br J Psychiatry 1988; 152: 246–52.

Martin P, Guth C. The use of levetiracetam (LEV) in adults with an intellectual disability and epilepsy. Epilepsia 2002; 43 (Suppl 8): 181.

Martin P. Verhaltensstörungen bei Menschen mit geistiger Behinderung und Epilepsie – Beispiel der hypothalamischen Hamartome. Med Mensch Geist Beh 2001; 1:14–5.

Matson JL, Bamburg JW, Mayville EA, Khan I. Seizure disorders in people with intellectual disability: an analysis of differences in social functioning, adaptive functioning and maladaptive behaviours. J Intellect Disabil Res 1999; 43: 531–9.

Matthes A, Schneble H. Epilepsien. Diagnostik und Therapie für Klinik und Praxis. Stuttgart, New York: Georg Thieme Verlag 1999.

McDermott S, Mani S, Krishnaswami S. A population-based analysis of specific behavior problems associated with childhood seizures. J Epilepsy 1995; 8: 110–8.

Meierkord H, Will B, Fish D, Shorvon S. The clinical features and prognosis of pseudoseizures diagnosed using video-EEG telemetry. Neurology 1991; 41: 1643–6.

Mendez MF, Doss RC, Taylor JL. Interictal violence in epilepsy. Relationship to behaviour and seizure variables. J Nerv Ment Dis 1993; 181: 566–9.

Monaco F, Cicolin A. Interactions between anticonvulsant and psychoactive drugs. Epilepsia 1999; 40 (Suppl 10): S71–S76.

Nordin V, Gillberg C. Autism spectrum disorders in children with physical or mental disability or both: I: clinical and epidemiological aspects. Dev Med Child Neurol 1996; 38: 297–313.

Oechsner M, Steen C, Stürenburg HJ, Kohlschütter A. Hyperammonaemic encephalopathy after initiation of valproate therapy in unrecognised ornithine transcarbamylase deficiency. J Neurol Neurosurg Psychiatry 1998; 64: 680–2.

Ojemann LM, Friel PN, Trejo WJ, Dudley DL. Effect of doxepin on seizure frequency in depressed epileptic patients. Neurology 1983; 33: 646–8.

Olsson I, Steffenburg S, Gillberg C. Epilepsy in autism and autisticlike conditions: a population-based study. Arch Neurol 1988; 45: 666–8.

Osborne JP, Fryer A, Webb D. Epidemiology of tuberous sclerosis. Ann NY Acad Sci 1991; 625: 125–7.

Pisani F, Oteri G, Russo MF, Di Perri R, Perucca E, Richens A. The efficacy of valproate-lamotrigine comedication in refractory complex partial seizures: evidence for a pharmacodynamic interaction. Epilepsia 1999a; 40: 1141–6.

Pisani F, Spina E, Oteri G. Antidepressant drugs and seizure susceptibility: from in vitro data to clinical practice. Epilepsia 1999b; 40 (Suppl 10): S48–S56.

Poindexter AR, Berglund JA, Kolstoe PD. Changes in antiepileptic drug prescribing patterns in large institutions: preliminary results of a five-year experience. Am J Ment Retard 1993; 98 (Suppl): 34–40.

Rapin I. Autistic regression and disintegrative disorder: how important the role of epilepsy. Sem Ped Neurol 1995; 2: 278–85.

Reuber M, House AO. Treating patients with psychogenic non-epileptic seizures. Curr Opin Neurol 2002; 15: 207–11.

Reuber M, Bauer J. Psychogene nichtepileptische Anfälle. Dtsch Arztebl 2003; 100: A2013–8.

Reuber M, House AO, Pukrop R, Bauer J, Elger CE. Somatization, dissociation and general psychopathology in patients with psychogenic non-epileptic seizures. Epilepsy Research 2003; 57: 159–67.

Reuber M, Pukrop R, Bauer J, Derfuss R, Elger CE. Multidimensional assessment of personality in patients with psychogenic non-epileptic seizures. J Neurol Neurosurg Psychiatry 2004; 75: 743–8.

Reynolds EH, Travers RD. Serum anticonvulsant concentrations in epileptic patients with mental symptoms. Br J Psychiatr 1974; 124: 440–5.

Richardson SA, Koller H, Katz M, Mc Laren J. A functional classification of seizures and its distribution in a mentally retarded population. Am J Ment Def 1981; 85: 457–66.

Rimpau W. Valproat-Enzephalopathie: Befunde zur Pathophysiologie. Fallvorstellung und Literaturübersicht. Z Epileptol 2002; 15: 23–9.

Ritaccio AL, Devinsky O. Personality disorders in epilepsy. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 147–61.

Robertson MM. Suicide, parasuicide, and epilepsy. In: Engel J Jr., Pedley TA (eds). Epilepsy: A Comprehensive Textbook. Philadelphia: Lippincott-Raven Publishers 1997; 2141–51.

Rosenberg HJ, Rosenberg SD, Williamson PD, Wolford GL 2nd. A comparative study of trauma and posttraumatic stress disorder prevalence in epilepsy patients and psychogenic nonepileptic seizure patients. Epilepsia 2000; 41: 447–52.

Rosenstein DL, Nelson JC, Jacobs SC. Seizures associated with antidepressants: a review. J Clin Psychiatry 1993; 54: 289–99.

Rowan AJ. Nonepileptic seizures. In: Devinsky O, Westbrook LE (eds). Epilepsy and Developmental Disabilities. Boston, Oxford, Auckland, Johannesburg, Melbourne, New Delhi: Butterworth-Heinemann 2002; 175–85.

Savard G, Andermann F, Olivier A, Rémillard GM. Postictal psychosis after partial complex seizures: a multiple case study. Epilepsia 1991; 32: 225–31.

Schachter SS. Aggressive behaviour in epilepsy. In: Ettinger AB, Kanner AM (eds). Psychiatric Issues in Epilepsy: a Practical Guide to Diagnosis and Treatment. Philadelphia: Lippincott Williams & Wilkins 2001; 201–14.

Scheepers M, Kerr M. Epilepsy and behaviour. Curr Opin Neurol 2003; 16: 183–7.

Schmitz B. Psychiatric syndromes related to antiepileptic drugs. Epilepsia 1999; 40 (Suppl 10): S65–S70.

Schmitz B. Antidepressant drugs: indications and guidelines for use in epilepsy. Epilepsia 2002; 43 (Suppl 2): 14–8.

Schöndienst M. Hirnatrophie durch Valproat? – Vier Fallberichte. In: Wolf P (Hrsg). Epilepsie ’88. Reinbek: Einhorn 1988; 401–5.

Semrud-Clikeman M, Wical B. Components of attention in children with complex partial seizures with and without ADHD. Epilepsia 1999; 40: 211–5.

Sharief MK, Sander JWA, Shorvon SD. Acute encephalopathy with vigabatrin. Lancet 1993; 342: 619.

Shepherd CW. The epidemiology of the tuberous sclerosis complex. In: Gómez MR, Sampson JR, Whittemore VH (eds). Tuberous Sclerosis Complex. New York, Oxford: Oxford University Press 1999; 24–8.

Smalley SL, Tanguay PE, Smith M, Gutierrez G. Autism and tuberous sclerosis. J Autism Dev Disord 1992; 22: 339–55.

Spina E, Perucca E. Clinical significance of pharmacokinetic interactions between antiepileptic and psychotropic drugs. Epilepsia 2002; 43: 37–44.

Steffenburg S, Steffenburg U, Gillberg C. Autism spectrum disorder in children with active epilepsy and learning disability: comorbidity, pre- and perinatal background, and seizure characteristics. Dev Med Child Neurol 2003; 45: 724–30.

Steimer W, Müller B, Leucht S, Kissling W. Pharmacogenetics: a new diagnostic tool in the management of antidepressive drug therapy. Clin Chim Acta 2001; 308: 33–41.

Stevens JR. Psychiatric aspects of epilepsy. J Clin Psychiatry 1988; 49 (Suppl): 49–57.

Torta R, Keller R. Behavioral, psychotic, and anxiety disorders in epilepsy: etiology, clinical features, and therapeutic implications. Epilepsia 1999; 40 (Suppl 10): S2–S20.

Torta R, Monaco F. Atypical antipsychotics and serotonergic antidepressants in patients with epilepsy: pharmacodynamic considerations. Epilepsia 2002; 43(Suppl 2): 8–13.

Treiman DM, Delgado-Escueta V. Aggression during fear and fight in complex partial seizures: a CCTV-EEG analysis. Epilepsia 1981; 22: 243.

Treiman DM. Psychobiology of ictal aggression. Adv Neurol 1991; 55: 341–56.

Trimble M. The psychoses of Epilepsy. New York: Raven Press 1991a.

Trimble MR. Interictal psychoses of epilepsy. Adv Neurol 1991b; 55: 143–151.

Trimble MR, Reynolds EH. Neuropsychiatric toxicity of anticonvulsant drugs. In: Mattews WB, Glaser GH (eds). Edinburgh: Churchill Livingstone 1984; 261–80.

Trimble MR, Schmitz B. The psychoses of epilepsy/schizophrenia. In: Engel J Jr., Pedley TA (eds). Epilepsy: A Comprehensive Textbook. Philadelphia: Lippincott-Raven Publishers 1997; 2071–81.

Trimble MR, Tompson PJ. Antikonvulsant drugs, cognitive function and behaviour. In: Ross E, Reynolds E (eds) Pediatric Perspectives in epilepsy. London: John Libbey 1985; 141–8.

Tuchman R, Rapin I. Epilepsy and autism. Lancet Neurology 2002; 1: 352–8.

Vaughn BV, Miller MT, D’Cruzo OF, Messenheimer JA. Prevalances of sleep complaints in patients with epilepsy: application of the Epworth Sleepiness Scale. Sleep Research 1996; 24: 453.

Volkmar FR, Nelson DS. Seizure disorder in autism. J Am Acad Child Adolesc Psychiatry 1990; 29: 127–9.

Walczak TS, Papacostas S, Williams DT, Scheuer ML, Lebowitz N, Notarfrancesco A. Outcome after diagnosis of psychogenic nonepileptic seizures. Epilepsia 1995; 36: 1131–7.

Waxman S, Geschwind N. The interictal behaviour syndrome of temporal lobe epilepsy. Arch Gen Psychiatry 1975; 32: 1580–6.

Weil AA. Ictal depression and anxiety in temporal lobe disorders. Am J Psychiatry 1956; 113: 149–57.

Willert C, Spitzer C, Kusserow S, Runge U. Serum neuron-specific enolase, prolactin, and creatine kinase after epileptic and psychogenic nonepileptic seizures. Acta Neurol Scand 2004; 109: 318–23.

Woodhams KA, Bennett B, Bronstein KS, Anaizi N, Erba G, Berg MJ. Behavioral changes in individuals treated with felbamate. Epilepsia 1994; 35 (suppl 8): 160.

10 Psychische Störungen und Verhaltensstörungen durch Alkohol (F10)

Adams M, Effertz T. Volkswirtschaftliche Kosten des Alkohol- und Tabakkonsums. In: Singer MV, Batra A, Mann K (Hrsg). Alkohol und Tabak: Grundlagen und Folgeerkrankungen. Stuttgart: Thieme 2011: 57–62.

Agarwal DP, Goedde HW. Genetik des Alkoholismus. In: Kisker KP (Hrsg). Psychiatrie der Gegenwart (Bd.3): Abhängigkeit und Sucht. Berlin, Heidelberg, New York, London, Paris: Springer 1987; 129.

Autorengruppe Bildungsberichterstattung. Bildung in Deutschland 2010. Bielefeld: Bertelsmann Verlag 2010.

Ballenger JC, Post RM. Kindling as a model for alcoholic withdrawal syndromes. Br J Psychiatry 1978; 133: 1–14.

Bayerisches Landesamt für Statistik und Datenverarbeitung 2004.

Bejerot, N. Narkomani som artiflciellt framkallad drift. Nordisk Medicin 1971; 85: 20–7.

Böning J. Warum muß es ein „Suchtgedächtnis“ geben? Klinische Empirie und neurobiologische Argumente. Sucht 1994; 40: 244–52.

Bohus M. Borderline-Störung. Göttingen, Bern, Toronto, Seattle: Hogrefe 2002.

Burgard JF, Donohue B, Azrin NH, Teichner G. Prevalence and Treatment of Substance Abuse in the Mentally Retarded Population: An Empirical Review. J Psychoactive Drugs 2000; 32: 293–8.

Bush B, Shaw S, Cleary P, Delbanco TL, Aronson MJ. Screening for alcohol abuse using the CAGE questionnaire. Am J Med 1986; 82: 231–5.

Cador M, Taylor JR, Robbins TW. Potentiation of the effects of reward-related stimuli by dopaminergic-dependent mechanisms in the nucleus accumbens. Psychopharmacology 1991; 104: 377–85.

Casey PR. The epidemiology of personality disorder. In: Tyrer P (ed). Personality disorders: diagnosis, management and course. Kent, England: Wright/Butterworth Scientific 1988; 74–81.

Clarke JJ, Wilson DN. Alcohol problems and intellectual disability. J Intellect Disabil Res 1999; 43: 135–9.

Cloninger CR. Neurogenetic adaptive mechanisms in alcoholism. Science 1987; 236: 410–6.

Cotton J. The familial incidence of alcoholism. A review. J Stud Alcohol 1979; 40: 89–116.

Craft M, Jenkins C, Villa-Landa M, Clutterbuck L Alcoholism and the subnormal. Brit J Addict 1968; 63: 171–6.

Deutsche Hauptstelle für Suchtfragen (Hrsg). Jahrbuch Sucht 2012. Lengerich: Pabst.

Deutsches Ärzteblatt. Jeder fünfte Deutsche hat ein Alkoholproblem. Heft 18, 6.5.2011.

Ebert D. Psychiatrie systematisch. Bremen: Uni-Med 2001.

Edgerton RB. Alcohol and drug use by mentally retarded adults. Am J Mental Def 1986; 90: 602–9.

Ericksen L, Bjornstadt S, Gotestam G. Social skills training in groups for alcoholics: one-year treatment outcome for groups and individuals. Addict Behav 1986; 1: 309–29.

Eriksson K. Animal Models in Alcohol Research. London: Academic Press 1980.

Ermann M. Psychotherapeutische und psychosomatische Medizin. Stuttgart: Kohlhammer 1995.

Ewing JA. Detecting alcoholism: The CAGE questionnaire. JAMA 1984; 252: 1905–7.

Feuerlein W. Alkoholismus – Mißbrauch und Abhängigkeit. 4. Auflage Stuttgart New York: Thieme 1989.

Feuerlein W, Ringer C, Küfer H, Antons K. Münchner Alkoholismus-Test (MALT). Testmanual. Weinheim: Beltz 1979.

Gianoulakis C. Endogenous opioids and addiction to alcohol and other drugs of abuse. Curr Top Med Chem 2004; 4: 39–50.

Gillberg C, Soderstrom H. Learning disability. Lancet 2003; 362: 811–21.

Goddard H. The Kallikak Family, a Study in the Heredity of Feeble Mindedness. New York, NY: Macmillan 1912.

Göbel M. Alkoholismus bei Jugendlichen. Motive und Prävention. Universität Klagenfurt, Österreich 2001.

Gouzoulis-Mayfrank E. Komorbidität von Psychose und Sucht. Psychiatrie und Psychotherapie 2010; 4: 81–95.

Harrison L. Alcohol Problems in the Community. London: Routledge, 1996.

Hoegg U, Nowak D. Betriebliche Auswirkungen erhöhten Alkoholkonsums. In: Backmund M (Hrsg). Suchttherapie. Grundlagen, Klinik, Standards. Leitfaden für Praxis und Fortbildung. Landsberg: Ecomed 1999; 1–3.

Heigl-Evers A, Schultze-Dierbach E, Standtke G. Grundstörungen der Abhängigkeit und Sucht aus tieferpsychologischer Sicht. In: Wanke K, Bühringer G (Hrsg). Grundstörungen der Sucht. Berlin, Heidelberg, New York, Tokyo: Springer 1991; 37–54.

Hrubec Z, Omenn GS. Evidence of genetic disposition to alcoholic cirrhosis and psychosis: Twin concordances for alcoholism and its biological end points by zygosity among male veterans. Alcohol Clin Exp Res 1981; 5: 207–15.

Huang AM. The drinking patterns of the educably mentally retarded and the non-retarded student. J Alcohol Drug Educat 1981; 26: 41–50.

Jellinek EM. Alcoholism: A genus and some of its species. CMAJ 1960; 83: 1341–5.

Knight-Taylor M. Functional and psychosocial implications of mental retardation. In: Alcohol and Other Drug Abuse: Implications for Mental Retardation and Learning Disabilities. Hempstead. New York: Hostra University, School of Education 1991.

Krischef CH. Do the mentally retarded drink? A study of their alcohol usage. J Alcohol Drug Educat 1986; 31: 64–70.

Krischef CH, DiNitto DM. Alcohol abuse among mentally retarded individuals. Mental Retardation 1981; 19: 151–5.

Ladewig D. Drogen unter uns. Medizinische, psychologische und juristische Aspekte des Drogenproblems unter Berücksichtigung des Alkohol- und Tabakkonsums. Basel, München: Karger 1979.

Lefrancois GR. Psychologie des Lernens. Berlin, Heidelberg, New York, Tokio: Springer 1986.

Linehan MM. Cognitive-Behavioral Treatment of Borderline Personality Disorder. New York: Guilford Press 1993a.

Linehan MM. Skills Training Manual for Treating Borderline Personality Disorder. New York: Guilford Press 1993b.

Lottmann TJ. Access to generic substance abuse services for persons with mental retardation. J Alcohol Drug Educat 1993; 39: 41–55.

Maier W. Mechanismen der familiären Übertragung von Alkoholabhängigkeit und Alkoholabusus. In: Watzl H, Rockstroh B (Hrsg). Abhängigkeit und Mißbrauch. Hogrefe, Göttingen 1997; 91–110.

Maine Department of Mental Retardation. The Maine Approach: A Treatment Model for the Intellectually Limited Substance Abuser. Augusta, Maine: Maine Department of Mental Health and Mental Retardation 1984.

Mann K, Gann H, Günther A. Suchterkrankungen. In: Berger M (Hrsg). Lehrbuch Psychische Erkrankungen. München, Jena: Urban Fischer 2004; 389–410.

Mann K. Weltkongress für Alkoholforschung in Mannheim. Deutsches Ärzteblatt 2005; 20: 1223–4.
Manthorpe J. Service challenges: the pleasures and problems of alcohol. J Learning Disabil Nursing Health Social Care 1997; 1: 31–6.
Mueser KT, Brunette MF, Drake RE. Komorbidität von Schizophrenie sowie Bipolaren Störungen und Substanzstörungen. In: Moggi F (Hrsg). Doppeldiagnosen. Komorbidität psychischer Störungen und Sucht. Bern: Huber 2007, 109–41.
Morrow D, Leier V, Yesavage J, Tinklenberg J. Alcohol age and piloting: judgment, mood an actual performance. Int J Addict 1991; 26: 669–83.
Munafo MR, Johnstone EC, Welsh KI, Walton RT. Association between the DRD2 gene Taq1A (C32806T) polymorphism and alcohol consumption in sozial drinkers. Pharmacogenomics J 2005; 5: 96–101.
Murphy CC, Boyle C, Schendel D, Decoufle P, Yeargin-Allsopp M. Epidemiology of mental retardation in children. Mental Retard Develop Disabil Res Rev 1998; 4: 6–13.
Overton DA. State-dependent learning produces by alcohol. In: Kissin B (ed). The biology of alcoholism. Bd. 2. New York: Plenum Press 1972.
Paxon JE. Relapse prevention for individuals with developmental disabilities, borderline intellectual functioning, or illiteracy. J psychoact Drugs 1995; 27: 167–72.
Pollock VE. Meta Analysis of Subjective Sensivity to Alcohol in Sons of Alcoholics. Am J Psychiat 1982; 149: 1534–8.
Regier DA, Farmer ME, Rae DS, Locke BZ, Keith SJ, Judd LL, Goodwin FK. Comorbidity of mental disordes with alcohol and other drug abuse. Results from the Epidemiologic Catchment Area (ECA) Study. JAMA 1990; 264: 2511–8.
Rehm J, Mathers C, Popova S, Thavorncharoensap M, Teerawattananon Y, Patra J. Global burden of disease and injury and economic cost attributable to alcohol use and alcohol-use disorders. In: Lancet 2009; 373: 2223–33.
Ringelhahn S. Persönlichkeitsstörungen und „Sucht“. Medtropole 2010; 20: 751–4.
Robins LN, Helzer JE, Przybeck TR, Regier DA. Alcohol disorders in the community: a report from the Epidemiologic Catchment Area. In: Rose RM, Barrett JE (eds). Alcoholism. Origins and outcome. New York: Raven 1988; 15–29.
Schlüter-Dupont L. Alkoholismus-Therapie. Pathogenetische, psychodynamische, klinische und therapeutische Grundlagen. Stuttgart, New York: Schattauer 1990.
Schuckit MA. Drug and alcohol abuse: a clinical guide to diagnosis and treatment (3rd ed). New York: Plenum Medical Book Company.
Schuckit MA. Reactions to alcohol in sons of alcoholics and controls. Alcoholism: Clin Exp Res 1998; 12: 465.
Schuhler P. Persönlichkeitsstörung und Sucht. Fachklinik Münchwies. Köln 2006, http://www.suchtpsychologie.de/documents/Dr.Schuhler.pdf.
Small J. Emotions anonymous: Counseling the mentally retarded substance abuser. Alcohol Health Research World 1980, 1981; 5: 46.
Soyka M. Die Alkoholkrankheit – Diagnostik und Therapie. Weinheim: Chapman & Hall 1995.
Soyka M. Alkoholismus – eine Krankheit und ihre Therapie. Stuttgart: Wissenschaftliche Verlagsgesellschaft 1997.
Soyka M. Störungen durch Alkohol. In: Möller HJ, Laux G (Hrsg). Lehrbuch für Psychiatrie und Psychotherapie. Heidelberg: Springer 2003; 913–50.
Spanagl R, Zieglgänsberger W. Sucht im Tiermodel: Wirksamkeit von Acamprosat. Nervenheilkunde 1996; 15: 469–72.
Statistisches Bundesamt 2012
Tandon R, Nasrallah HA, Keshavan MS. Schizophrenia, “Just the facts” 4: Clinical features and conceptualization. Schizophr Res 2009; 110: 174–84.
Tyas S, Rush B. The treatment of disabled persons with alcohol and drug problems: results of a survey of addiction services. J Studies Alcohol 1993; 54: 275–82.
Welsh Office. Welsh Health Survey 1995. Cardiff: Welsh Office 1996.
Westermeyer J, Kemp K, Nugent S. Substance disorder among persons with mild mental retardation. American Journal on Addictions 1996; 5: 23–31.
Wienberg G. Versorgungsstrukturen von Menschen mit Alkoholproblemen in Deutschland eine Analyse aus Public Health-Perspektive. In: Mann K (ed). Neue Therapieansätze bei Alkoholproblemen. Lengerich: Pabst 2002; 17–45.
Weltgesundheitsorganisation (WHO). Seventh report of WHO Expert Committee on Addiction-Producting Drugs. Technical Report Series 116, WHO1957.
http://www.anonyme-alkoholiker.de
http://www.bas-muenchen.de
http://www.bmgesundheit.de
http://www.bzga.de
http://www.turboentzug.de
http://www.suchthilfe.de
http://www.dhs.de
http://www.sucht.de
http://www.sucht.org
http://www.ift.de
http://www.sucht-netz.de
http://www.dg-sucht.de
http://www.suchtpsychologie.de
http://www.caritas.de
http://www.dgds.de

11 Schizophrenie (F2)

American Psychiatric Association (APA). Diagnostic criteria from DSM-IV. Deutsch von: Saß H, Wittchen HU, Zaudig M, Houben I (Hrsg). Diagnostische Kriterien des Diagnostischen und statistischen Manuals psychischer Störungen DSM-IV. Göttingen, Bern, Toronto, Seatle: Hogrefe 1994.
Andreasen NC, Olsen S. Negative vs. positive schizophrenia: definition and validation. Arch Gen Psychiatry 1982; 39: 789–94.
Arseneault L, Cannon M, Murray R, Poulton R, Caspi A, Moffitt E. Childhood origins of violent behaviour in adults with schizophreniform disorder; Br J Psychiatry 2003; 183: 520–5.
Bellack AS, Mueser KT. Psychosocial treatment for schizophrenia; Schizophr Bull 1993; 19: 317–36.
Benedetti G, Kind H, Johansson AS, Wenger V. Forschungen zur Schizophrenielehre 1956 bis 1965. München: Kindler 1969.
Benedetti G. Todeslandschaften der Seele. Psychopathologie, Psychodynamik und Psychotherapie der Schizophrenien. Göttingen: Vandenhoek & Ruprecht 1983.
Benkert O, Hippius H. Psychiatrische Pharmakotherapie. 6. Aufl. Berlin: Springer-Verlag 1996.
Benkert O, Hippius H. Kompendium der Psychiatrischen Pharmakotherapie. 5. Aufl. Heidelberg: Springer Medizin Verlag 2005.
Benton MK, Schroeder HE. Social skills training with schizophrenics: a meta-analytic evaluation. J Consult Clin Psychol 1990; 58: 741–7.
Bleuler E (Hrsg). Lehrbuch der Psychiatrie. 15. Aufl. Berlin, Heidelberg, New York: Springer 1983.
Böker W, Häfner H. Gewalttaten Geistesgestörter. Eine psychiatrisch-epidemiologische Untersuchung in der Bundesrepublik Deutschland. Berlin: Springer-Verlag 1973.

Brennan PA, Mednick SA, Hodgins S. Major mental disorders and criminal violence in a Danish birth cohort. Arch Gen Psychiatry 2000; 57: 494–500.

Brenner HD. The treatment of basic psychological dysfunctions from a systemic point of view; Brit J Psychiatr 1989; Supl. 5: 74–83.

Ciompi L. Affektlogik. Stuttgart: Klett Cotta 1982.

Clare P, Bailey S, Clark A. Relationship between psychotic disorders in adolescence and criminally violent behaviour. Br J Psychiatry 2000; 177: 275–9.

Clarke DJ. Functional psychosis in people with mental retardation. In: Bouras N (Hrsg). Psychiatric and behavioural disorders in development disorders and mental retardation. Cambridge: Cambridge University Press 2001.

Coid B, Lewis SW, Revely AM. A twin study of psychosis and criminality. Br J Psychiatry 1993; 162: 87–92.

Crow TJ. Molecular pathology of schizophrenia: more than one dimension of pathology. Br Med J 1980; 280: 66–8.

Deb S. Mental disorder in adults with mental retardation and epilepsy. Compr Psychiatry 1997; 38: 179–84.

Deb S, Matthews T, Holt G, Bouras N. Practice Guidelines for the assessment and diagnosis of mental health problems in adults with intellectual disability. Brighton: Pavilion 2001.

Deister A, Marneros A, Conrad C, Fischer J. Clozapin (Leponex®) bei therapieresistenten schizophrenen Psychosen. In: Naber D, Müller-Spahn F. Clozapin Pharmakologie und Klinik eines atypischen Neuroleptikums. Stuttgart, New York: Schattauer Verlag 1992 S. 37–41.

Deister A. Supportive Stützung, psychosoziale und rehabilitative Maßnahmen bei Schizophrenen. In: Möller HJ. Therapie psychiatrischer Erkrankungen. Stuttgart, New York: Thieme Verlag 2000; 264–79.

Delay J, Deniker P. 38 cas de psychoses traités par la cure prolongée et continué 4568 R. P. Ann Med Psychol 1952; 110: 364.

Deutsche Gesellschaft für Psychiatrie, Psychotherapie und Nervenheilkunde: Kurzform der Leitlinien Schizophrenie; via Internet: http://www.dgppn.de/leitlinien/039051.pdf

Došen A, Day K. Epidemiology, Etiology, and Presentation of mental illness and behaviour disorders in persons with mental retardation. In: Došen A, Day K (Hrsg). Treating mental illness and behaviour disorders in children and adults with mental retardation. Washington, London: American Psychiatric Press 2001.

Dykens EM, Hodapp RM, Finuance BM. Genetics and Mental retardation. Baltimore, London, Toronto, Sydney: Paul H Brooks Publishing 2000.

Faust V (Hrsg). Psychiatrie. Stuttgart, New York: Gustav Fischer Verlag 1995.

Fleisher M. Psychopharmacology of mental illness. In: Bouras N (Hrsg). Psychiatric and behavioural disorders in development disorders and mental retardation. Cambridge: Cambridge University Press 2001; 317–26.

Fletcher R. Informations on dual diagnosis 2006; via internet: http://www.thenadd.org.content/abautnadd/ddinfo.shtm.

Gillberg C, Persson E, Grufman M, Themner U. Psychiatric disorders in mildly and severely mentally retarded urban children and adolescents: epidemiological aspects; Brit J Psychiatry 1986; 149: 68–74.

Gosden NP, Kramp P, Gabrielsen G, Andersen TV, Sestoft D. Violence of young criminal predicts schizophrenia: a 9-year register-based followup of 15- to-19-year old criminals. Schizophr Bull 2005; 31: 759–68.

Gothelf D, Frisch A, Munitz H, Rockah R, Aviram A, Mozes T, Birger M, Weizman A, Frydman M. Velocardiofacial manifestations and microdeletions in schizophrenic inpatients. Am J Med Genet 1997; 72: 455–61.

Häfner H. The epidemiology of onset and early course of schizophrenia. In: Häfner H, Wolpert EM (Hrsg). New research in psychiatry. Seattle, Toronto, Bern, Göttingen: Hogrefe & Huber 1996; 33–61.

Häfner H, an der Heiden W, Löffler W, Maurer K, Hambrecht M. Beginn und Frühverlauf schizophrener Erkrankungen. In: Klosterkötter J (Hrsg). Frühdiagnostik und Frühbehandlung psychischer Störungen. Berlin, Heidelberg, New York: Springer 1998.

Hecker E. Die Hebephrenie. Ein Beitrag zur klinischen Psychiatrie. Virchows Arch Pathol Anat Physiol 1871; 52: 394–429.

Hilliard LT, Kirman BH. Mental Deficiency. London: J&A Churchill 1957.

Hodgins S. Mental disorder, intellectual deficiency and crime. Evidence from a birth cohort. Arch Gen Psychiatr 1992; 49: 476–83.

Hodgins S, Mednick SA, Brennan PA, Schulsinger F, Engberg M. Mental disorder and crime. Evidence from a danish birth cohort. Arch Gen Psychiatr 1996; 53: 489–96.

Hogarty GE, Ulrich R Goldberg S, Schooler N. Sociotherapy and prevention of relapse among schizophrenic patients: an artifact of drug? Proc Annual meeting Am Psychopath Assoc 1976; 64: 285–93.

Huber G. Psychiatrie. 1. Aufl. Stuttgart: Schattauer 1974.

Jacobson JW. Problem behaviour and psychiatric impairment within a developmentally disabled population I: Behaviour frequency. Appl Res Ment Ret 1982; 3: 121–39.

Kahlbaum KL. Die Gruppierung der psychischen Krankheiten und die Einteilung der Seelenstörungen. Danzig: Kafemann 1863.

Kraepelin E. Psychiatrie. Ein Lehrbuch für Studierende und Ärzte. Leipzig: Johann Ambrosius Barth 1899.

Kriglen E, Torgensen S, Cramer V. A Norwegian psychiatric epidemiologic study. Am J Psychiatry 2001; 158: 1091–8.

Leonhard K. Aufteilung der endogenen Psychosen und ihre differenzierte Ätiologie. 8. A. Stuttgart, New York: Thieme 2003.

Lindqvist P, Allebeck P. Schizophrenia and crime. A longitudinal follow-up of 644 schizophrenics in Stockholm. Br J Psychiatry 1990; 157: 345–50.

Lund J. The prevalence of psychiatric morbidity in mentally retarded adults. Acta Psychiatr Scand 1985; 72: 563–70.

MacIntyre DJ, Blackwood DHR, Porteous DJ, Pickard BS, Muir WJ. Chromosomal abnormalities and mental illness. Molecular Psychiatry 2003; 8: 275–87.

Milton J, Amin S, Singh SP, Harrison G, Jones P, Croudace T, Medley I, Brewin J. Aggressive incidents in first-episode psychosis. Br J Psychiatry 2001; 178: 433–40.

Möller HJ (Hrsg). Psychiatrie und Psychotherapie. 2. A. Stuttgart, New York: Thieme 2003.

Morel BA. Traitè des maladies mentales. Paris: Masson 1860.

Moss S, Emerson E, Kiernan C, Turner S, Hatton C, Alborz A. Psychiatric symptoms in adults with learning disability and challenging behaviour. Brit J Psychiatry 2000; 177: 452–6.

Neuhäuser G, Steinhausen HC. Geistige Behinderung. 3. A. Stuttgart: Kohlhammer 2003.

Nöthen MM, Rietschel M, Propping P, Maier W. Fortschritte in der Ursachenforschung affektiver und schizophrener Störungen. Deutsches Ärzteblatt 2004; 101: A3343-7.

Penrose LS. Mental Defect. New York: Farrar & Rinehart 1934.

Penrose LS. A clinical and genetic study of 1280 cases of mental defect. Medical Research Council Special Report Series No. 229. London 1938.

Penrose LS. The Biology of mental defect. 3rd Ed. London: Sidgwick and Jackson 1963.

Randolph ET, Eth S, Glynn SM, Paz GG, Leong GB, Shaner AL, Strachan A, Van Vort W, Escobar JI, Liberman RP. Behavioral

family management in schizophrenia. Outcome of a clinical-based intervention. Br J Psychiatr 1994; 164: 501–6.
Robins E, Guze SB. Establishment of diagnosis validity in psychiatric illness: it's application to schizophrenia. Am J Psychiatry 1970; 983-7.
Roder V, Brenner HD, Hodel B, Kienzle N. Integriertes psychologisches Therapieprogramm für schizophrene Patienten. Weinheim: Bells 1992.
Royal College of Psychiatrists. DC-LD (Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation. London: Gaskell 2001.
Rümke HC. Het Kernsymptomen der Schizophrenie en het Praecoxgevoel. Studies en Voordrachten over Psychiatrie. Amsterdam: Scheltema & Holkema 1941.
Sarason SB. Psychological Problems in Mental Deficiency. New York: Harper & Brothers 1949.
Schmitt A, Weber-Fahr W, Jatzko A, Tost H, Henn FA, Braus DF. Aktueller Überblick über strukturelle Magnetresonanztomographie bei Schizophrenie. Fortschr Neurol Psychiatr 2001; 69: 105–15.
Schneider K. Beiträge zur Psychiatrie. Stuttgart: Thieme 1946.
Schneider K. Klinische Psychopathologie. 8. Aufl. Stuttgart: Thieme 1967.
Schulze Mönking H, Buchkremer G. Zur Durchführung von psychoedukativ-kognitiven Angehörigengruppen in der Therapie schizophrener Patienten. In: Möller HJ (Hrsg). Therapie psychiatrischer Erkrankungen. Stuttgart: Thieme Verlag, 2000: 295–9.
Shields J, Slater E. Genetic aspects of schizophrenia. Br J Psychiatr Spec 1975; No. 9: 32–40.
Steinert T. Schizophrenie und Gewalttätigkeit: Epidemiologische, forensische und klinische Aspekte. Fortschr Neurol Psychiatr 1998; 66: 391–401.
Steinert T. Psychische Krankheit und Gewaltkriminalität: Mythen und Fakten. Dtsch Med Wochenschr 2001; 126: 378–82.
Steinert T, Wiebe C, Gebhardt RP. Aggressive behaviour against self and others among first-admission patients with schizophrenia. Psychiatr Serv 1999; 50: 85–90.
Swanson SW, Holzer CE, Ganjju VK, Iono RT. Violence and psychiatric disorder in the community: evidence from the epidemiologic catchment area surveys. Hosp Community Psychiatry 1990; 41: 761–70.
Swanson JW, Swartz MS, Borum R, Hiday VA, Wagner HH, Burns BJ. Involuntary out-patient commitment and reduction of violent behaviour in persons with severe mental illness. Br J Psychiatry 2000; 176: 324–31.
Tölle R. Psychiatrie. 10. Aufl. Berlin, Heidelberg, New York: Springer 1994.
Turner TH. Schizophrenia and mental handicap: a historical review, with implications for further research; Psychol Med 1989; 19: 301–14.
Usiskin SI, Nicolson R, Krasnewich DM, Yan W, Lenane M, Wudarsky M. Velocardiofacial syndrome in childhood-onset schizophrenia. J Am Acad Child Adolesc Psychiatry 1999; 38: 1536–43.
Wallace C, Mullen PE, Burgess P. Criminal offending in schizophrenia over a 25-year period marked by deinstitutionalization and increasing prevalence of comorbid substance abuse. Am J Psychiatry 2004; 161: 716–27.
Walsh E, Buchanan A, Fahy T. Violence and schizophrenia: examining the evidence. Br J Psychiatry 2002; 180: 490–5.
Weltgesundheitsorganisation. Internationale Klassifikation psychischer Störungen: ICD-10, Kapitel V (F) Klinisch-diagnostische Leitlinien. Dilling H, Freyberger HJ (Hrsg). Bern, Göttingen, Toronto, Seattle: Hans Huber 1999.
Wessely SC, Castle D, Douglas AJ, Taylor PJ. The criminal carreers of incident case schizophrenia. Psychol Med 1994; 24: 483–502.
Weyerer S. Epidemiologie psychischer Störungen. In: Faust V (Hrsg). Psychiatrie. Stuttgart, Jena, New York: Gustav Fischer 1995.
World Health Organisation: ICD-10 Guide for mental retardation; Geneva 1996; via Internet: http://www.who.int/classifications/icd/en2.
Xiong W, Phillips MR, Hu X, Wang R, Dai Q, Kleinman J, Kleinman A. Family-based intervention for schizophrenic patients in China. A randomised controlled trial. Br J Psychiatr 1995; 165: 239–47.
Zitrin A, Hardesty AS, Burdock EI, Burdock AK. Crime and violence among mental patients. Am J Psychiatry 1976; 133: 142–9.

12 Affektive Störungen (F3)

Aman MG, Collier-Crespin A, Lindsay RL. Pharmacotherapy of disorders in mental retardation. Eur Child Adolesc Psychiatry 2000; 9: 198–107.
Arolt V, Dilling H, Reimer C. Basiswissen Psychiatrie und Psychotherapie. 5. Aufl. Berlin, Heidelberg: Springer 2004.
Aziz M, Maixner D F, deQuardo J, Aldridge A, Tandon R. ECT and mental retardation: a review and case reports. J ECT 2001; 17: 149–52.
Beck AT, Rush AJ, Shaw BF, Emery G. Kognitive Therapie der Depression. Weinheim: Psychologie Verlags-Union 1992.
Cain NN, Davidson PW, Burhan AM, Andolsek ME, Baxter JT, Sulli L, Florescue H, List A, Deutsch L. Identifying bipolar disorders in individuals with intellectual disability. Intellect Disabil Res 2003; 47: 31–8.
Charlot LR, Doucette AC, Mezzacappa E. Affective Symptoms of institutionalized adults with mental retardation. Am J Ment Retard 1993; 98: 408–16.
Craddock N, Owen M. Chromosomal aberrations and bipolar affective disorder. Br J Psychiatry 1994a; 164: 507–12.
Craddock N, Owen M. Is there an inverse relationship between Down's syndrome a bipolar affective disorder? Literature review and genetic implications. J Intell Disabil Res 1994b; 38: 613–20.
Davis JP, Judd FK, Herrmann H. Depression in adults with intellectual disability. Part 2: A pilot study. Aust N Z J Psychiatry 1997; 31: 243–51.
DC-LD. Royal College of Psychiatrists: Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation. DC-LD. London: Gaskell 2001.
Deb S, Matthews T, Holt G, Bouras N. Practice guidelines for the Assessment and Diagnosis of Mental Health Problems in Adults with Intellectual Disabilitiy. Brighton: Pavilion The Ironworks Cheapside 2001.
Dilling H, Mombour W, Schmidt MH. Internationale Klassifikation psychischer Störungen. ICD-10 Kap. V (F), Klinisch-diagnostische Leitlinien. 4. Aufl. Bern, Göttingen, Toronto, Seattle: Huber 1994.
Freeman RD, Jan JE. Rapid Cycling Disorders in Mentally Retarded Children. Sem Clin Neuropsychiatry 1996; 1: 134–41.
Gecz J, Barnett S, Liu J, Hollway G, Donelly A, Eyre H, Eshkevari-Baltazar R, Grunn A, Nagaraja R, Gilliam C, Peltonen L, Sutherland GR, Baron M, Mulley JC. Characterization of the human glutamate receptor subunit 3 gene (GRIA3), a candidate for bipolar disorder and nonspecific X-linked mental retardation. Genomics 1999; 62: 356–68.
Hautzinger M. Kognitive Verhaltenstherapie bei psychischen Störungen. 3.Auf. Weinheim: Psychologie Verlags-Union, Verlagsgruppe Belz 2000.

Jan JE, Abroms IF, Freemann RD, Brown GM, Espezel H, Conolly MB. Rapid cycling in severely multidisabled children: a form of bipolar affective disorder? Pediatr Neurol 1994; 10: 34–9.

Johnsson CR, Handen BL, Lubetsky MJ, Sacco KA. Affective disorders in hospitalized children and Adolescents with mental retardation: a retrospective study. Res Dev Disabil 1995; 16: 221–31.

Kessler RJ. Electroconvulsive therapy of affective disorders in persons with mental retardation. Psychiatr Q 2004; 75: 99–104.

King R, McCartney J. Charting For A Purpose Optimal Treatment Of Bipolar Disorders In Individuals With Developmental Disabilities. Mental Health Aspects of Developmental Disabilities 1999; 2: 50–8.

King R, Fay G, Croghan P. Rapid cycling bipolar disorder in individuals with development disabilities. Ment Retard 2000; 38: 253–61.

Lowry MA. Assessment and treatment of mood disorders in persons with developmental disabilities. J Dev Phys Disabil 1998; 10: 387–406.

Lowry MA, Sovner R. Severe behaviour problems associated with rapid cycling bipolar disorder in two adults with profound mental retardation. J Intell Disabil Res 1992; 36: 269–81.

Marneros A. Handbuch der unipolaren und bipolaren Erkrankungen. Stuttgart, New York: Thieme 1999.

Matson JL, Smiroldo BB. Validità of the mania subscale of the Diagnostic Assessment for the Severely Handicapped – II (DASH-II). Res Dev Disabil 1997; 18: 221–5.

Matson JL, Rush KS, Hamilton M, Anderson SJ, Bamburg JW, Baglio CS, Williams D, Kirkpatrick-Sanchez S. Characteristics of depression as assessed by the Diagnostic Assessment for the Severely Handicapped – II (DASH-II). Res Dev Disabil 1999; 20: 305–13.

McCandless F, Jones I, Harper K, Craddock N. Intrafamilial association of pericentric inversion of chromosom 9, inv (9) (p11 – q21), and rapid cycling bipolar disorder. Psychiatr Genet 1998; 8: 259–62.

Pary RJ, Loschen EL, Tomkowiak SB. Mood Disorders and Down Syndrome. Semin Clin Neuropsychiatry 1996; 1: 148–53.

Pary RJ, Levitas AS, Hurley AD. Diagnosis of Bipolar Disorder in Persons with Developmental Disabilities. Mental Health Aspects of Developmental Disabilities 1999; 2: 37–49.

Sovner R, Stone A, Fox C. Ring chromosome 22 and mood disorders. J Intell Disabil Res 1996; 40: 82–6.

Tsiouris JA. Diagnosis of the depression in people with severe/profound intellectual disability. J Intell Disabil Res 2001; 45: 115–20.

Tsiouris JA, Mann R, Patti PJ, Sturmey P. Challenging behaviours should not be considered as depressive equivalents in individuals with intellectual disability. J Intell Res 2003; 47: 14–21.

Vanstraelen M, Tyrer SP. Rapid cycling bipolar affective disorder in people with intellectual disability: a systematic review. J Intell Disabil Res 1999; 43: 349–59.

13 Angst- und Zwangsstörungen, Belastungs-, dissoziative und somatoforme Störungen (F4)

Allen EA. Behavioural treatment of anxiety and related disorders in adults with mental handicaps: a review. Mental Handicap Research 22; 1989: 47–60.

American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 4th ed. rev. Washington, D.C.: American Psychiatric Association 2000.

Angenendt J, Frommberger U, Berger M. Angststörungen. In: Berger M (Hrsg). Psychische Erkrankungen. München: Urban u. Fischer 2012; 513–53.

Badelt I. Tiefenpsychologisch fundierte Psychotherapie mit gesprächspsychotherapeutischem Schwerpunkt bei erwachsenen Menschen mit geistiger Behinderung. In: Hennicke H (Hrsg). Ambulante Psychotherapie bei Menschen mit geistiger Behinderung und einer psychischen Störung. Materialien der DGSGB, Band 9. Berlin 2004; 11–20.

Bailey NM, Andrews TM. Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation (DC-LD) and the diagnosis of anxiety disorders: a review. J Intellect Disabil Res 2003; 47 Suppl 1: 50–61.

Barsky AJ, Borus JF. Somatization and medicalization in the era of managed care. JAMA 1995; 274: 1931–4.

Beck AT, Clark DA. Anxiety and depression: an information processing perspective. Anxiety Research I 1988; 23–36.

Becker M. Die Bedeutung musiktherapeutischer Interventionen für die Psychotherapie mit Menschen mit geistiger Behinderung im Rahmen einer psychotherapeutischen Kassenpraxis. In: Hennicke H (Hrsg). Ambulante Psychotherapie bei Menschen mit geistiger Behinderung und einer psychischen Störung. Materialien der DGSGB, Band 9. Berlin 2004; 21–33.

Benkert O, Hippius H. Kompendium der Psychiatrischen Pharmakotherapie. 5. A. Heidelberg: Springer 2005.

Berk L. Entwicklungspsychologie. München: Pearson 2011.

Blomstedt P, Sjöberg RL, Hansson M, Bodlund O, Hariz MI. Deep Brain Stimulation in the Treatment of Obsessive-Compulsive Disorder. World Neurosurg 2012; 5: 1878–8750.

Bodfish JW, Madison JT. Diagnosis and fluoxetine treatment of compulsive behaviour disorder of adults with mental retardation. Am J Ment Retard 1993; 98: 360–7.

Bodfish JW, Crawford TW, Powell SB, Parker DE. Compulsions in adults with mental retardation: Prevalence, phenomenology, and comorbidity with stereotypy and self-injury. Am J Ment Retard 1995a; 100: 183–92.

Bodfish JW, Powell SB, Golden RN, Lewis MH. Blink rate as an index of dopamine function in adults with mental retardation and repetitive behaviour disorders. Am J Ment Retard 1995b; 99: 335–44.

Cooper SA. Psychiatry of elderly compared to younger adults with intellectual disabilities. J Appl Res Intellect Disabil 1997; 10: 303–11.

Cooper SA. Epidemiology of psychiatric disorders in elderly compared with younger adults with learning disabilities. Br J Psychiatry 1997; 170: 375–80.

Crestani F, Lorenz M, Baer K, Essrich C, Benke D, Laurent JP, Belzung C, Fritschy JM, Luscher B, Mohler H. Decreased GABA-receptor clustering results in enhanced anxiety and a bias for threat cues. Nat Neurosci 1999; 9: 833–9.

Deb S, Thomas M, Bright C. Mental disorder in adults with intellectual disability. I: Prevalence of functional psychiatric illness among a community-based population aged between 16 and 64 years. J Intellect Disabil Res 2001a; 45: 495–505.

Deb S, Matthews T, Holt G, Bouras N. Practice guidelines for the assessment and diagnosis of mental health problems in adults with intellectual disability. Brighton: Pavilon 2001b.

Dilling H, Mombour W, Schmidt MH. Internationale Klassifikation psychischer Störungen. Bern: Hans Huber 2005.

Došen A. Psychische Störungen bei geistig behinderten Menschen. Stuttgart: Fischer 1997.

Došen A. Psychische Störungen, Verhaltensprobleme und intellektuelle Behinderung. Göttingen: Hogrefe 2010.

Duff R, La Roca J, Lizzet A, Martin P, Pearce L, Williams M, Peck C. A comparison of the fears of mildly retarded adults with children of their mental age and chronological age matched controls. J Behav Ther Exp Psychiatry 1981; 12: 121–4.

Ellison DM. Compliance training decreases maladaptive behaviours in two people with developmental disabilities: report of five years' treatment. Behavioral Interventions 1997; 4: 183–94.

Elstner S, Diefenbacher A. Anpassungsstörungen. Psychiatrie und Psychotherapie update 2009; 3: 21–9.

Elstner S, Weible H, Diefenbacher A. Anforderungen an den „besonderen diagnostischen Blick“ bei Menschen mit geistiger Behinderung. Über die an die Bedürfnisse von Menschen mit einer geistigen Behinderung angepasste Anamnesetechnik. Med Men Geist Mehrf Beh 2011; 8: 24–32.

Elstner S, Vogel M, Feuerherd C, Diefenbacher A. „Sagen Sie, warum bin ich immer so schnell wütend?“ – Konzept der mehrdimensionalen integrativen Behandlung in der psychiatrischen Versorgung von Menschen mit geistiger Behinderung. Med Men Geist Mehrf Beh 2012, 95–101.

Emerson E. Prevalence of psychiatric disorders in children and adolescents with and without intellectual disability. J Intellect Disabil Res 2003; 47: 51–8.

Evans DW, Leckman JF, Carter A, Reznick JS, Henshaw D. Ritual, habit and perfectionism: The prevalence and development of compulsive-like behaviour in normal young children. Child Development 1997; 68: 58–68.

Fairley M, Jones RC, McGuire BE, Stevenson J. Multiple personality disorder in an intellectually disabled man: a case report. Aust N Z J Psychiatry 1995; 29: 146–9.

Fletcher R, Loschen E, Stavrakaki C, First M. Diagnostic Manual-Intellectual Disability. New York: NADD 2007.

Fotheringham JB, Thompson F. Case report of a person with Down’s syndrome and multiple personality disorder. Can J Psychiatry 1994; 39: 116–9.

Freemann S. Treating a dog phobia in a person with Down’s syndrome by use of systematic desensitisation and modelling. British Journal of Learning Disabilities 25, 1997: 154–7.

Frommberger U, Nyberg E, Angenendt J, Lieb K, Berger M. Posttraumatische Belastungsstörung. In: Berger M (Hrsg). Psychische Erkrankungen. München: Urban u. Fischer 2012; 575–601.

Gaedt C. Psychopharmakotherapie bei Menschen mit geistiger Behinderung. Heft 10. Evangelische Stiftung Neuerkerode 1995a.

Gaedt C. Therapie – Medizin – Pädagogik. Besondere Aspekte gesundheitlicher Probleme bei Menschen mit geistiger Behinderung. Neuerkeröder Beiträge Heft 11. Evangelische Stiftung Neuerkerode 1995b.

Gedye A. Recognizing obsessive compulsive disorder in clients with developmental disabilities. Habilitative Mental Healthcare Newsletter II; 1992: 73–7.

Gustafsson C, Sonnander K. Occurrence of mental health problems in Swedish samples of adults with intellectual disabilities. Soc Psychiatry Psychiatr Epidemiol 2004; 39: 448–56.

Hiller W, Rief W. Somatoforme Störungen. In: Berger M (Hrsg). Psychische Erkrankungen. München: Urban u. Fischer 2012; 623–37.

Hoekman J, Miedema A, Otten B, Gielen J. SEN. Skala zur Einschätzung des Sozial-Emotionalen Entwicklungsniveaus. Göttingen: Hogrefe 2012.

Hohn E, Janssen D. Verhaltenstherapie unter systemischem Aspekt bei Menschen mit geistiger Behinderung. Grundsätzliche Überlegungen und vier Praxisbeispiele. In: Hennicke H (Hrsg). Ambulante Psychotherapie bei Menschen mit geistiger Behinderung und einer psychischen Störung. Materialien der DGSGB, Band 9. Berlin 2004; 34–53.

Iancu I, Dannon PN, Sasson Y, Zohar J. Zwangsstörungen. In: Helmchen H, Henn F, Lauter H, Sartorius N (Hrsg). Erlebens- und Verhaltensstörungen, Abhängigkeit und Suizid. Psychiatrie der Gegenwart 6. 4. A. Berlin, Heidelberg, New York: Springer 2000; 3–24.

Iverson SD. 5-HT and anxiety. Neuropharmacology 1984; 23: 1553–60.

Jackson HJ. Current trends in the treatment of phobias in autistic and mentally retarded persons. Australia and New Zealand Journal of Developmental Disabilities 1983; 9: 191–208

Jacob S, Landros-Weisenberger A, Leckman JE. Autism Spectrum and obsessive-compulsive disorders: OC Behaviours, Phenotypes and Genetics. Autism Res. 2009; 2: 293–311.

Kessler RC, Chiu WT, Demler O, Waters E E. Prevalence, severity, and comorbidity of 12-month DSM IV disorders in the national comorbidity survey replication. Archives of General Psychiatry 2005; 62: 617–27.

Khreim I, Mickelsen E. Anxiety disorders in adults with mental retardation. Psychiatric Annals 1997; 27: 175–81.

King BH. Self-injury by people with mental retardation: A compulsive behavior hypothesis. Am J Ment Retard 1993; 98: 93–112.

Kordon A, Wahl K, Hohagen F. Zwangsstörungen. In: Berger M (Hrsg). Psychische Erkrankungen. München: Urban u. Fischer 2012; 555–73.

Kuwabara H, Otsuka M, Shindo M, Ono S, Shioiri T, Someya T. Diagnostic classification and demographic features in 283 patients with somatoform disorder. Psychiatry Clin Neurosci 2007; 61: 283–9.

Linden M, Zubrägel D. Angsterkrankungen: Diagnostik und Therapie. In: Helmchen H, Henn F, Lauter H, Sartorius N (Hrsg). Erlebens- und Verhaltensstörungen, Abhängigkeit und Suizid. Psychiatrie der Gegenwart 6. 4. Aufl. Berlin, Heidelberg, New York: Springer 2000; 25–41.

Linden M. Die Traumaschwemme. Verhaltenstherapie 2011; 21: 152–3.

Lindsay WR, Baty FJ, Michie AM, Richardson I. A comparison of anxiety treatments with adults who have moderate and severe mental retardation. Res Dev Disabil 1989; 10: 129–40.

Lingg A, Theunissen G. Psychische Störungen und Geistige Behinderung. Ein Lehrbuch und Kompendium für die Praxis. Freiburg im Breisgau: Lambertus 2000.

López-Ibor JJ, Linden M, Gibert J. Pathogenese und Therapie von Angsterkrankungen. In: Helmchen H, Henn F, Lauter H, Sartorius N (Hrsg). Erlebens- und Verhaltensstörungen, Abhängigkeit und Suizid. Psychiatrie der Gegenwart 6. 4. A. Berlin, Heidelberg, New York: Springer 2000; 41–58.

Maes B, Fryns JP, Van Walleghem M, Van Den Berghe H. Genetic Counseling 1993; 4: 245–63.

Masi G, Luccherino L. Psychiatric illness in mental retardation: an update on pharmacotherapy. Panminerva Medica 1996; 39: 299–304.

Matson JL, Smiroldo BB, Hamilton M, Baglio CS. Do anxiety disorders exist in persons with severe and profound mental retardation? Res Dev Disabil 1997; 18: 39–44.

McDougle CJ, Kresch LA, Naylor ST, Volkmar FR, Cohen DJ, Proce LH. A case controlled study of repetitive thoughts and behaviour in adults with autistic disorder and obsessive-compulsive disorder. Am J Psychiatry 1995; 152: 772–7.

Middleton J, Cooper SA. Obsessive compulsive disorder in an elderly woman with learning disabilities. Irish Journal of Psychological Medicine 1997; 14: 78–80.

Murken J, Grrimm T, Holinski-Feder E, Zerres K. Humangenetik. Stuttgart: Thieme 2011.

Novosel S. Psychiatric disorder in adults admitted to a hospital for the mentally handicapped. British Journal of Mental Subnormality 1984; 30: 54–8.

Oyama O, Paltoo C, Greengold J. Somatoform Disorders. Am Fam Physician 2007; 76: 1333–8.

Perry L. One more cup of coffee for the road. Nursing Times 1990; 86: 62–4.

Pickersgill MJ, Valentine JD, May R, Brewin CR. Fears in mental retardation. Part I. Types of fears reported by men and wom-

en with and without mental retardation. Adv Behav Res Ther 1994; 16: 277–96.
Prasher VP, Day S. Brief report: obsessive compulsive disorder in adults with Down's syndrome. J Autism Dev Disord 1995; 25: 453–8.
RCP – Royal College of Psychiatrists. DC-LD – Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation. Occasional Paper OP 48. London: Gaskell 2001.
Reiss S. Prevalence of dual diagnosis in community based day programs in the Chicago metropolitan area. Am J Ment Retard 1990; 94: 578–85.
Reiss S, Levitan GW, Szysko J. Emotional disturbance and mental retardation: Diagnostic overshadowing. Am J Mental Deficiencies 1982; 86: 567–74.
Rush J, Frances A (eds.). Expert consensus guideline series. Treatments of psychiatric and behavioral problems in mental retardation. Am J Mental Retard 2000; 105: 157–226.
Ryan R. Posttraumatic stress disorder in persons with developmental disabilities. Community Ment Health J 1994; 30: 45–54.
Salzmann E. Psychotherapie. Wege zur inneren Selbständigkeit. Münster, Hamburg, Berlin, Wien, London: LIT Verlag 2005.
Sappok T, Voß T, Millauer E, Schade C, Diefenbacher A. Psychotherapie bei Menschen mit Intelligenzminderung. Nervenarzt 2010; 81: 827–36.
Sarimski K. Entwicklungspsychologie genetischer Syndrome. Göttingen, Bern, Toronto, Seattle: Hogrefe 1997.
Saß H, Wittchen H-U, Zaudig M. Diagnostisches und Statistisches Manual Psychischer Störungen DSM IV. Göttingen: Hogrefe 1998.
Seidel M. Das Konzept der Verhaltensphänotypen: Ein klinisch-genetischer Beitrag zur Erklärung bestimmter Verhaltensauffälligkeiten bei Menschen mit geistiger Behinderung? In: Seidel M (Hrsg). Das Konzept der Verhaltensphänotypen – Eine Einführung aus psychiatrischer Sicht. Materialien der DGSGB, Band 3. Berlin 2002; 3–18.
Sevin JA, Bowers-Stephens C, Crafton CG. Psychiatric disorders in adolescents with developmental disabilities: Longitudinal data on diagnostic disagreement in 150 clients. Child Psychiatry Hum Dev 2003; 34: 147–63.
Stavrakaki C. Depression, anxiety and adjustment disorders in people with developmental disabilities. In: Bouras N (ed). Psychiatric and behavioural disorders in developmental disabilities and mental retardation. Cambridge University Press 1999; 175–87.
Stockmann J, Elstner S. Somatische und psychiatrische Erkrankungen. CNE Fortbildung 2012; 1: 5–8.
Sutor B, Hansen MR, Black JL. Obsessive compulsive disorder treatment in patients with down syndrom: a case series. Down Syndrom Research and Practice 2006; 10: 1–3.
Szymanski L, King BH. Practice parameters for the assessment and treatment of children, adolescents, and adult with mental retardation and comorbid mental disorders. J Am Acad Child Adolesc Psychiatry 1999; 38/12 Suppl: 5S–31S.
Vitiello B, Spreat S, Behar D. Obsessive-compulsive disorder in mentally retarded patients. J Nerv Ment Dis 1989; 177: 232–6.
de Waal MW, Arnold IA, Eekhof JA, van Hemert AM. Somatoform disorders in general practice: prevalence, functional impairment and comorbidity with anxiety and depressive disorders. Br J Psychiatry 2004; 184: 470–6.
Wittchen H-U, Essau CA, Zerssen Dv, Krieg J-C, Zaudig M. Lifetime and six-month prevalence of mental disorders in the Munich follow-up study. Eur Arch Psychiatry Clin Neurosci 1992; 241: 247–58.
WHO. ICD 10. Guide for Mental Retardation. Geneva: World Health Organization 1996.
Zohar A, Felz L. Ritualistic behaviour in young children. Journal of abnomal Child Psychology 2001; 29: 121–8.

14 Essstörungen (F5) und Schlafstörungen

Adeoti C. Disorders of the sleep-wake cycle in blindness. West Afr J Med 2010; 29: 163–9.
Aderhold V. Mortalität durch Neuroleptika. Soziale Psychiatrie 2007; 31: 5–10.
Ahmed Z, Fraser W, Kerr MP. Reducing antipsychotic medication in people with a learning disability. British Journal of Psychiatry 2000; 176: 42–6.
Allen KD, Kuhn BR, DeHaai KA, Wallace DP. Evaluation of a behavioral treatment package to reduce sleep problems in children with Angelman Syndrome. Res Dev Disabil 2013; 34: 676–86.
Alves RS, Resende MB, Skomro RP, Souza FJ, Reed UC. Sleep and neuromuscular disorders in children. Sleep Med Rev 2009; 13: 133–48.
American Academy of Sleep Medicine. International classification of sleep disorders: diagnostic and coding manual. 2nd edition. Westchester: American Academy of Sleep Medicine 2005. Howald MW, Castillo PR, Del Tredici K, Braak H. Pathophysiology of REM sleep behaviour disorder and relevance to neurodegenerative disease. Brain 2007; 130: 2770–88.
Ashworth M, Martin L, Hirdes JP. Prevalence and Correlates of Pica Among Adults with Intellectual Disability in Institutions. Journal of Mental Health Research in Intellectual Disabilities 2008; 1: 176–90.
Ballesta CG, Lajaran LP, Lillo OC. Cohen syndrome. Orphanet encyclopedia; www.orpha.net/data/patho/GB/uk-cohen.pdf, October 2004
Baranyi A,Yazdani R, Haas-Krammer A, Stepan A, Kapfhammer HP, Rothenhäusler HB. Atypische Neuroleptika und metabolisches Syndrom. Wiener Medizinische Wochenschrift 2007; 157: 255–70.
Barnett S, Reilly S, Carr L, Ojo I, Beales PL, Charman T. Behavioural phenotype of Bardet-Biedl syndrome. J. Med. Genet 2002; 39: e76.
Bazil CW, Castro LH, WalczakTS. Reduction of rapid eye movement sleep by diurnal and nocturnal seizures in temporal lobe epilepsy. Arch Neurol 2000; 57: 363–8.
Beales PL, Elcioglu N, Woolf AS, Parker D, Flinter FL. New criteria for improved diagnosis of Bardet-Biedl syndrome: results of a population survey. J Med Genet 1999; 36: 437–46.
Bell AJ, Bhate MS. Prevalence and obesity in Down's syndrome and other mentally handicapped adults living in the community. J Intellect Disabil Res 1992; 36: 359–364.
Beusterien KM, Rogers AE, Walsleben JA, Emsellem HA, Reblando JA, Wang L, Goswami M, Steinwald B. Health-related quality of life effects of modafinil for treatment of narcolepsy. Sleep 1999; 22: 757–65.
Bhaumik S, Watson JM, Thorp CF, Tyrer F, McGrother CW: Body mass index in adults with intellectual disability: distribution, associations and service implications: a population-based prevalence study. J Intellect Disabil Res 2007; 52: 287–98.
Boeve BF, Silber MH, Saper CB, Ferman TJ, Dickson DW, Parisi JE, Benarroch EE, Ahlskog JE, Smith GE, Caselli RC, Tippman-Peikert M, Olson EJ, Lin SC, Young T, Wszolek Z, Schenck CH, Mahowald MW, Castillo PR, Del Trecici K, Braak H. Pathophysiology of REM sleep behaviour disorder and relevance to neurodegenerative disease. Brain 2007; 130: 2770–88.
Bonanni E, Massetani R, Galli R, Gneri C, Petri M, Iudice A, Murri L. A quantitative study of daytime sleepiness induced

by carbamazepine and add-on vigabatrin in epileptic patients. Acta Neurol Scand 1997; 95: 193–6.

Boyle A, Melville CA, Morrison J, Allan L, Smiley E, Espie CA, S-A Cooper. A colort study of the prevalence of sleep problems in adults with intellectual disabilities. J Sleep Res 2010; 19: 42–53.

Braam W, van Geijlswijk I, Keijzer H, Smits MG, Didden R, Curfs LM. Loss of response to melatonin treatment associated with slow melatonin metabolism. J Intellect Disabil Res 2010; 54: 547–55.

Braam W, Smits MG, Didden R, Korzilius H, van Geijlswijk IM, Curfs LM. Exogenous melatonin for sleep problems in individuals with intellectual disability: a meta-analysis. Dev Med Child Neurol 2009; 51: 340–9.

Brismar K, Hylander B, Eliasson K, Rössner S, Wetterberg L. Melatonin secretion related to side-effects of beta-blockers from the central nervous system. Acta Med Scand 1988; 223: 525–30.

Bruni O, Cortesi F, Gianotti F, Curatolo P. Sleep disorders in tuberous sclerosis: a polysomnographic study. Brain Dev 1995; 17: 52–6.

Bruni O, Ferri R, D'Agostino D, Miano S, Roccella M, Elia M. Sleep disturbances in Angelman syndrome: a questionnaire study. Brain Dev 2004; 26: 233–40.

Bruni O, Verrillo E, Novelli L, Ferri R. Prader-Willi sindrome: sorting out the relationships between obesity, hypersomnia, and sleep apnea. Curr Opin Pulm Med 2010; 16: 568–73.

Brylewski J, Wiggs L. Sleep problems and daytime challenging behaviour in a community-based sample of adults with intellectual disability. J Intellect Disabil Res 1999; 43: 504–12.

Butler MG, Theodoro MF, Bittel DC, Donelly JE. Energy Expenditure and Physical Activity in Prader-Willi Syndrome: Comparison With Obese Subjects, Am J Med Genetics, Part A 2007; 143A: 449–59.

Camfferman D, MCEvoy RD, O'Donoghue F, Lushington K. Prader Willi Synndrome and excessive daytime sleepiness. Sleep Med Rev 2008; 12: 65–75.

Camfield PR. Definition and natural history of Lennox-Gastaut syndrome. Epilepsia 2011; 52 (Suppl 5): 3–9.

Carotenuto M, Esposito M, D'Aniello A, Rippa CD, Precenzano F, Pascotto A, Bravaccio C, Elia M. Polysomnographic findings in Rett sindrome: a case-control study. Sleep Breath 2013; 17: 93–8.

Cassidy SB, Driscoll D. Prader-Willi syndrome. Eur J Hum Genet 2009; 17: 3–13.

Cassidy SB, McKillop JA, Morgan WJ. Sleep disorders in Prader-Willi syndrome. Dysmorphol Clin Genet 1990; 4: 13–7.

Castro J, Gila A, Puig J, Rodriguez S, Toro J. Predictors of rehospitalization after total weight recovery in adolescents with anorexia nervosa. Int J Eating Dis 2004; 36: 22–30.

Ceelen W, Walder J, Cardon A, Van Renterghem K, Hesse U, El Malt M, Pattyn P. Surgical treatment of severe obesity with a low-pressure adjustable gastric band: Experimental data and clinical results in 625 patients. Ann Surg 2003; 237: 10–6.

Chervin RD, Hedger K, Dillon JE, Pituch KJ. Pediatric sleep questionnaire (PSQ): validity and reliability of scales for sleep-disordered breathing, snoring, sleepiness, and behavioural problems. Sleep Med 2000; 1: 21–32.

Churchill SS, Kieckhefer GM, Landis CA, Ward TM. Sleep measurement and monitoring in children with Down syndrome: A review of the literature, 1960-2010. Sleep Med Rev 2012; 16: 477–88.

Claustrat B, Brun J, Chazot G. The basic physiology and pathophysiology of melatonin. Sleep Med Rev 2005; 9: 11–24.

Clayton-Smith J. Clinical research on Angelman syndromein the United Kingdom: observations on 82 affected. Am J Med Genet 1993; 46: 12–5.

Conant KD, Thibert RL, Thiele EA. Epilepsy and the sleep-wake patterns found in Angelman syndrome. Epilepsia 2009; 50: 2497–500.

Constantin E, Tewfik TL, Brouillette RT. Can OSA-18 quality-of-life questionnaire detect obstructive sleep apnea in children? Pediatrics 2010; 125: e162–e168.

Cooney TP, Thurlbeck WM. Pulmonary hypoplasia in Down's syndrome. N Engl J Med 1982; 307: 1170–3.

Cooper SA, Smiley E, Morrison J, Williamson A, Allan L. Mental ill-health in adults with intellectual disabilities: prevalence and associated factors. The British Journal of Psychiatry 2007; 190: 27–35.

D'Orsi G, Demaio V, Scarpelli F, Clavario T, Minervini MG. Central sleep apnea in Rett sindrome. Neurol Sci 2009; 30: 389–91.

Dan B, Boyd SG. A neurophysiological perspective on sleep and its maturation. Dev Med Child Neurol 2006; 48: 773–9.

Deb S, Thomas M, Bright C. Mental disorder in adults with intellectual disability. I: Prevalence of functional psychiatric illness among community-based population aged between 16 and 64 years. Journal of Intellectual Disability Research 2001; 45: 495–505.

De Cock VC, Diene G, Molinas C, Masson VD-L, Kieffer I, Mimoun E, Tiberge M, Tauber M. Efficacy of modafinil on excessive daytime sleepiness in Prader-Willi syndrome. Am J Genet Part A 2011; 155: 1552–7.

De Haas S, Otte A, de Weerd A, van Erp G, Cohen A, van Gerven J. Exploratory polysomnographic evaluation of pregabalin on sleep disturbance in patients with epilepsy. J Clin Sleep Med 2007; 3: 473–8.

Derry CP. The sleep manifestations of frontal lobe epilepsy. Curr Neurol Neurosci Rep 2011; 11: 218–26.

Derry CP, Duncan S. Sleep and epilepsy. Epilepsy Behav 2013; 26: 394–404.

Derry CP, Harvey AS, Walker MC, Duncan JS, Berkovic SF. NREM arousal parasomnias and their distinction from nocturnal frontal lobe epilepsy: a video EEG analysis. Sleep 2009; 32: 1637–44.

Deutsche Gesellschaft für Hals-Nasen-Ohren-Heilkunde, Kopf- und Hals-Chirurgie – ArGe Schlafmedizin. AWMF Leitlinien: Therapie der obstruktiven Schlafapnoe des Erwachsenen 2009.

Deutsche Gesellschaft für Neurologie. Leitlinien Restless-Legs-Syndrom (RLS) und Periodic Limb Movement Disorder (PLMD) 2007.

Deutsche Gesellschaft für Neurologie. Leitlinien für Diagnostik und Therapie in der Neurologie. Kapitel Schlafstörungen. Narkolepsie 2012.

de Winter CF, Bastiaanse LP, Hilgenkamp TI, Evenhuis HM, Echteld MA. Overweight and obesity in older people with intellectual disability. Res Dev Disabil 2012; 33: 398–405.

Didden R, Sigafoos J. A review of the nature and treatment of sleep disorders in individuals with developmental disabilities. Res Dev Disabil 2001; 22: 255–72.

Dollins AB, Zhdanova IV, Wurtman RJ, Lynch HJ, Deng MH. Effect of inducing nocturnal serum melatonin concentrations in daytime on sleep, mood, body temperature, and performance. Proc Natl Acad Sci USA 1994; 91: 1824–8.

Dubocovich ML, Markowska M. Functional MT1 and MT2 melatonin receptors in mammals. Endocrine 2005; 27: 101–10.

Dykens EM, Maxwel MA, Pantino E, Kossler R, Roof E. Assessment of Hyperphagia in Prader-Willi-Syndrom. Obesity 2007; 15: 1816–26.

Earley CJ. Clinical practice. Restless legs syndrome. N Engl J Med 2003; 348: 2103–9.

Ebben MR, Sethi NK, Conte M, Pollak CP, Labar D. Vagus nerve stimulation, sleep apnea, and CPAP titration. Clin Sleep Med 2008; 4: 471–3.

Ebisawa T. Circadian rhythms in the CNS and peripheral clock disorders: human sleep disorders and clock genes. J Pharmacol Sci 2007; 103: 150–4.

Eckert DJ, Owens RL, Kehlmann GB, Wellman A, Rahangdale S, Yim-Yeh S, White DP, Malhotra A. Eszopiclone increases the respiratory arousal threshold and lowers the apnoea/hypopnoea index in obstructive sleep apnoea patients with a low arousal threshold. Clin Sci 2011; 120: 505–14.

Edinger JD, Fins A. The distribution and clinical significance of sleep time misperceptions. Sleep 1995; 18: 232–9.

Eisensehr I, Parrino L, Noachtar S, Smerieri A, Terzano MG. Sleep in Lennox-Gastaut syndrome: the role of the cyclic alternative pattern (CAP) in the gate control of clinical seizures and generalized polyspikes. Epilepsy Res 2001; 46: 241–50.

Emerson E. Underweight, obesity and exercise among adults with intellectual disabilities in supported accommodation in Northern England. Journal of Intellectual Disability Research 2005; 49: 134–43.

Eriksson SH. Epilepsy and sleep. Curr Opin Neurol 2011; 24: 171–6.

Espie CA, Paul A McFie J, Amos P, Hamilton D, McColl JH, Tarassenko L, Pardey J. Sleep studies of adults with severe or profound mental retardation and epilepsy. Am J Ment Rerard 1998; 103: 47–59.

Favaro A, Ferrara S, Santonastaso P. The Spectrum of Eating Disorders in Young Women: A Prevalence Study in a General Population Sample. Psychosomatic Medicine 2003; 65: 701–8.

Ferlazzo E, Nikanorova M, Italiano D, Bureau M, Dravet C, Calarese T, Viallat D, Kölmel M, Bramanti P, De Santi L, Genton P. Lennox-Gastaut syndrome in adulthood: clinical and EEG features. Epilepsy Res 2010; 89:271–7.

Ferri R, Curzi-Dascalova L, Del Gracco S, Elia M, Musumeci SA, Stefanini MC. Respiratory patterns during sleep in Down's syndrome: importance of central apnoeas. J Sleep Res 1997; 6: 134–41.

Fichter MM. Ätiologische Faktoren, Diagnostik und Therapie bulimischer Essstörungen. Z Klin Psych 1991; 20: 1–21.

Forsling ML, Wheeler MJ, Williams AJ. The effect of melatonin administration on pituitary hormone secretion in man. Clin Endocrinol 1999; 51: 637–42.

Fourtillan JB, Brisson AM, Gobin P, Ingrand I, Decourt JP, Girault J. Bioavailability of melatonin in humans after day-time administration of D(7) melatonin. Biopharm Drugs Dispos 2000; 21: 15–22.

Fox R, Rotatori AF. Prevalence of obesity among mentally retarded adults. Am J Ment Defic 1982; 87: 228–30.

Frank UG, Fröscher W. Schlafapnoe und Epilepsie. In: Meier-Ewert K, Stefan H (Hrsg). Anfälle im Schlaf. Stuttgart, Jena, New York: Gustav Fischer 1995; 151–9.

Frauscher B, Kunz A, Brandauer E, Ulmer H, Poewe W, Högl B. Fragmentary myoclonus in sleep revisited: A polysomnographic study in 62 patients. Sleep Med 2011; 12: 410–5.

Fujiura GT, Fitzsimons N, Marks B. Predictors of BMI among adults with Down-Syndrome: the social context of health promotion. Res Develop Disabilit 1997;18: 261–74.

Gärtner D. Hunger ist nicht der einzige Antrieb zum Essen. Zur Orientierung 1988; 12: 20–23.

Gastaut H, Broughton R, Roger J, Tassinari CA. Generalized convulsive seizures without local onset. In: Vinken Pj, Bruyn GW (eds) Handbook of clinical neurology: the epilepsies. Amsterdam: North Holland 1974; 107–20.

Genton P, Velizarova R, Dravet C. Dravet sindrome: the long-term outcome. Epilepsia 2011; 52 (Suppl 2): 44–9.

Glickman G. Circadian rhythms and sleep in children with autism. Neurosci Behav Rev 2010; 755–68.

Goldberg-Stern H, Oren H, Peled N, Garty BZ. Effect of Melatonin on seizure frequency in intractable epilepsy: a pilot study. J Child Neurol 2012; 27: 1524–8.

Goldstone AP, Beales PL. Genetic obesity syndromes. Front Horm Res 2008; 36: 37–60.

Goodman R. The longitudinal stability of psychiatric problems in children with hemiplegia. J Child Psychol Psychiatry 1998; 39: 347–54.

Goodman R, Graham P. Psychiatric problems in children with hemiplegia: cross sectional epidemiological survey. Br Med J 1996; 312: 1065–9.

Green JS, Parfrey PS, Harnett JD, Farid NR, Cramer BC, Johnson G, Heath O, McManamon PJ, O'Leary E, Pryse-Phillips W. The cardinal manifestations of Bardet-Biedl syndrome, a form of Laurence-Moon-Biedl syndrome. N Engl J Med 1989; 12: 1002–9.

Group UMiNMS . Randomized trial of modafinil as a treatment for excessive daytime somnolence of narcolepsy: US Modafinil in Narcolepsy Multicenter Study Group. Neurology 2000; 54: 1166–75.

Gulyani S, Salas R, Gamaldo CE. Sleep medicine pharmacotherapeutics overview. Today, tomorrow, and the future (Part 2: hypersomnia, parasomnia, and movement disorders). Chest 2013; 143: 242–51.

Gulyani S, Salas RE, Gamaldo CE. Sleep medicine pharmacotherapeutics overview. Today, tomorrow, and the future (Part 1: Insomnia and circadian rhythm disorders). Chest 2012; 142: 1659–68.

Gunay-Aygun M, Cassidy SB, Nicholls RD. Prader-Willi and Other Syndromes Associated with Obesity and Mental Retardation. Behav Genet 1997; 27: 307–24.

Hagberg B, Hanefeld F, Percy A, Skjedal O. An update on clinically applicable diagnostic criteria in Rett syndrome. Comments to Rett Syndrome Clinical Criteria Consensus Panel Satellite to European Paediatric Neurology Society Meeting, Baden-Baden, Germany, 11 September 201. Eur J Paediatr Neurol 2002; 6: 293–7.

Hajak G, Riemann D, Geisler P. Schlafstörungen: Insomnie, Hypersomnien, schlafbezogene Atmungs- und Bewegungsstörungen, Schlaf-Wach-Rhythmus-Störungen, Parasomnien. Therapietabellen 2010; 41: 18–53.

Halasz P. Arousal-Instabilität im Schlaf und generalisierte Epilepsie. In: Meier-Ewert K, Stefan H (Hrsg). Anfälle im Schlaf. Stuttgart, Jena, New York: Gustav Fischer 1995; 19–31.

Hare DJ, Jones S, Evershed K. Objective investigation of the sleep-wake cycle in adults with intellectual disabilities and autistic spectrum disorders. J Intellect Disabil Res 2006; 50: 701–10.

Hauri PJ, Fischer J. Persistent psychophysiological (learned) insomnia. Sleep 1986; 9: 38–53.

Hauri PJ, Olmsted E. Childhood onset insomnia . Sleep 1980; 3: 59–60.

Hayashi M, Inoue Y, Iwakawa Y, Saski H. REM sleep abnormalities in severe athetoid cerebral palsy. Brain Dev 1990; 12: 494–7.

Haynes SN, Adams A, Franzen M. The effects of pre-sleep stress on sleep-onset insomnia. J Abnorm Psychol 1981; 90: 601–6.

Herman ST, Walczak TS, Bazil CW. Distribution of partial seizures during the sleep-wake cycle: differences by seizure onset site. Neurology 2001; 56: 1453–9.

Herms MC. Melatonin verbessert die neuroendokrine Schlafarchitektur von Blinden. Inauguraldissertation aus dem Institut für Neuroendokrinologie der Universität zu Lübeck 2005.

Himmerich H, Schuld A, Pollmächer T. Gewichtszunahme unter Psychopharmakotherapie. Dtsch Ärztebl 2005; 102: A-2172 / B-1832 / C-1735.

Hoebert M, van der Heijden KB, van Geijlswijk IM, Smits MG. Long-term follow-up of melatonin treatment in children with

ADHD and chronic sleep onset insomnia. J Pineal Res 2009; 47: 1–7.
Hölling H, Schlack R. Essstörungen im Jugendalter – Ergebnisse aus dem Kinder- und Jugendgesundheitssurvey (KiGGS). Ernährungsumschau 2007; 9: 514–8.
Hove O. Prevalence of Eating Disorders in Adults with Mental Retardatioin Living in the Community. Am J Mental Retard 2004; 109: 501–6.
Hunt A, Stores G. Sleep disorder and epilepsy in children with tuberous sclerosis: a questionnaire-based study. Dev Med child Neurol 1994; 36: 108–15.
Ioachimescu OC, El-Solh AA. Pharmacotherapy of insomnia. Expert Opin Pharmacother 2012; 13: 1243–60.
Iranzo A, Santamaria J. Severe obstructive sleep apnea/hypopnea mimicking REM sleep behaviour disorder. Sleep 2005; 28: 203–6.
Jan JE, Espezel H, Appleton RE. The treatment of sleep disorders with melatonin. Dev Med Child Neurol 1994; 36: 97–107.
Jan JE, Ribary U, Wong PK, Reiter RJ, Bax MC, Wasdell MB. Cerebral modulation of circadian sleep-wake rhythms. J Clin Neurophysiol 2011; 28: 165–9.
Joukamaa M, Heliövaara M, Knekt P, Aromaa A, Raitasalo R, Lehtinen V. Schizophrenia, neuroleptic medication and mortality. British Journal of Psychiatry 2006; 188: 122–7.
Kaplan KA, Harvey AG. Hypersomnia across mood disorders: a review and synthesis. Sleep med Rev 2009; 13: 1283–97.
Khatami R. Schlafassoziierte motorische Störungen. Neurologie 2007; 4: 27–35.
Kotagal S, Broomall E. Sleep in children with autism spectrum disorder. Ped Neurol 2012; 47: 242–51.
Kotagal S, Gibbons VP, Smith JA. Sleep abnormalities in patients with severe cerebral palsy. Dev Med Child Neurol 1994; 36: 304–11.
Kotagal S. Sleep abnormalities and cerebral palsy. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001.
Krystal AD. A compendium of placebo-controlled trials of the risk/benefits of pharmacological treatments for insomnia: the empirical basis for U.S. clinical practice. Sleep Med rev 2009; 13: 265–74.
Kuczenski R, Segal DS. Effects of methylphenidate on extracellular dopamine, serotonin, and norepinephrine: comparison with amphetamine. J Neurochem 1997; 68: 2032–7.
Kushida CA, Chediak A, Berry RB, Brown LK, Gozal D, Iber C, Parthasarathy S, Quan SF, Rowley JA. Clinical guidelines for the manual titration of positive airway pressure in patients with obstructive sleep apnea. J Clin Sleep Med 2008; 4: 157–71.
Landesman-Dwyer S, Sackett GP. Behavioral change in nonambulatory, profoundly mentally retarded individuals. Monogr Am Ass Ment Def 1978; 3: 55–144.
Lane EA, Moss HB. Pharmacokinetics of melatonin in man: first pass hepatic metabolism. J Clin Endocrinol Metab 1985; 61: 1214–6.
Lang RB, Didden R, Machalicek W, Rispoli M, Sigafoos J, Lancioni G, Mulloy A, Regester A, Pierce N, Kang S. Treatment of chronic skin-picking in an adolescent with Asperger syndrome and borderline intellectual disability. Clinical Case Studies 2009; 8: 317–25.
Lee SJ, McCall WD, Kim YK, Chung SC, Chung JW. Effect of botulinum toxin injection on nocturnal bruxism: a randomized controlle trial. Am J Phys Med Rehabil 2010; 89: 16–23.
Leger D, Guilleminault C, Defrance R, Domont a, Paillard M. Prevalence of sleep/wake disorders in persons with blindness. Clin Sic 1999; 97: 193–9.
Lemoine P, Garfinkel D, Laudon M, Nir T, Zisapel N. Prolonged-release melatonin for insomnia – an open-label long-term study of efficacy, safety, and withdrawal. Ther Clin Risk Manag 2011; 7: 301–11.
Lemoine P, Zisapel N. Prolonged-release formulation of melatonin (Circadin) for the treatment of insomnia. Expert Opin Pharmacother 2010; 13: 895–905.
Levey EB, Stashinko E, Clegg NJ, Delgado MR. Management of children with holoprosencephaly. Am J Med Genet C Semin Med Genet 2010; 154C: 183–90.
Levin R, Fireman G. Nightmare prevalence, nightmare distress, and self-reported psychological disturbance. Sleep 2002; 25: 205–12.
Lewis MA, Lewis CE, Leake B, King BH, Lindemann R. The Quality of Health Care for Adults with Developmental Disabilities. Public Health Reports 2002; 117: 174–84.
Lewy AJ, Emens JS, Sack RL, Hasler BP, Bernert RA. Low, but not high doses of melatonin entrained a free-running blind person with a long circadian period. Chronobiol INt 2001; 19: 649–58.
Lewy AJ, Hasler BP, Emens JS, Sack RL. Pretreatment circadian period in free-running blind people may predict the phase angle of entrainment to melatonin. Neurosci Lett 2001; 313: 158–60.
Lingg A, Theunissen G. Psychische Störungen bei geistig Behinderten. Freiburg: Lambertus 1993.
Lockley SW, Arendt J, Skene DJ. Visual impairment and circadian rhythm disorders. Dialogues Clin Neurosci 2007; 9: 301–14.
Lockley SW, Skene DJ, Arendt J, Tabandeh H, Bird AC, Defrance R. Relationship between melatonin rhythms and visual loss in the blind. 1997; 82: 3763–70.
Lockley SW, Skene DJ, Butler LJ, Arendt J. Sleep and activity rhythms are related to circadian phase in the blind. Sleep 1999; 22: 616–23.
Lockley SW, Skene DJ, James K, Thapan K, Wright J, Arendt J. Melatonin administration con entrain the free-running circadian system of blind subjects. J Endocrinol 2000; 164: R1–6.
Maas APHM, Didden R, Korzilius H, Braam W, Collin P, Smits MG, Curfs LMG. Psychometric properties of a sleep questionnaire for use in individuals with intellectual disabilities. Res Dev Disabil 2011; 32: 2467–79.
Maaskant M, van de Wouw E, van Wijck R, Evenhuis HM, Echteld MA. Circadian sleep-wake rhythm of older adults with intellectual disabilities. Res Dev Disabil 2013; 34: 1144–51.
Machado PPP, Machado BC, Gonçalves S, Hoek HW. The prevalence of Eating Disorders Not Otherwise Specified. The International Journal of Eating Disorders 2007; 40: 212–7.
Macintyre PE, Schug SA. Pharmacology of opioids. In: Macintyre PE, Schug SA (eds). Acute Pain Management. A practical guide. Edinburgh, London, New York, Oxford, Philadelphia, St Louis, Sydney, Toronto: Saunders Elsevier 2007; 42–70.
Malow BA, Foldvary-Schaefer N, Vaughn BV, Selwa LM, Chervin RD, Weatherwax KJ, Wang L, Song Y. Treating obstructive sleep apnea in adults with epilepsy. A randomized pilot study. Neurology 2008; 71: 572–7.
Malow BA, McGrew SG. Sleep disturbances in autism. Sleep Med Clin 2008; 3: 479–88.
Manni R, Politini L, Nobili L, Ferrillo F, Livieri C, Veneselli E, Biancheri R, Martinetti M, Tartara A. Hypersomnia in the Prader Willi syndrome: clinical-electrophysiological features and underlying factors. Clin Neurophysiol 2001; 112: 800–5.
Manni R, Terzaghi M, Arbasino C, Sartori I, Galimberti CA, Tartara A. Obstructive sleep apnea in a clinical series of adult epilepsy pateints. Frequency and features of the comorbidity. Epilepsia 2003; 44: 836–40.
Marshall D, McConkey R, Moore G. Obesity in people with intellectual disabilities: the impact of nurse-led health screenings

and health promotion activities. Journal of Advanced Nursing 2003; 41: 147–53.

Martin P. Befunddynamik und Behandlung im Erwachsenenalter. In: Hertzberg C, Martin P (Hrsg) Der tuberöse Sklerose komplex (TSC). Bremen: UNI-MED Verlag 2013; 117–35.

Mastin DF, Bryson J, Crowyn R. Assessment of sleep hygiene using the Sleep Hygiene Index. J Behav Med 2006; 29: 223–7.

Matson JA, Boisjoli JL. Strategies for assessing Asperger's syndrome: A critical review of data based methods. Research in Autism Spectrum Disorders 2008; 2: 237–48.

Matson JL, Boisjoli JA. Autism spectrum disorders in adults with intellectual disability and comorbid psychopathology: Scale development and reliability of the ASD-CA. 2008; 2: 276–87.

Matson JL, Fodstad JC. The treatment of food selectivity and other feeding problems in children with autism spectrum disorders. Research in Autism Spectrum Disorders 2009; 3: 455–61.

Matson JL, Mahan S. Antipsychotic drug side effects for persons with intellectual disability. Res Dev Disabil 2010; 31: 1570–6.

Matsunaga E, Shiota K. Holoprosencephaly in human embryos: epidemiologic studies of 150 cases. Teratology 1977; 16: 261–72.

Mayer G, Wilde-Frenz J, Kurella B. Sleep related rhythmic movement disorder revisited. J Sleep Res 2007; 16: 110–6.

McGuire BE, Daly P, Smyth F. Lifestyle and health behaviours of adults with an intellectual disability. Journal of Intellectual Disability Research 2007; 51: 497–510.

McIntyre IM, Burrows GD, Norman TR. Suppression of plasma melatonin by a single dose of the benzodiazepine alprazolam in humans. Biol Psychiatry 1988; 24: 108–12.

Minecan D, Natatajan A, Marzec M, Malow B. Relationship of epileptic seizures to sleep stage and sleep depth. Sleep 2002; 25: 899–904.

Moran R, Drane W, McDermott S, Dasari S, Scurry JB, Platt T. Obesity among People with and without Mental Retardation across Adulthood. Obesity Research 2005; 13: 342–9.

Moretti-Fereira D, Koiffmann CP, Listik M, Setian N, Wajntal A. Macrosomia, obesity, macrocehaly and ocular abnormalities MOMO syndrome in two unrelated patients: delineation of a newly recognized overgrowth syndrome. Am J Med Genet 1993; 46: 555–8.

Morgenthaler TI, Lee-Chiong T, Alessi C, Friedman L, Aurora N, Boehlecke B, Brown T, Chesson AL, Kapur V, Maganti R, Owens J, Pancer J, Swick TJ, Zak R. Practice parameters for the clinical evaluation and treatment of circadian rhythm sleep disorders. Sleep 2007; 30: 1445–59.

Muños-Hoyos A Sànchez-Forte M, Molina-Carballo A, Escames G, Martin-Medina E, Reiter RJ, Molina-Font JA, Acuña-Castroviejo D. Melatonin's role a san anticonvulsant and neuronal protector: experimental and clinical evidence. J Child Neurol 1998; 13: 501–9.

Murphy PJ, Badia P, Meyers BL, Boecker MR, Wright KP Jr. Nonsteroidal anti-inflammatory drugs affect normal sleep patterns in humans. Physiol Behav 1994; 55: 1063–6.

Mykytyn K, Nishimura DJ, Searby CC, Shastri M, Yen H, Beck JS, Braun T, Streb LM, Cornier AS, Cox GF, Fulton AB, Carmi R, Lüleci G, Chandrasekharappa SC, Collins FS, Jacobson SG, Heckenlively JR, Weleber RG, Stone EM, Sheffield VC. Identification of the gene (BBS1) most commonly involved in Bardet-Biedl syndrome, a complex human obesity syndrome. Nat Genet 2002; 31: 435–8.

Neul JL, Kaufmann WE, Glaze DG, Christodoulou J, Clarke AJ, Bahi-Buisson N, Leonard H, Bailey Me, Schanen NC, Zappella M, Renieri A, Huppke P, Percy AK; Research consortium. Rett syndrome: revised diagnostic criteria and nomenclature 2010; 68: 944–50.

Nevsimalova S, Vankova J, Stepanova I, Seemanova E, Mignot E, Nishino S. Hypocretin deficiency in Prader-Willi syndrome. Eur J Neurol 2005; 12: 70–2.

Newell KM, Incledon T, Bodfish JW, Sprague RL. Variability of stereotypic body-rocking in adults with mental retardation. Am J Ment Retard 1999; 104: 279–88.

Newman CJ, O'Regan M, Hensey O. Sleep disorders in children with cerebral palsy. Dev Med Child Neurol 2006; 48: 564–8.

Nomura Y, Segawa M, Higurashi M. Rett syndrome – an early catecholamine and indolamine deficient disorder? Brain Dev 1985; 7: 334–41.

Nomura Y. Neurophysiology of Rett syndrome. Brain Dev 2001; 23: S50–S57.

O'Brien PE, Sawyer SM, Laury C, Brown WA, Skinner S, Veit F, Paul E, Burton PR, McGrice M, Anderson M, Dixon JB. Laparoscopic Adjustable Gastric Banding in Severely Obese AdolescentsA Randomized Trial. JAMA 2010; 303: 519–26.

Okawa M, Sasaki H. Sleep disorders in mentally retarded and brain-impaired children. In: Guilleminault C. Sleep and its disorders in children. New York: Raven Press 1987; 269–90.

Orioli IM, Castilla EE. Epidemiology of holoprosencephaly: Prevalence and risk factors. Am J Med Genet C Semin Med Genet 2010; 154C: 13–21.

Owens JA, Mindell JA. Pediatric insomnia. Pediatr Clin North Am 2011; 58: 555–69.

Owens JA, Spirito A, McGuinn M. The Children's Sleep Habits Questionnaire (CSHQ): psychometric properties of a survey instrument for school-aged children. Sleep 2000; 23: 1043–51.

Parrino L, Smerieri A, Spaggiari C, Terzano MG. Cyclic alternatine Pattern (CAP)and epilepsy during sleep: how a physiological rhythm modulates a pathological event. Clin Neurophys 2000; 111 (Suppl 2): S39–S46.

Patil SP. What every clinician should know about polysomnography. Respir Care 2010; 55: 1179–95.

Pelc K, Cheron G, Boyd SG, Dan B. Are there distinctive sleep problems in Angelman syndrome? Sleep Med 2008; 9: 434–41.

Peled N, Shorer Z, Peled E, Pillar G. Melatonin effect on seizures in children with severe neurologic deficit disorders. Epilepsia 2001; 42: 1208–10.

Piazza CC, Fischer WW. Bedtime fading in the treatment of pediatric insomnia. J Behav Ther Exp Psychiatry 1991; 22: 53–6.

Picchietti MA, Picchietti DL. Restless legs syndrome and periodic limb movement disorder in children and adolescents. Semin Pediatr Neurol 2008; 15: 91–9.

Placidi F, Marciani MG, Diomedi M, Scalise A, Pauri F, Giacomini P, Gigli GL. Effects of lamotrigine on nocturnal sleep, daytime somnolence and cognitive functions in focal epilepsy. Acta Neurol Scand 2000; 111: 1637–42.

Placidi F, Scalise A, Marciani MG, Romigi A, Diomedi M, Gigli GL. Effects of antiepileptic drugs on sleep. Clin Neurophysiol 2000; 111 (Suppl 2) S115–S119.

Prasher VP. Overweight and obesity amongst Down's syndrome adults. J Intellect Disabil Res 1995; 39: 437–41.

Ramakrishnan U. Prevalence of micronutrient malnutrition worldwide. Nutrition Reviews 2002; 60: S46–S52.

Rastam M. Eating disturbances in autism spectrum disorders with focus on adolescent and adult years. Clinical Neuropsychiatry 2008; 5: 31–42.

Reiter RJ. Melatonin suppression by static and extremely low frequency electromagnetic fields: relationship to the reported increased incidence of cancer. Rev Environ Health 1994; 10: 171–86.

Reiter RJ. Tan DX, Mayo JC, Sainz RM, Leon J, Czarnocki Z. Melatonin as an antioxidant: biochemical mechanisms and pathophysiological implications in humans. Acta Biochim Pol 2003; 50: 1129–46.

Ricciardi JN, Luiselli JK, Terrill S, Reardon K. Alternative response training with contingent practice as intervention for pica in a school settino. Behav Treat 2003; 18: 219–26.

Richdale A. Sleep in children with autism and Asperger syndrome. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001; 181–91.

Rimmer JH. Aging, Mental Retardation and Physical Fitness. American Association on Mental Retardation Fact Sheet 1998.

Rimmer JH. Prevalence of Obesity in Adults with Mental Retardation: Implications for Health Promotion and Disease Prevention. Mental Retardation 1993; 31: 105–10.

Rimmer JH, Rowland JL, Yamaki K. Obesity and Secondary Conditions in Adolescents with Disabilities: Addressing the Needs of an Underserved Population Journal of Adolescent Health 2007; 41: 224–9.

Rimmer JH, Wang E. Obesity Prevalence Among a Group of Chicago Residents With Disabilities. Archives of Physical Medicine and Rehabilitation 2005; 86: 1461–4.

Rimmer JH, Yamaki K, Davis Lowry BM, Wang E, Vogel LC. Obesity and obesity-related secondary conditions in adolescents with intellectual/developmental disabilities. Journal of Intellectual Disability Research 2010; 54: 787–94.

Romigi A Izzi F, Placidi F, Zannino S, Evangelista E, Del Bianco C, Dopetti M, Vitrani G, Mercuri NB, Cum F, Marciani MG. Effects of zonisamide as add-on therapy on sleep-wake cycle in focal epilepsy: a polysomnographic study. Epilepsy Behav 2013; 26: 170–4.

Romigi A, Izzi F, Marciani MG, Torelli F, Zannino S, Pisani LR, Uasone E, Corte F, Placidi F. Pregabalin as add-on therapy induces REM sleep enhancement in partila epilepsy: a polysomnographic study. Eur J Neurol 2009; 16: 70–5.

Rosen D. Management of obstructive sleep apnea associated with Down syndrome and other craniofacial dysmorphologies. Curr Opin Pulm Med 2011; 17: 431–6.

Roze E, Bounolleau P, Ducreux D, Cochen V, Leu-Semenscu S, Beaugendre Y, Lavallard-Rousseau MC, Blancher A, Bourdain F, Dupont P, Carluer L, Verdure L, Vidailhet M, Apartis E. Propriospinal myoclonus revisited. Neurology 2009; 72: 1301–9.

Rubin SS, Rimmer JH, Chicoine B, Braddock D, McGuire DE. Overweight prevalence in persons with Down Syndrome. Ment Retard 1998; 36: 175–81.

Sack RL, Auckley D, Auger RR, Carskadon MA, Wright KP, Vitello MV, Zhdanova IV. Circadian Rhythm sleep disorders: Part I, basic principles, shift work, and jet lag disorders. Sleep 2007; 30: 1460–83.

Sack RL, Auckley D, Auger RR, Carskadon MA, Wright KP, Vitello MV, Zhdanova IV. Circadian Rhythm sleep disorders: Part II, advancd sleep phase disorder, delayed sleep phase disorder, free-running disorder, and irregular sleep-wake rhythm. Sleep 2007; 30: 1484–1501.

Sand A, Schmidt TM, Kofuji P. Diverse types of ganglion cell photoreceptors in the mammalian retina. Prog Retin Eye Res 2012; 31: 287–302.

Sand A. Psychopharmakotherapie bei Menschen mit geistiger Behinderung. Einige Überlegungen aus psychotherapeutischer Sicht. In: Lotz W, Koch U, Stahl B (Hrsg). Psychotherapeutische Behandlung geistig behinderter Menschen. Bern, Göttingen, Toronto: Hans Huber Verlag 1994; 257–77.

Sandanam T, Beange H, Robson L, Woolnough H, Buchholz T, Smith A. Manifestations in institutionalised adults with Angelman syndrome due to deletion. Am J Med Genet 1997; 70: 415–20.

Sandella DE, O'Brien LM, Shank LK, Warschausky SA. Sleep and quality of life in children with cerebral palsy. Sleep Med 2011; 12: 252–6.

Satoh K, Mishima K. Hypothermic action of exogenously administered melatonin is dose dependent in humans. Clin Neuropharmacol 2001; 24: 334–40.

Schanze C. Übergewicht und Adipositas bei Menschen mit Intelligenzminderung. Ermittlung von Risikofaktoren unter besonderer Berücksichtigung von Psychopharmaka –Empirische Feldstudie – Veröffentlichung in Vorbereitung 2013.

Schenck CH, Bundlie SR, Patterson AL, Mahowald MW. Rapid eye movement sleep disorder: A treatable parasomnia affecting older adults. JAMA 1987; 257: 1786–9.

Schenck CH, Mahowald MW. REM sleep behaviour disorder; clinical, developmental, and neuroscience perspectives 16 years after its formal identification in sleep. Sleep 2002; 25: 120–38.

Senthivel E, Krishna J. Body position and obstructive sleep apnea in children with Down syndrome. J Clin Sleep Med 2011; 7: 158–62.

Shapira NA, Lessig MC, Lewis MH, Goodman WK, Driscoll DJ. Effects of Topiramate in Adults with Prader-Willi Syndrome. Am J Mental Retard 2004; 109: 301–9.

Sharp WG, Berry RC, McCracken C, Nuhu NN, Marvel E, Saulnier CA, Klin A, Jones W, Jaquess DL. Feeding problems and nutrient intake in children with autism spectrum disorders: A meta-analysis and comprehensive review of the literature. Journal of Autism and Developmental Disorders 2013; 43: 2159–73.

Sharpless BA, Barber JP. Lifetime prevalence rates of sleep paralysis: a systematic review. Sleep Med Rev 2011; 15: 311–5.

Shneerson JM. Parasomnias. Minerva Pneumol 2011; 50: 201–15.

Shomon M. Treatment of Congenital Hypothyroidism in Infants and Children. About.com Guide, http://thyroid.about.com/od/hypothyroidismhashimotos/a/treatcongenital.htm. Updated January 30, 2009.

Shott SR. Down syndrome: common otolaryngologic manifestations. Am J Med Genet C Semin Med Genet 2006; 142C: 131–40.

Simonds JF, Parraga H. Prevalence of sleep disorders and sleep behaviors in children and adolescents. J Am Acad Child Psychiatry 1982; 21: 383–8.

Sinha S, Brady M, Scott CA, Walker MC. Do seizures in patients with refractory epilepsy vary between wakefulness in sleep? J Neurol Neurosurg Psychiatry 2006; 77: 1076–8.

Solano R, Fernándes-Aranda F, Aitken A, López C, Vallejo J. Self-injurous behaviour in people with eating disorders. Eur Eat Dis Rev 2004; 13: 3–10.

Stores G. Annotation: Sleep Studies in Children with a Mental Handicap. J Child Psychol Psychiat 1992; 33: 1303–17.

Stores G. Excessive sleepiness. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001; 30–7.

Stores G. Visual impairment and associated sleep abnormalities. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001; 120–5.

Stores G, Stores R. Sleep disorders and their clinical significance in children with Down syndrome. Dev Med Child Neurol 2013; 55: 126–30.

Stores G, Wiggs L. Sleep disturbance: a serious, widespread, yet neglected problem in disorders of development. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001; 3–9.

Stores R. Sleep and Down syndrome. In: Stores G, Wiggs L. Sleep disturbance in children and adolescents with disorders of development: significance and management. London: Mac Keith Press 2001; 53–9.

Tabandeh H, Lockley SW, Buttery R, Skene DJ, Defrance R, Arendt J, Bird AC. Disturbance of sleep in blindness. Am J Ophthalmol 1998; 126: 707–12.

Taggart L, McMillan R, Lawson A. Women with and without intellectual disability and psychiatric disorders. An examination of the literature. Journal of Intellectual Disabilities 2008; 12: 191–211.

Talbot K, Stradling J, Crosby J, Hilton-Jones D. Reduction in excess daytime sleepiness by modafinil in patients with myotonic dystrophy. Neuromuscul Disord 13: 357–64.

Tassinari CA, Ambrosetto G. Tonic seizures in the Lennox-Gastaut syndrome: semiology and differential diagnosis. In: Niedermeyer E, Degen R (eds) The Lennox-Gastaut syndrome. New York: Allan R Liss 1988; 109–24.

Terzano MG, Mancia D, Salati MR, Costani G, Decembrino A, Parrino L. The cyclic alternatine pattern as a physiologic component of normal NREM sleep. Sleep 1985; 8:137–45.

Terzano MG, Parrino L, Spaggiari MC. The cyclic alternatine pattern sequences in the dynamic organization of sleep. Electroencephalogr Clin Neurophysiol 1988; 69: 437–47.

Thorphy MJ. Classification of sleep disorders. Neurotherapeutics 2012; 9: 687–701.

Tietze AL, Blankenburg M, Hechler T, Michel E, Koh M, Schlüter B, Zernikow B. Sleep disturbances in children with multiple disabilities. Sleep Med Rev 2012; 16: 117–27.

Turner G, Lower KM, White SM, Delatycki M, Lampe AK, Wright M, Smith JC, Kerr B, Schelley S, Hoyme, HE, De Vries BB, Kleefstra T, Grompe M, Cox B, Gecz J, Partington M. The clinical picture of the Börjeson-Forssman-Lehmann syndrome in males and heterozygous females with PHF6 mutations.Clin Genet 2004; 65: 226–32.

Van der Zaag J, Lobbezoo F, van der Avoort PG, Wicks DJ, Hamburger HL, Naeije M. Effects of pergolide on severe sleep bruxism in a patient experiencing oral implant failure. J Oral Rehabil 2007; 34: 317–22.

Van Dijk E, Hilgenkamp TIM, Evenhuis HM, Echteld MA. Exploring the use of actigraphy to investigate sleep problems in older people with intellectual disability. J Intellect Disabil Res 2012; 56: 204–11.

Van Eeghen AM, Numis AI, Stanley BA, Therrien SE. Characterizing sleep disorders of adults with tuberous sclerosis complex: a questionnaire-based study and review. Epilepsy Behav 2011; 20: 68–74.

Van Someren EJ, Riemersma-van der Lek RF. Live to the rhythm, slave to the rhythm. Sleep Med Rev 2007; 11: 465–84.

Vendrame M, Kothare SV. Epileptic and nonepileptic paroxysmal events out of sleep in children. J Clin Neurophysiol 2011; 28: 111–9.

Veselinović T, Himmerich H. Antihistaminerge Antipsychotika verursachen Gewichtszunahme. Der Nervenarzt 2010; 81: 329–34.

Vetrugno R, Provini F, Meletti S, Plazzi G, Liguori R, Cortelli P, Lugaresi E, Montagna P. Propriospinal myoclonus at the sleep-wake transitino: a new type of parasomnia. Sleep 2001; 24: 835–43.

Vried JL, Corkum PV, Moon EC, Smith IM. Behavioral interventions for sleep problems in children with autism spectrum disorders: Current findings and future directions. J Pediatr Psychol 2011; 36: 1017–29.

Waldhauser F, Lieberman HR, Lynch HJ, Waldhauser M, Herkner K, Frisch H, Vierhapper H, Waldhäusl W, Schemper M, Wurtman RJ, Crowley WF. A pharmacological dose of melatonin increases PRL levels in males without altering those of GH, LH, FSH, TSH, testosterone or cortisol. Neuroendocrinology 1987; 46: 125–30.

Waldhauser F, Waldhauser M, Lieberman HR, Deng MH, Lynch HJ, Wurtman RJ. Bioavailability of oral melatonin in humans. Neuroendocrinology 1984; 39: 307–13.

Walters AS, Lavigne G, Hening W, Picchietti DL, Allen RP, Chokroverty S, Kushida CA, Bliwise DL, Mahowald MD, Schenck CH, Ancoli-Israel S. The scoring of movements in sleep. J Clin Sleep Med 2007; 3: 155–67.

Walz NC, Beebe D, Byars K. Sleep in individuals with Angelman syndrome: parent perceptions of patterns and problems. Am J Ment Retard 2005; 110: 243–52.

Wang M. Trends in Iodine Deficiency Disorders from 1980 to 2010. Researchworks Archive. http://hdl.handle.net/1773/21957, 2012.

Weatherwax KJ, Lin X, Marzec ML, Malow BA. Obstructive sleep apnea in epilepsy patients: the sleep apnea scale of the Sleep Disorders Questionnaire (SA-SDQ) is a useful screening instrument for obstructive sleep apnea ind a disease specific population. Sleep Med 2003; 4: 517–21.

Webb DW, Fryer A, Osborne JP. Morbidity associated with tuberous sclerosis: a population study. Dev Med Child Neurol 38: 146–55.

Weinmann S, Read J, Aderhol V. Influence of antipsychotics on mortality in schizophrenia: Systematic review. Schizophrenia Research 2009; 113: 1–11.

Williams RS, Zies D, Mullegama SV, Grotewiel MS, Elsea SH. Smith-Magenis syndrome results in disruption of CLOCK gene transcription and reveals an integral role for RAI1 in the maintenance of circadian rhythmicity. Am J Hum Genet 2012; 90: 941–9.

Williamson PD, Spencer DD, Spencer SS, Novelly RA, Mattson RH. Complex partial seizures of frontal lobe origin. Ann Neurol 1985; 18: 497–504.

Witkowski R, Prokop O, Ullrich E. Lexikon der Syndrome und Fehlbildungen: Ursachen, Genetik und Risiken. Berlin: Springer 2003.

World Health Organization. ICD-10 guide for mental retardation. Geneva: WHO 1996.

World Health Organization: The ICD-10 International Classification of Diseases. World Health Organization, Geneva, 1992.

Wright J, Aldhous M, Franey C, English J, Arendt J. The effects of exogenous melatonin on endocrine function in man. Clin Endocrinol 1986; 24: 375–82.

Yaqub BA, Waheed G, Kabiraj MM. Nocturnal epilepsies in adults. Seizure 1997; 6: 145–9.

Yamaki K. Body Weight Status among Adults with intellectual Disability in the Community. American Association on Intellectual and Developmental Disabilities. Mental Retardation 2005; 43: 1–10.

Young D, Nagarajan L, de Klerk N, Jacoby P, Ellaway C, Leonard H. Sleep problems in Rett syndrome. Brain Dev 2007; 29: 609–16.

Young GB, Blume WT, Wells GA, Mertens WC, Eder S. Differential aspects of sleep epilepsy. Can J Neurol Sci 1985; 12: 317–20.

Zhdanova IV. Melatonin as a hypnotic: pro. Sleep Med Rev 2005; 9: 51–65.

Zinzindohoue F, Chevallier JM, Douard R, Elian N, Ferraz JM, Blanche JP, Berta JL, Altman JJ, Safran D, Cugnenc PH. Laparoscopic gastric banding: A minimally invasive surgical treatment for morbid obesity. Prospective study of 500 consecutive patients. Ann Surg 2003; 237: 1–9.

Zisapel N. Drugs for Insomnia. Expert Opin Emerg Drugs 2012; 17: 299–317.

15 Persönlichkeitsstörungen (F6)

American Psychiatric Association (APA). Leitlinien zur Behandlung der Borderline Persönlichkeitsstörung. 1. Aufl. Göttingen, Bern, Toronto, Seattle: Hans Huber 2005.

Bäuml J, Pitschel-Walz G. Psychoedukation bei schizophrenen Erkrankungen. Stuttgart: Schattauer 2003.

Bohus M. Borderline-Störung. 1. Aufl. Göttingen, Bern, Toronto, Seattle: Hogrefe 2002.

Bohus M, Huppertz M. Wirkmechanismen achtsamkeitsbasierter Psychotherapie. Zeitschrift für Psychiatrie, Psychologie und Psychotherapie 2006; 54: 265–76.

Bohus M., Kröger C. Psychopathologie und Psychotherapie der Borderline-Persönlichkeitsstörung. Nervenarzt 2011; 82: 16–24.

Bohus M, Wolf M. Interaktives Skillstraining für Borderline Patienten. Stuttgart: Schattauer 2009.

Brenner HD, Merlo M, Genner R. Die neue Rolle der Psychiatrie in der Betreuung Geistigbehinderter. Schweizer Archiv für Neurologie und Psychiatrie 1994; 145: 26–34.

Davison GC, Neale JM. Klinische Psychologie. 6. Aufl. Weinheim: Beltz 2002.

Dilling H, Mombour W, Schmidt MH (Hrsg). Internationale Klassifikation psychischer Störungen (ICD-10). 1. Aufl. Bern, Göttingen, Toronto: Hans Huber 1991.

Došen A. Möglichkeiten und Grenzen psychologischer Diagnostik bei Menschen mit geistiger Behinderung und psychiatrischen Störungen. In: Die Kerbe 2/2005; 23: 7–10.

Elstner S, Schade C, Diefenbacher A. DBToP-gB-Manual für die Gruppenarbeit: an der Dialektisch behavioralen Therapie orientiertes Programm zur Behandlung emotionaler Instabilität bei Menschen mit geistiger Behinderung. Bielefeld: Bethel Verlag 2012.

Fiedler P. Persönlichkeitsstörungen. 5. Aufl. Weinheim: Beltz 2001.

Freyberger HJ, Spitzer C, Stieglitz RD. Fragebogen zu Dissoziativen Symptomen. Bern, Göttingen, Toronto, Seattle: Hans Huber 2005.

Gast U. Zum Umgang mit Dissoziationen in der Borderline Therapie. Persönlichkeitsstörungen, Theorie und Therapie 2003; 8: 23–30.

Grawe K. Grundriß einer allgemeinen Psychotherapie. Psychotherapeut 1995; 40: 130–45.

Haddock D. The Dissoziative Identity Disorder Sourcebook. Chicago: Contemporary Books 2001.

Langfeldt HP (Hrsg). Psychologie. Neuwied, Berlin: Luchterhand 1993.

Linehan M. Dialektisch-behaviorale Therapie der Borderline-Persönlichkeitsstörung. 1. Aufl. München: CIP Medien 1996a.

Linehan M. Dialektisch-behaviorale Therapie der Borderline-Persönlichkeitsstörung. Trainingsmanual. 1. Aufl. München: CIP Medien 1996b.

Mühl H. Selbstverletzendes Verhalten bei Menschen mit geistiger Behinderung. 1. Aufl. Bern, Stuttgart, Wien: Paul Haupt 1996.

Rahn E. Basiswissen: Umgang mit Borderline-Patienten. 1. Aufl. Bonn: Psychiatrie-Verlag 2003.

Rahn E. Borderline verstehen und bewältigen. Bonn: Balance buch + medien verlag 2010.

Rahn E, Mahnkopf A. Lehrbuch Psychiatrie. 3. Aufl. Bonn: Psychiatrie-Verlag 2005.

Reddemann L. Dissoziation. In: Bronisch T, Bohus M, Dose M, Redemann L, Unckel C. Krisenintervention bei Persönlichkeitsstörungen. 2. Aufl. Stuttgart: Pfeiffer bei Klett-Cotta 2002.

Reinecker H. Verhaltenstherapie. In: Praxis der Psychotherapie. Stuttgart, New York: Thieme 1996.

Sachse R. Persönlichkeitsstörungen. 1. Aufl. Göttingen, Bern, Toronto, Seattle, Oxford, Prag: Hogrefe 2004.

Singer P. Praktische Ethik. Stuttgart: Reclam Verlag 1984.

Speck O. Menschen mit geistiger Behinderung und ihre Erziehung. 6. Aufl. München, Basel: Reinhardt 1990.

Spitzer M. Lernen. 1. Aufl. Heidelberg, Berlin: Spektrum Verlag 2003.

Stern von H. Alle Antennen auf Empfang: Wer achtsam lebt, lebt besser. Psychologie heute 7/2004, 20–8.

Stiglmayr C, Schehr K, Bohus M. Fertigkeitentraining im Rahmen der dialektisch-behavioralen Therapie für Borderline-Persönlichkeitsstörungen. Persönlichkeitsstörungen 2002; 2: 126– 34.

Theunissen G. Erwachsenenbildung und Behinderung. 1. Aufl. Rieden: Julius Klinkhardt Verlag 2003.

Tscheuschner W, Frommeyer R, Bremenkamp W. Materialsammlung zum Skillstraining für Menschen mit Lernbehinderungen. Warstein 2012.

16 Intelligenzminderung (F7)

American Association on Intellectual and Developmental Disabilities (ed). Intellectual Disability: Definition, classification, and systems of supports. 11th ed. Washington/DC: American Association on Intellectual and Developmental Disabilities 2010.

AAMR, American Association on Mental Retardation 2002. http://www.aamr.org/Policies/faq_mental_retardation.shtml [30.5.2005].

Beange H, McElduff A, Baker W. Medical disorders of adults with mental retardation: a population study. Am J Mental Retard 1995; 99: 595–604.

Berney TP. Autism – an evolving concept. Brit J Psychiatry 2000; 176: 20–6.

Berufsverband deutscher Humangenetiker e.V. http://www.bvdh.de/newsdownload/62/Beschluss_GBA_Anpassung_NGSc_an_GenDG_1612_2010_.pdf?PHPSESSID=79e62958572f5702fa7403964c12d5f4 [11.5.2013].

Camp BW, Broman SH, Nichols PL, Leff M. Maternal and neonatal risk factors for mental retardation: defining the ‚at-risk‘ child. Early Human Dev 1998; 50: 159–73.

Deutsche Gesellschaft für Kinder- und Jugendpsychiatrie und Psychotherapie u.a. (Hrsg). Leitlinien zur Diagnostik und Therapie von psychischen Störungen im Säuglings-, Kindes- und Jugendalter. 2. Aufl. Köln: Deutscher Ärzte Verlag 2003. http://www.uni-duesseldorf.de/WWW/AWMF/ll/028-015.htm [30.5.2005].

Dilling H, Mombour W, Schmidt MH, Schulte-Markwart E. Internationale Klassifikation psychischer Störungen, ICD-10, Kapitel V F. 1. Aufl. Bern, Göttingen, Toronto, Seattle: Hans Huber 1991.

DIMDI. Internationale Klassifikation der Funktionsfähigkeit, Behinderung und Gesundheit, Entwurfsfassung. DIMDI Köln 2004. http://www.dimdi.de/static/de/klassi/icd-10-gm/kodesuche/onlinefassungen/htmlgm2013/block-f70-f79.htm [11.5.2013].

Došen A. Psychische Störungen, Verhaltensprobleme und intellektuelle Behinderung – Ein integrativer Ansatz für Kinder und Erwachsene. Göttingen: Hogrefe 2010.

Felchner A, Schnoor H. Wie bleibt ein Mensch gesund? Vortrag 2b 2009. http://www.gesundheitfuersleben.de/gesundheitstagung/abstracts/vortraege/index.php [11.5.2013].

Gaese F. Tic, Zwang, Stereotypien und Rituale bei Menschen mit geistiger und Merhfachbehinderung: wo kommen sie vor und wie unterscheidet man sie? Medizin für Menschen mit geistiger oder mehrfacher Behinderung, 7.Jg., Heft 2, Dezember 2010.

Gaese F. Prävention demenzieller Erkrankungen bei Menschen mit geistiger Behinderung, Medizin für Menschen mit Geistiger und Mehrfachbehinderung 2011; 8: 82–6, Supplement.

Kapell D, Nightingale B, Rodriguez A, Lee JH, Zigman WB, Schuff N. Prevalence of chronic medical conditions in adults with mental retardation: comparison with the general population. Mental Retardation 1998; 36: 269–79.

Luckasson R, Borthwick-Duffy S, Buntinx WHE, Coulter DL, Craig EM, Reeve A, Schalock RL, Snell ME. Mental retardation: Definition, classification, and systems of supports. 10th ed. Washington, DC: American Association on Mental Retardation 2002.

Minns RA. Pre- and perinatal conditions contributing to mental retardation. Curr Opin Psychiatry 1997; 10: 354–9.

Neuhäuser G, Steinhausen HC (Hrsg). Geistige Behinderung. 3. A. Stuttgart: Kohlhammer 2003.

Rittey CD. Learning difficulties: what the neurologist needs to know. J Neurol Neurosurg Psychiatry 2003;74 Suppl 1: i30–6.

Roeleveld N, Zielhuis GA, Gabreels F. The prevalence of mental retardation: a critical review of recent literature. Develop Med Child Neurol 1997; 39: 125–32. (Type IV evidence – systematic review of 43 prevalence studies).

Sappok T, Schade C, Kaiser H, Došen A, Diefenbacher A. Die Bedeutung des emotionalen Entwicklungsniveaus bei der psychiatrischen Behandlung von Menschen mit geistiger Behinderung. Fortschr Neurol Psychiatr 2012; 80: 154–61.

Sass H, Wittchen HU, Zaudig M. Diagnostische Kriterien DSM-IV-TR. Göttingen: Hogrefe 2003.

Seidel M. Die internationale Klassifikation der Funktionsfähigkeit, Behinderung und Gesundheit. Geistige Behinderung 2003; 42: 244–54.

Sparrow SS, Balla DA, Cicchetti DV. Vineland Adaptive Behaviour Scales. Circle Pines, MN: American Guidance Service 1984.

Szymanski L, King BH. Practice parameters for the assessment and treatment of children, adolescents, and adults with mental retardation and comorbid mental disorders. American Academy of Child and Adolescent Psychiatry Working Group on Quality Issues. J Am Acad Child Adolesc Psychiatry 1999; 38 (12 Suppl): 5S–31S.

WHO. ICD-10 Guide for Mental Retardation. World Health Organization. 1996 Genf. http://whqlibdoc.who.int/hq/1996/WHO_MNH_96.3.pdf [30.5.2005].

17 Verhaltensauffälligkeiten (F7)

Adam H. Interventionstechniken für ein funktionales Kommunikationstraining unter Einsatz unterstützter Kommunikation. Unterstützte Kommunikation 1998; 4: 13–6.

Aman MG, Crismon ML, Frances A, King BH, Rojahn J (eds). Treatment of Psychiatric and Behavioural Problems in Individuals with Mental Retardation: An Update of the Expert Consensus Guidelines. Englewood, CO: Postgraduate Institute for Medicine (Monograph) 2004.

Aman MG, Crismon ML, Frances A, King BH, Rojahn J (eds). Treatment of Psychiatric and Behavioural Problems in Individuals with Mental Retardation: An Update of the Expert Consensus Guidelines. Englewood, CO: Postgraduate Institute for Medicine 2004.

Aman MG, Singh NN. Aberrant Behavior Checklist Manual. East Aurora, NY: Slosson Educational Publications 1986.

Batra A, Wassermann R, Buchkremer G. Verhaltenstherapie, Grundlagen – Methoden – Anwendungsgebiete. Stuttgart: Thieme 2005.

Benson B, Rice CJ, Miranti SV. Effects of anger management training with mentally retardet adults and group treatment. J Consult Clin Psychol 1986; 54: 728–9.

Benson B. Teaching Anger Management to Persons with Mental Retardation. Worthington: JDS Publishing 1992.

Besems T, van Vugt G. Gestalttherapie mit geistig Behinderten. In: Rotthaus W (Hrsg). Psychotherapie mit Jugendlichen. Dortmund: Verlag Modernes Leben 1985; 251–75.

Besems T, van Vugt G. Integrative Körpertherapie. In: Färber H (Hrsg). Integrative Therapie mit geistig und psychisch behinderten Kindern und Jugendlichen. Dortmund: Verlag Modernes Lernen 1983; 23–47.

Besems T. Sie können, wenn wir wollen. Norderstedt: Books on Demand GmbH 2005.

Black L, Cullen C, Novaco R. Anger management training in people with intellectual disabilities. In: Fraser W, Sines D, Kerr M (eds). Hallas' the Care of People with Intellectual Disabilties. 9th ed. Oxford: Butterworth, Heinemann 1998.

Borthwick-Duffy SA. Prevalence of destructive behaviours. A study of aggression, self-injury and property destruction. In: Thompson T, Gray DB (eds). Destructive Behaviour in Developmental Disabilities. Diagnosis and Treatment. Sage: Thousand Oaks 1994.

Brylewski J, Duggan L. Antipsychotic medication for challenging behaviour in people with learning disability (Cochrane Review). In: The Cochrane Library 2004

Carr EG, Horner RH, Turnbull AP, McLaughlin DM, McAtee ML, Smith CE, Ryan KA, Ruef MD, Doolabh A. A Positive Behavioural Support for People with Development Disabilities. A Research Synthesis. Washington: American Association on Mental Retardation 1999.

Carr EG, Horner RH, Turnbull AP, McLaughlin DM, McAtee ML, Smith CE, Ryan KA, Ruef MD, Doolabh A. A Positive Behavioural Support for People with Development Disabilities. A Research Synthesis. Washington: American Association on Mental Retardation 1999.

Cooper SA, Smiley E, Jackson A, Finlayson J, Allan L, Mantry D, Morrison J. Adults with intellectual disabilities: prevalence, incidence and remission of aggressive behaviour and related factors. J Intellect Disabil Res 2009; 53: 217–32.

Crocker AG, Mercier C, Lachapelle Y, Brunet A, Morin D, Roy ME. Prevalence and types of aggressive behaviour among adults with intellectual disabilities. J Intellect Disabil Res 2006; 50: 652–61.

Dekker MC, Koot HM. DSM-IV disorders in children with borderline to moderate intellectual disability. Prevalence and Impact. J Am Acad Child Adolesc Psychiatry 2003; 42: 915–22.

Didden R, Duker PC, Korzilius H. Metaanalytic study on treatment effectivness for problem behaviours with individual who have mental retardation. Am J Mental Retard 1997; 101: 387–99.

Didden R, Duker PC, Korzilius H. Metaanalytic study on treatment effectivness for problem behaviours with individual who have mental retardation. Am J Mental Retard 1997; 101: 387–99.

Doll EA. A genetic scale of social maturity. Am J Orthopsychiat 1935; 5: 180–8; Vineland Social Maturity Scale (VSMS), 1935–53. 1935

Došen A. Psychische Störungen, Verhaltensprobleme und intellektuelle Behinderung. Göttingen: Hogrefe Verlag 2010.

Dykens E, Cassidy S. Correlates of maladaptive behavior in children and adults with Prader-Willi syndromes. Neuropsychiat Gen 1995; 99: 522–32.

Emerson E. Challenging Behaviour: Analysis and Intervention in People with Learning Disabilities. Cambridge: Cambridge University Press 1995.

Emerson E, Einfeld SL. Challenging Behaviour. Cambridge:, University Press 2011; 15–17.

FAPP (Fachgruppe Arbeit mit dem Pferd in der Psychotherapie) Psychotherapie mit dem Pferd; 2005.

Fröhlich A, Heinen N, Lamers W (Hrsg). Schwere Behinderung in Praxis und Theorie – ein Blick zurück nach vorn. Texte zur

Körper- und Mehrfachbehinderung. Düsseldorf: Verlag selbstbestimmtes Leben 2001.
Fröhlich A. Basale Stimulation. Das Konzept. Düsseldorf: Verlag selbstbestimmtes Leben 1998.
Gäng M (Hrsg). Heilpädagogisches Reiten und Voltigieren. 5. A. München: Reinhardt 2004.
Gagiano C, Read S, Thorpe L, Eerdekens M, Van Hove I. Short- and long-term efficacy and safety of risperidone in adults with disruptive behaviour disorders. Psychopharmacology 2005; 179: 629–36.
Görres S, Hansen G (Hrsg). Psychotherapie bei Menschen mit geistiger Behinderung. Bad Heilbrunn: Klinkhardt 1992.
Grey I, Pollard J, McClean B, MacAuley N, Hastings R. Prevalence of Psychiatric Diagnosis and Challenging Behaviors in a Community-Based Population of Adults With Intellectual Disability. J Ment Health Res Intellect Disabil 2010; 3: 210–22.
Gulbenkoglu H, Hagiliassis N. Anger Management. An Anger Management Training Package for Individuals with Disabilities. London: Kingsley 2006.
Häußler A, Happel C, Tuckermann A. SOKO Autismus. Dortmund: Verlag Modernes Lernen 2003.
Häußler A. Der TEACCH Ansatz zur Förderung von Menschen mit Autismus. Einführung in Theorie und Praxis. Dortmund: Verlag Modernes Lernen 2005.
Heyvaert M, Maes B, Onghena P. A meta-analysis of intervention effects on challenging behaviour among persons with intellectual disabilities. J Intellect Disabil Res 2010; 54: 634–49.
Heijkoop J. Herausforderndes Verhalten von Menschen mit geistiger Behinderung. Weinheim und Basel: Inventa 1998; 21.
Hodapp R. Direct and indirect behavioral effects of different genetic disorders of mental retardation. Am J Mental Retard 1997; 102: 67–79.
Holden B, Gitlesen JP. A total population study of challenging behaviour in the county of Hedmark, Norway: Prevalence and risk markers. Res Dev Disabil 2006; 27: 456–65.
Jacobson E. Progressive Relaxation. Reprint aus dem Jahr 1938. Chicago: University of Chicago Pr (Tx) 1974.
Jones RSP, Eayrs C. Challenging Behaviour and Intellectual Disability: A Psychological Perspective. Clevedon: BILD Publications 1993.
Kuijper de G, Hoekstra P, Visser F, Scholte FA, Penning C, Evenhuis H. Use of antipsychotic drugs in individuals with intellectual disability (ID) in the Netherlands: prevalence and reasons for prescription. 2010; 54: 659–67.
Lindsay WR, Michie AM. Teaching new skills. In: Fraser W, Sines D, Kerr M (eds). Hallas' The Care of People with Intellectual Disabilities. 9th Edition; Oxford: Butterworth-Heinemann 1998.
Lowe K, Allen D, Jones E, Brophy S, Moore K, James W. Challenging behaviours: prevalence and topographies. J Intellect Disabil Res 2007; 51: 625–36.
Mall W. Kommunikation mit schwer geistig behinderten Menschen; ein Werkheft. 2. A. Heidelberg: HVA Schindele 1992.
Matson JL, Minshawi NF. Functional assessment of challenging behaviour: Toward a strategy for applied settings. Res Dev Disabil 2007; 28: 353–61.
Menolascino FJ. Psychiatric Approach to the mental retardation. New York: Basic Books 1970.
Miltenberger RG. Behaviour Modification: Principles and Procedures. Toronto: Wadsworth/Thomson Learning 2001.
Murken J, Cleve H. Humangenetik; 6. A. Stuttgart: F. Enke Verlag 1996.
Neuhäuser G, Steinhausen HC (Hrsg). Geistige Behinderung. Grundlagen, Klinische Syndrome, Behandlung und Rehabilitation. 3. Aufl. Stuttgart: Kohlhammer 2003.
Pitsch HJ. Zur Methodik der Förderung der Handlungsfähigkeit Geistigbehinderter. Obernhausen: Athena-Verlag 2003.
Plummer S, Bare DM, LeBlanc JM. Functional considerations in the use of procedural time out as an effective alternative. J Appl Behav Anal 1977; 10: 689–706.
Prouty G, Pörtner M, VanWerde D. Prä-Therapie. Stuttgart: Klett-Cotta 1998.
Rehfeldt RA. Chaining. In: Hersen M, Sledge W (Eds). Encyclopedia of Psychotherapy. New York : Academic Press 2002.
Rohmann UH, Elbing U. Festhaltetherapie und Körpertherapie. Dortmund: Verlag Modernes Lernen 1990.
Rohmann UH, Elbing U. Selbstverletzendes Verhalten. Dortmund: Verlag Modernes Lernen 1998.
Rohmann UH, Hartmann H. Autoaggression. Dortmund: Verlag Modernes Lernen 1988.
Rojahn J, Matson JL, Lott D, Esbensen AJ, Smalls Y. The Behavior Problems Inventory: An instrument for the assessment of self-injury, stereotyped behavior and aggression/destruction in individuals with developmental disabilities. J Autism Dev Disord 2001; 31: 577–88.
Sappok T, Diefenbacher A, Bergmann T, Zepperitz S, Došen A. Emotionale Entwicklungsstörungen bei Menschen it Intelligenzminderung: Eine Fallkontrollstudie. Psych Praxis 2012; 39: 1–11.
Sarimski K. Entwicklungspsychologische Aspekte der Verhaltensphänotypen. Theoretische Grundlagen und praktische Erfahrungen. Materialien der DGSGB Band 3. Berlin: Eigenverlag DGSGB 2002.
Sarimski K. Entwicklungspsychologische Aspekte der Verhaltensphänotypen. Göttingen: Hogrefe 1997.
Schanze C. Vernetzung der psychiatrischen Versorgung von Menschen mit Intelligenzminderung. In: Häßler F, Fegert JM (Hrsg). Geistige Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005.
Schopler E, Mesibov GB, Shigley RH, Bashford A. Helping autistic children through their parents. In: Schopler E, Mesibov GB (eds). The Effects of Autism on the Family. New York: Plenum Press 1984; 65–81.
Schopler E. A statewide program fort he Treatment and Education of Autistic and related Communication handicapped Children (TEACCH). In: Volkmar F (ed). Psychoses and Pervasive Developmental Disorders. Philadelphia: WB Saunders 1994; 91–103.
Scotti JR, Evans IM, Mayer LH, Walker P. A metaanalysis of intervention research with problem behaviour: treatment validity and standards of practice. Am J Mental Retard 1991; 96: 233–56.
Scotti JR, Evans IM, Mayer LH, Walker P. A metaanalysis of intervention research with problem behaviour: treatment validity and standards of practice. Am J Mental Retard 1991; 96: 233–56.
Senckel B. Du bist ein weiter Baum: Entwicklungschancen für geistig behinderte Menschen durch Beziehung. München: C.H. Beck 2006.
Strohmer DH, Thompson Prout H. Counseling and Psychotherapy with Persons with Mental Retardation and Borderline Intelligence. John Wiley and Sons, Hoboken 1996.
Tsiouris JA. Pharmacotherapy for aggressive behaviours in persons with intellectual disabilities: treatment or mistreatment? J Intellect Disabil Res 2010; 54: 1–16.
Tyrer P, Oliver-Africano PC, Ahmed Z, Bouras N, Cooray S, Deb S, Murphy D, Hare M, Meade M, Reece B, Kramo K, Bhaumik S, Harley D, Regan A, Thomas D, Rao B, North B, Eliahoo J, Karatela S, Soni A, Crawford M. Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. Lancet 2008; 5: 57–63.
Unwin GL, Deb S, Bodfish J. Use of Medication for Management of Behavior Problems Among Adults With Intellectual Dis-

abilities: A Clinicians' Consensus Survey. Am J Ment Retard 2008; 113: 19–31.
Vaitl D, Petermann F (Hrsg). Entspannungsverfahren. Das Praxishandbuch. Weinheim: Beltz-Verlag 2004
WHO. ICD-10 Guide for Mental Retardation. Genf: World Health Organization 1996.
Wilkens L, Brown J, Nance W, Wolf B. Clinical heterogenity in 80 home-reared children with cri du chat syndrome. J Pediat 1984; 102: 528–33.
Wüllenweber E. Krisen und Behinderung. Bonn: Psychiatrie Verlag 2000.

18 Autismusspektrumstörungen (F84)

Abrahams BS, Geschwind DH. Advances in autism genetics: on the threshold of a new neurobiology. Nat Rev Genet 2008; 9: 341–55.
Akande E, Xenitidis K, Mullender S, Roberston D. Autism or Schizophrenia: A Diagnostic Dilemma in Adults with Intellectual Disabilities. J Psych Prac 2004; 12: 190–5.
Asperger, H. Die „Autistischen Psychopathen" im Kindesalter. Archiv für Psychiatrie und Nervenkrankheiten 1944; 117: 76–136.
Baird G, Simonoff E, Pickles A, Chandler S, Loucas T, Meldrum D, Charman T Prevalence of disorders of the autism spectrum in a population cohort of children in South Thames: the Special Needs and Autism Project (SNAP). Lancet 2006; 15: 210–5.
Bergmann T, Diefenbacher A, Kaiser H, Heinrich M, Gaul I, Sappok T. Perspektivenverschränkung: Die multiprofessionelle Fallkonferenz zur Autismusdiagnostik bei erwachsenen Menschen mit Intelligenzminderung. WTAS 21.2.2013, Bonn, PDT1.
Bergmann T, Dziobek I, Reimer S. Schumacher K, Diefenbacher A, Sappok T. Jenseits des Dialogs: Beziehungsqualität in der Musiktherapie bei Menschen mit Autismus und Intelligenzminderung. Med Men Geist Mehrf Beh 2011; 8(1): 14–20.
Bergmann T, Sappok T, Diefenbacher A, Dziobek I. Musikbasierte Autismusdisgnostik (MUSAD). Entwicklung eines Untersuchungsverfahrens für erwachsene Menschen mit Intelligenzminderung und Autismusverdacht. Musiktherapeutische Umschau 2012; 33: 126–40.
Blankenship K, Erickson CA, Stigler KA et al. Aripiprazole for irritability associated with autistic disorder in children and adolescents aged 6–17 years. Ped Health 2010; 29: 375–81.
Bleuler E. Dementia praecox oder Gruppe der Schizophrenien. Leipzig, Wien: Deuticke F 1911.
Bölte S, Poustka F. Psychodiagnostische Verfahren zur Erfassung autistischer Störungen. Z Kinder Jugendpsychiatr Psychother 2005; 33: 5–14.
Bradley EY, Summers JA, Wood HL, Bryson SE. Comparing rates of psychiatric an behaviour disorders in adolescents and young adults with severe intellectual disability with and without autism. J Autism Dev Disord 2004; 34: 151–61.
Broadstock M, Doughty C, Eggleston M. Systematic review of the effectiveness of pharmacological treatments for adolescents and adults with autism spectrum disorder. Autism 2007; 11: 335–48.
Carcani-Rathwell I, Rabe-Hasketh S, Santosh PJ. Repetitive and stereotyped behaviours in pervasive developmental disorders. J Child Psychol Psychiatry 2006; 47: 573–81.
Courchesne E, Pierce K. Why the frontal cortex in autism might be talking only to itself: local over-connectivity but long-distance disconnection. Curr Opin Neurobiol 2005; 15: 225–30.
Deutsche Gesellschaft für Kinder- und Jugendpsychiatrie und Psychotherapie. In: Deutsche Gesellschaft für Kinder- und Jugendpsychiatrie und Psychotherapie (Hrsg). Tief greifende Entwicklungsstörungen. Leitlinien zur Diagnostik und Therapie von psychischen Störungen im Säuglings-, Kindes- und Jugendalter. Köln: Deutscher Ärzte Verlag 2007; 25–237.
DiCicco-Bloom, Lord C, Zwaigenbaum L, Courchesne E, Dager SR, Schmitz C, Schultz RT, Crawley J, Young LJ. The Developmental Neurobiology of Autism Spectrum Disorder. J Neurosci 2006; 26: 6897–906.
Dziobek I, Rogers K, Fleck S, Bahnemann M, Heekeren H.R., et al. Dissociation of cognitive and emotional empathy in adults with Asperger syndrome using the Multifaceted Empathy Test (MET). J Autism Dev Disord 2008; 38: 464–73.
Elvins R, Green J. Pharmacological management of core and comorbid symptoms in autism-spectrum disorder. Adv psych treatment 2010; 16: 349–60.
Esbensen AJ, Greenberg JS, Seltzer MM, Aman MG. A longitudinal investigation of psychotropic and nonpsychotropic medication use among adolescents and adults with autism spectrum disorders. J Aut Dev Disord 2009; 39: 1339–49.
Felce D, Kerr M, Hastings RP. A general practice-based study of the relationship between indicators of mental illness and challenging behaviour among adults with intellectual disabilities. J Intellect Dis Res 2009; 53: 243–54.
Filipek PA, Steinberg-Epstein R, Book TM. Intervention for autistic spectrum disorders. NeuroRx 2006; 3: 207–16.
Folstein S, Rutter M. Genetic influences and infantile autism. Nature 1977; 265: 726–8.
Fombonne E. Epidemiological surveys of autism and other pervasive developmental disorders: an update. J Autism Dev Disord 2003; 33: 365–82.
Gillberg C, Coleman M. Autism and medical disorders: a review of the literature. Dev Med Child Neurol 1996; 38: 191–202.
Gold C, Wigram T, Elefant C. Music therapy for autistic spectrum disorder. Cochrane database of systematic reviews 2006: CD004381.
Happé F. An advanced test of theory of mind: understanding of story characters thoughts and fellings by able autistic, mentally handicapped, and normal children and adults. J Autism Dev Disord 1994; 34: 129–54.
Hill EL. Executive dysfunction in autism. Trends Cogn Sci. 2004; 8(1): 26–32.
Horner RH, Carr EG, Strain PS, Todd AW, Reed HK. Problem behavior interventions for young children with autism: a research synthesis. J Autism Dev Disord 2002; 32: 423–46.
Howlin P. Psychiatric disturbances in adulthood. In: Howlin P (Hrsg) Autism an Asperger syndrome. Preparing for adulthood. 2nd Ed. London: Routledge, Taylor and Francis Group 2004: 271–99.
Jesner OS, Aref-Adib M, Coren E. Risperidone for autism spectrum disorder. Cochrane Database of Sysmtematic Review 2007; 1: Art. No.: CD005040.
Kanner L. Autistic Disturbances of Affective Contact. Nervous Child 1943; 2: 217–50.
Kienitz L, Diefenbacher A, Sappok T. Autismus spezifisches Basisassessment bei Krankenhauseinweisung: Optimierung des Übergangs. Med Men Geist Mehrf Beh 2011; 8: 7–13.
Kolevzon A, Mathewson KA, Hollander E. Selective serotonin reuptake inhibitors in autism: a review of efficacy and tolerability. J Clin Psychiatry 2006; 67: 407–14.
Kraijer D, Melchers P. Skala zur Erfassung von Autismusspektrumstörungen bei Minderbegabten (SEAS-M) Frankfurt: Swets 2003.
Lehmkuhl G, Sinzig J, Sappok T, Diefenbacher A. Kapitel 24: Intelligenzminderung. In: Berger M (Hrsg). Psychische Erkrankungen, Klinik und Therapie. 4. Auflage München: Elsevier Urban & Fischer 2011; 811–28 .

Lovaas OI. Behavioral treatment and normal educational and intellectual functioning in young autistic children. J Consult Clin Psychol 1987; 55: 3–9.

Lord C, Risi S, Lambrecht L, Cook EH Jr., Leventhal BL, DiLavore PC, Rutter M. The Autism Diagnostic Observation Schedule-Generic: A standard measure of social and communication deficits associated with the spectrum of autism. J Aut Dev Dis 2000; 30: 205–23.

Lord C, Rutter M, Le Couteur A. Autism Diagnostic Interview Revised: A revised version of a diagnostic interview for caregivers of individuals with possible pervasive developmental disorders. J Aut Dev Disord 1994; 24: 659–85.

Loy JH, Merry SN, Hetrick SE, Stasiak K. Atypical antipsychotics for disruptive behaviour disorders in children and youths. Cochrane Database Syst Rev 2012; 9: CD008559.

Matson, J. L., Dempsey, T., Lovullo, S. V., & Wilkins, J. The effects of intellectual functioning on the range of core symptoms of autism spectrum disorders. Res Dev Disabil 2008; 29: 341–50.

McCarthy J. Children with autism spectrum disorders and intellectual disability. Curr Opin Psychiatry 2007; 20: 472–6.

McCarthy J, Hemmings C, Kravariti E, Dworzynski K, Holt G, Bouras N, Tsakanikos E. Challenging behavior and co-morbid psychopathology in adults with intellectual disability and autism spectrum disorders. Res Dev Disabil 2010; 31: 362–6.

McClintock K, Hall S, Oliver C. Risk markers associated with challenging behaviours in people with intellectual disabilities: a meta-analytic study. J Intellect Dis Res 2003; 47: 405–16.

Mesibov GB, Schopler E, Schaffer B, Landraus R. AAPEP-Entwicklungs- und Verhaltensprofil für Jugendliche und Erwachsene. Dortmund: Verlag Modernes Leben 2000.

Mesibov GB, Shea V, Schopler E. The TEACCH Approach to autism spectrum disorders. New York: Springer 2004.

Moss J, Howling P, Oliver C. The assessment and presentation of Autism Specrum Disorder and associated characteristics in individuals with severe intellecutal disability and genetic syndromes. In: Burack J, Hodapp R, Iarocci G, Zigler E (Hrsg). The Oxford Handbook of Intellectual Disability and Development. New York: Oxford University Press 2011.

Mouridsen SE, Brønnum-Hansen H, Rich B, Isager T. Mortality and causes of death in autism spectrum disorders: an update. Autism 2008; 12: 403–14.

Mouridsen SE, Rich B, Isager T Psychiatric disorders in adults diagnosed as children with atypical autism. A case control study. J Neural Transm 2008; 115: 135–8.

Noterdaeme M, Enders A. Autismus-Spektrum-Störungen: ein integratives Lehrbuch für die Praxis. Stuttgart: Kohlhammer 2010.

Nußbeck S. Umstrittene und alternative Therapien. In: Bölte S (Hrsg). Autismus. Bern: Hans Huber Verlag 2009.

Nye C, Brice A. Combined vitamin B6-magnesium treatment in autism spectrum disorder. Cochr Database Syst Rev 2005; 4: CD003497.

Poustka L, Poustka F. Psychopharmakologie. In: Bölte S (Hrsg). Autismus. Bern: Hans Huber Verlag 2009.

Rossignol AD. Novel and emerging treatments for autism spectrum disorders: A systematic review. Ann Clin Psych 2009; 21(3): 213–36.

Sappok T, Bergmann T, Kaiser H, Diefenbacher A. Autismus bei erwachsenen Menschen mit geistiger Behinderung. Der Nervenarzt 2010; 11: 1333–45.

Sappok T, Dern S. Menschen mit Autismus: Barrierefreier Zugang zur Versorgung. Deutsches Ärzteblatt PP 2012; 11: 40–1.

Sappok T, Diefenbacher A, Bergmann T, Zepperitz S, Došen A. Emotionale Entwicklungsstörungen bei Menschen mit Intelligenzminderung: Eine Fallkontrollstudie. Psychiatr Praxis 2012; 39: 1–11.

Sappok T, Diefenbacher A, Budczies J, Schade C, Grubich C, Bergmann T, Bölte S, Dziobek I. Diagnosing autism in a clinical sample of adults with intellectual disabilities – how useful are the ADOS and the ADI-R? Res Dev Disabil, 2013; 34: 1642–55.

Sappok T, Diefenbacher A, Gaul I, Bölte S. Diagnostic and convergent valitidy of the Social Communication Questionnaire in Adults with Intellectual Disabilities suspected of Autism Spectrum Disorder. Eingereicht zur Publikation.

Sappok T, Heinrich M, Diefenbacher A. Psychometrische Eigenschaften der Autismus-Checkliste (ACL) für erwachsene Menschen mit Intelligenzminderung. Psych Praxis 2013; 40: 1–8.

Sappok T, Kienitz L, Bergmann T. Autismus – Diagnostik, Therapie und Förderung. In: Diefenbacher A (Hrsg). Medizin für Menschen mit geistiger Behinderung. Bethel-Verlag 2013.

Schumacher K, Calvet C. Synchronisation, 1 DVD: Musiktherapie bei Kindern mit Autismus.: Vandenhoeck & Ruprecht 2008.

Stanfield AC, McIntosh AM, Spencer MD, Philip R, Gaur S, Lawrie SM. Towards a neuroanatomy of autism: a systematic review and meta-analysis of structural magnetic resonance imaging studies. Eur Psychiatry 2008; 23: 289–99.

Underwood L, McCarthy J, Tsakanikos E. Mental health of adults with autism spectrum disorders and intellectual disability. Curr Opin Psych 2010; 23: 421–26.

Van Lang ND, Bouma A, Sytema S, Kraijer DW, Minderaa RB. A comparison of central coherence skills between adolescents with an intellectual disability with and without comorbid autism spectrum disorder. Res Dev Disabil 2006; 27: 217–26.

Volkmar FR, Cohen DJ. Comorbid association of autism and schizophrenia. Am J Psychiatry 1991; 148: 1705–7.

Volkmar FR, Nelson DS. Seizure disorders in autism. J Am Acad Child Adolesc Psychiatry 1990; 29: 127–9.

Wing L. Asperger's Syndrom: a clinical account. Psychol Med 1981; 11: 115–29.

Wing L, Gould J. Severe impairments of social interaction associated abnormalities in children: Epidemiology and classification. J Autism Dev Disord 1979; 9: 11–29.

Wing L, Shah A. Catatonia in autistic spectrum disorders. Br J Psy 2000; 176: 357–62.

Zuddas A, Zanni R, Usala T. Second generation antipsychotics (SGAs) for non-psychotic disorders in children and adolescents: A review of the randomized controlled studies. Europ Neuropsychophamacol 2011; 21: 600–20.

19 Verhaltens- und emotionale Störungen mit Beginn in der Kindheit und Jugend (F90–98)

Aman MG. Assessing psychopathology and behavior problems in persons with mental retardation: A review of available instruments. Rockville MD: US Department of Health and Human Services 1991.

Aman MG, Buican B, Arnold E. Methylphenidate treatment in children with borderline IQ and mental retardation: Analysis of three aggregated studies. J Child Adolesc Psychopharmacol 2003; 13: 29–40.

Aman MG, Collier-Crespin A, Lindsay RL. Pharmacotherapy of disorders in mental retardation. Eur Child Adolesc Psychiatry 2000; 9: 98–107.

Aman MG, Gharabawi GM: Treatment of Behavior Disorders in Mental Retardation: Report on Transitioning to Atypical Antipsychotics, With an Emphasis on Risperidone. J Clin Psychiatry 2004; 65: 1197–210.

American Psychiatric Association. Diagnostic and Statistical Manual of Mental Disorders. 4th ed. Washington, DC: American Psychiatric Association 1994.

Antochi R, Stavrakaki C, Emery PC. Psychopharmacological treatments in persons with dual diagnosis of psychiatric dis-

orders and developmental disabilities. Postgrad Med J 2003; 79: 139–46.

Apter A, Pauls DL, Bleich A, Zohar AH, Kron S, Ratzoni G, Dycian A, Kotler M, Weizman A, Gadot N. An epidemiological study of Gilles de la Tourette's syndrome in Israel. Arch Gen Psychiatry 1993; 50: 734–8.

Azrin NH, Peterson AL. Habit reversal for treatment of Tourette Syndrome. Behav Res Ther 1988; 26: 347–51.

Banaschewski T, Roessner V, Dittmann RW, Santosh PJ, Rothenberger A. Non-stimulant medications in the treatment of ADHD. Eur Child Adolesc Psychiatry 2004; 13: I102–16.

Barton J. Atomoxetine: a new pharmacotherapeutic approach in the management of attention deficit/hyperactivity disorder. Arch Dis Child 2005; 90: i26-9.

Bruschini H, Faria N, Garcez E, Srougi M. Development of bladder control in mentally handicapped children. Int Braz J Urol 2003; 29: 455–8.

Dykens EM, Hodapp RM. Research in Mental Retardation: Toward an Etiologic Approach. J Child Psych Psychiatry 2001; 42: 49–71.

Ebejer JL, Medland SE, van der Werf J, Gondro C, Henders AK et al. Attention Deficit Hyperactivity Disorder in Australian Adults: Prevalence, Persistence, Conduct Problems and Disadvantage. PLoS ONE 7(10): e47404. doi:10.1371/journal.pone.0047404 (2012).

Einfeld SL, Tonge BJ. Population Prevalence of Psychopathology in Children and Adolescents with Intellectual Disability: II Epidemiological Findings. J Intellect Disabil Res 1996; 40: 99–109.

Emerson E. Prevalence of psychiatric disorders in children and adolescents with and without intellectual disability. J Intellect Disabil Res 2003; 47: 51–8.

Emerson E, Hatton C. Mental health of children and adolescents with intellectual disabilities in Britain. BJP 2007; 191: 493–9.

Esser G., Schmidt M.H., Blanz B, Fätkenheuer B, Fritz A, Koppe T, Laucht M, Rensch B, Rothenberger W. Prävalenz und Verlauf psychischer Störungen im Kindes- und Jugendalter. Z Kinder Jugendpsychiatr Psychother 1992; 20: 232–42.

Ghuman JK, Ginsburg GS, Subramaniam G, Ghuman HS Kau AS Riddle MA. Psychostimulants in preschool children with attention-deficit/hyperactivity disorder: Clinical evidence from a developmental disorders institution. J Am Acad Child Adolesc Psychiatry 2001; 40: 516–24.

Gontard v A. Enuresis, Enkopresis. In: Herpertz-Dahlmann B, Resch F, Schulte-Markwort M, Warnke A. Entwicklungspsychiatrie. Stuttgart: Schattauer 2008.

Graham PJ, Verhulst FC, Turk J. Child Psychiatry: A Developmental Approach. 3rd ed. Oxford: Oxford Medical Publications 1999.

Hässler F, Thome J. Intelligenzminderung und ADHS. Z Kinder-Jugendpsychiatr Psychother 2012; 40: 83–94.

Handen BL, Breaux AM, Gosling A, Ploof DL, Feldman H. Efficacy of methylphenidate among mentally retarded children with attention deficit hyperactivity disorder. Pediatrics 1990; 86: 922–30.

Handen BL, Feldman H, Gosling A, Breaux AM, McAuliffe S. Adverse side effects of methylphenidate among mentally retarded children with ADHD. J Am Acad Child Adolesc Psychiatry 1991; 30: 241–5.

Harris JC. Developmental Neuropsychiatry. Vol. 2. Oxford: Oxford University Press 1998.

Hennicke K, Buscher M, Hässler F, Roosen-Runge G. Psychische Störungen und Verhaltensauffälligkeiten bei Kindern und Jugendlichen mit Intelligenzminderung. Empfehlungen zur Diagnostik und Therapie. S1-Leitlinie. Berlin: Medizinisch Wissenschaftliche Verlagsgesellschaft 2009.

Hollins S. Counselling and Psychotherapy. In: Russell O (ed). Seminars in the Psychiatry of Learning Disabilities. London: Gaskell 1997.

Hounie A, Petribú K. Síndrome de Tourette – revisão bibliográfica e relato de casos [Tourette's Syndrome – bibliographic review and case reports]. Rev Bras Psiquiatr 1999; 21 (1): 50–63.

Isensee B, Haselbacher A, Ruoß M. Elektiver Mutismus: Ein Überblick zu Theorie und Praxis. Z Kinder Jugendpsychiatr Psychother 1997; 25: 247–62.

Jou R, Handen B, Hardan A. Psychostimulant treatment of adults with mental retardation and attention-deficit hyperactivity disorder. Austral Psychiatry 2004; 12: 376–9.

Karlinsky H, Sandor P, Berg JM, Moldofsky H, Crawford E. Gilles de la Tourette's syndrome in Down's syndrome: A case report. Brit J Psychiatry 1986; 148: 601–4.

Kristensen H. Elective mutism associated with developmental disorder/delay. Two case studies. Eur Child Adolesc Psychiatry 1997; 6: 234–9.

Lindsey M. Emotional, Psychiatric and Behavioural Disorders in Children. In: Russell O (ed). Seminars in the Psychiatry of Learning Disabilities. London: Gaskell 1997.

Ludolph AG, RoessnerV, Münchau A, Müller-Vahl K. Tourette-Syndrom und andere Tic-Störungen in Kindheit,Jugend und Erwachsenenalter. Dtsch Arztebl Int 2012; 109: 821–8.

Mefford HC, Batshaw ML Hoffman EP. Genomics, Intellectual Disability, and Autism. N Engl J Med 2012; 366: 733–43.

National Institutes of Health. Consensus Development Conference Statement: diagnosis and treatment of attention-deficit/hyperactivity disorder (ADHD). J Am Acad Child Adolesc Psychiatry 2000; 39: 182–93.

NICE, Clinical Guideline No 158. Antisocial behaviour and conduct disorders in children and young people: recognition, intervention and management (2013).

Offord DR, Boyle MH, Racine Y. Ontario Child Health Study: Correlates of Disorder In: Chess S, Hertzig ME (eds). Annual progress in child psychiatry and child development 1991.

Olshansky S, Chronic Sorrow: A response to having a mentally defective child. Social Casework 1962; 43: 190–3.

Pearson DA, Santos CW, Roache JD, Casat CD, Loveland KA, Lachar D, Lane DM, Faria LP, Cleveland LA. Treatment effects of methylphenidate on behavioral adjustment in children with mental retardation and ADHD. J Am Acad Child Adolesc Psychiatry 2003; 42: 209–16.

Petermann F, Essau CA, Turbanisch U, Conradt J, Groen G. Komorbidität, Risikofaktoren und Verlauf aggressiven Verhaltens: Ergebnisse der Bremer Jugendstudie. Kindheit und Entwicklung 1999; 8: 49–58.

Pfeiffer E, Lehmkuhl U. Bindungsstörungen. In: Herpertz-Dahlmann B, Resch F, Schulte-Markwort M, Warnke A. Entwicklungspsychiatrie. Stuttgart: Schattauer 2008

Roessner V, Schoenefeld K, Buse J, Wanderer S, Rothenberger A. Therapie der Ticstörungen. Z Kinder- Jugendpsychiatr Psychother 2012; 40: 217–37.

Royal College of Psychiatrists. DC-LD-Diagnostic criteria for psychiatric disorders for use with adults with learning disabilities/mental retardation. OP48. London: Gaskell 2001.

Robertson MM, Stern JS. The Gilles de la Tourette Syndrome. Neurobiology 1997; 11: 1–18.

Scotti JR, Schulman DE, Hojnacki RM. Functional analysis and unsuccessful treatment of Tourette's syndrome in a man with profound mental retardation. Behavior Therapy 1994; 25, 4: 721–38.

Simonoff E,Taylor E, Baird G, Bernard S et al. Randomized controlled double-blind trial of optimal dosemethylphenidate in children and adolescents with severe attention deficit hyperactivity disorder and intellectual disability. J Child Psychol Psychiatry 2013; 54: 527–35.

Standart S, Le Couteur A. The Quiet Child: A Literature Review of Selective Mutism. Child Adolesc Mental Health 2003; 8, 4: 154–60 .

Volkmar FR (ed). Child Adolesc Clinics North America 1996: Mental retardation. 5, 4.

Warnke A., Wewetzer C, Trott GE, Wirth W, Hemminger U. Verhaltens- und emotionale Störungen mit Beginn in der Kindheit und Jugend In: Möller HJ, Laux G, Kapfhammer HP. Psychiatrie und Psychotherapie. Berlin, Heidelberg, New York: Springer 2000.

Wieseler NA, Hanson RH (eds). Challenging Behavior of Persons with Mental Health Disorders and Severe Disabilities. Washington: AAMR 1999.

Wikler L, Wasow M, Hatfield E. Chronic sorrow revisited: parent vs. professional depiction of the adjustment of parents of mentally retarded children. Am J Orthopsychiatry 1981; 51: 63–70.

World Health Organization. The lCD-10 Classification of Mental and Behavioural Disorders. Clinical descriptions and diagnostic guidelines. Geneva: WHO 1992.

World Health Organization. ICD-10 Guide for Mental Retardation. Geneva: WHO 1996.

Yang PJ, Meng NH, Chou EC. Voiding dysfunctions in children with mental retardation. Neurourol Urodyn 2010;29: 1272–5.

Zeanah CH, Gleason MM. Reactive attachment disorder. A review for DSM-V. American Psychiatric Association (2010) www.dsm5.org/Proposed%20Revision%20Attachments/APA%20DSM-5%20Reactive%20Attachment%20Disorder%20Review.pdf.

20 Psychopharmakotherapie bei Menschen mit Intelligenzminderung und psychischer Störung

AACAP. Practice parameters for the assessment and treatment for children, adolescents and adults with mental retardation and comorbid mental disorders. J Am Acad Child Adolesc Psychiatry 1999; 38 (Suppl) 12: 5–31.

Ahmed Z, Fraser W, Kerr MP et al. Reducing antipsychotic medication in people with a learning disability. Brit J Psychiatry 2000; 176: 100–4.

Aman MG, DeSmedt G, Derivan A, Lyons B, Findling RL and the Risperidone Disruptive Behavior Study Group. Risperidone treatment of children with disruptive behaviour disorders and subaverage IQ: A double-blind, placebo-controlled study. Am J Psychiatry 2001; 159: 1337–46.

Aman M, Crismon ML, Frances A, King BH, Rojahn J (Hrsg). Treatment of Psychiatric and Behavioral Problems in Individuals with Mental Retardation: An Update of the Expert Consensus Guidelines.Englewood, CO: Postgraduate Institute for Medicine (Monograph) 2004.

Aman MG, Madrid A. Atypical antipsychotics in persons with developmental disabilities. Mental Retard Develop Disabil Res Rev 1999; 5: 253–63.

Bandelow B, Boerner RJ, Kasper S, Linden M, Wittchen HU, Möller HJ. Generalisierte Angststörung: Diagnostik und Therapie. Dtsch Arztebl Int 2013; 110: 300–10.

Benkert O, Hippius H. Kompendium der Psychiatrischen Pharmakotherapie. Berlin, Heidelberg: Springer 2005.

Brodtkorb E, Sand T, Strandjord RE. Neuroleptic and antiepileptic treatment in mentally retarded. Seizure 1993; 2: 205–11.

Brylewski J, Duggan L. Antipsychotic medication for challenging behaviour in people with learning disability (Cochrane Review). In: The Cochrane Library 2004.

Carr EG, Horner RH, Turnbull AP, DunlapG, Koegel RL, Anderson J, Alloin RW, Koegel LK, Fox L. A positive behavioural support for people with development disabilities. A research synthesis. Washington: American Association on Mental Retardation; 1999.

Cooper S-A, Smiley E, Jackson A, Finlayson J, Allan L, Mantry D, Morrison J. Adults with intellectual disabilities: prevalence, incidence and remission of aggressive behaviour and related factors. J Intellect Disabil Res. doi: 10.1111/j.1365-2788.2008.01127.x. Epub 2008 Oct 29.

Deb S, Fraser W. The Use of Psychotropic Medication in People with Learning Disability: Towards Rational Prescribing. Human Psychopharmacology 1994; 9: 259–72.

Deb S, Kwok H, Bertelli M, Salvador-Carulla L, Bradley E, Torr J, Barnhill J. International guide to prescribing psychotropic medication for the management of problem behaviours in adults with intellectual disabilities. World Psychiatry2009; 8: 181–6.

Deutsches Ärzteblatt: Off-Label-Use: Klare Regelung. Ausgabe 17; Seite A-1108; 28.04.06

Didden R, Duker PC, Korzilius H. Metaanalytic study on treatment effectiveness for problem behaviors with individuals who have mental retardation. Amer J Mental Retard 1997; 101(4): 387–99.

Dose M. Die schöne Welt der neuen Neuroleptika – eine kritische Betrachtung. Schizophrenie 2002; 18: 37 – 56.

Eckermann G. Interaktion von tri- und tatrazyklischen Antidepressiva. In: König F, Kaschka WP (Hrsg). Interaktionen und Wirkmechanismen ausgewählter Psychopharmaka. Stuttgart: Schattauer 2000.

Eckermann G. Interaktionstabellen Psychopharmaka. Metabolische Interaktionen und andere Wechselwirkungs-Mechanismen. Stuttgart: Schattauer 2006.

Einfeld SL. Guidelines for the use of psychotropic medication in patients with intellectual disability. Aust New Z J Develop Disabil 1990; 16: 71–3.

Fegert JM, Häßler F, Rothärmel S (Hrsg). Atypische Neuroleptika in der Jugendpsychiatrie. Stuttgart: Schattauer 1999.

Fegert JM, Findling R, deSmedt G und die International Disruptive Behaviour Disorder Study Group. Risperidon zur Behandlung aggressiv-impulsiven Verhaltens bei Kindern und Jugendlichen mit Intelligenz im unteren Durchschnittsbereich, Lernbehinderung und leichter geistiger Behinderung. Nervenheilkunde 2003; 22: 93–7.

Fitten A, Goa KL. Lamotrigine – an update of its pharmacology and therapeutic use in epilepsy. Drugs 1995; 50: 691–713.

Fodstad JC, Bamburg J W, Matson JL, Mahan S, Hess JL, Neal D, Holloway.Tardive dyskinesia and intellectual disability: an examination of demographics and topography in adults with dual diagnosis and atypical antipsychotic use. Res Development Disabil 2010; 31: 750–9.

Fröscher W, Vasella F, Hufnagel A. Die Epilepsien. Grundlagen – Klinik –Behandlung. Stuttgart: Schattauer 2004

Gaedt C. Psychopharmakotherapie bei Menschen mit geistiger Behinderung. In: Došen A (Hrsg). Psychische Störungen bei geistig behinderten Menschen. Stuttgart: Gustav Fischer 1997.

Gagiano C, Read S, Thorpe L, Eerdekens M, Van Hove I. Short- and long-term efficacy and safety of risperidone in adults with disruptive behavior disorders. Psychopharmacology 2005; 179: 629–36.

Häßler F. Polypharmazie in der Behandlung von Menschen mit geistiger Behinderung. In: Messer T, Schmauß M. Polypharmazie in der Behandlung psychischer Erkrankungen. Wien: Springer 2005.

Häßler F, Glaser T, Beneke M, Pap AF, Bodenschatz R, Reis O. Zuclopenthixol in adults with intellectual disabilities and aggressive behaviours. Discontinuation study. The British Journal of Psychiatry 2007; 190: 447–8.

Hellings JA, Kelley LA, Gabrielli WF, Kilgore E, Shah P. Sertraline response in adults with mental retardation and autistic disorder. J Clinical Psychiat 1996; 57: 333–6.

Hiemke C, Weigmann H, Härtter S. Interaktion selektiver Serotonin-Wiederaufnahmehemmer mit Neuroleptika. In: König F, Kaschka WP (Hrsg). Interaktionen und Wirkmechanismen ausgewählter Psychopharmaka. Stuttgart: Thieme 2000.

Hiemke C, Dobmeier M, Eckermann G, Haen E. Interaktionen in der Psychopharmakotherapie. CD-ROM. Heidelberg: Springer Medizin Verlag 2006.

Kalachnik JE, Hanzel TE, Harder SR, Bauernfeind JD, Engstrom EA. Antiepileptic drug behavioral side effects in individuals with mental retardation and the use of measurement techniques. Ment Retard 1995; 33: 374–82.

König F, Kaschka WP (Hrsg). Interaktionen und Wirkmechanismen ausgewählter Psychopharmaka. Stuttgart: Thieme 2000.

Lewis MH, Bodfish JW, Powell SB, Golden RN. Clomipramin treatment for stereotype and related repetitive movement disorders associated with mental retardation. Amer J Mental Retard 1995; 100: 299–312.

Lewis R. Typical and Atypical Antipsychotics in Adolescent Schizophrenia: Efficacy, Tolerability, and Differential Sensitivity to Extrapyramidal Symptoms. Can J Psychiatry 1998; 43: 596–604.

Mahan S, Holloway J, Bamburg JW, Hess JA, Fodstad JC, Matson JL. An Examination of Psychotropic Medication Side Effects: Does taking a greater number of psychotropic medications from different classes affect presentation of side effects in adults with ID? Res Dev Disabil 2010; 31: 1561–9

Matson J, Neal D. Psychotropic medication use for challenging behaviors in persons with intellectual disabilities: an overview. Res Dev Disabil 2009; 30: 572–86.

Matson JL, Mahan S. Antipsychotic drug side effects for persons with intellectual disability. Res Dev Disabil 2010; 31: 1570–6.

McCracken JM, McGough J, Shah B, Cronin P, Hong D, Aman MG, Arnold E, Lindsay R, Nash P, Hollway J, McDougle CJ, Posey D, Swiezy N, Kohn A, Scahill L, Martin A, Koenig K, Volkmar F, Carroll D, Lancor A, Tierney E, Ghuman J, Gonzales NM, Grados M, Vitiello B, Ritz L, Davies M, Robinson J, McMahon D, for the Research Units an Pediatric Psychopharmacology Autism Network. Risperidone in Children with Autism and Serious Behavioral Problems. N Engl J Med 2002; 347: 314–21.

McDougle CJ, Naylor ST, Cohen DJ, Volkmar FR, Heninger GR, Price LH. A double-blind placebo-controlled study of Fluvoxamine in adults with autistic disorder. Arch Gen Psychiatry 1996; 53: 1001–8.

Meins W, Auwetter J, Krausz M, Turnier Y. Behandlung mit Psychopharmaka in unterschiedlichen Einrichtungen für geistig Behinderte. Nervenarzt 1993; 64: 451–5.

Meins W. Epidemiologie der Psychopharmakobehandlung bei Menschen mit geistiger Behinderung. In: Häßler F, Fegert JM. Geistiger Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005.

Nagaraj R, Singhi P, Malhi P. Risperidone in children with autism: randomized, placebo-controlled, double-blind study. J Child Neurology. 2006; 21: 450–5.

Oliver-Africano P, Dickens S, Ahmed Z, Bouras N, Cooray S, Deb S, Knapp M, Hare M, Meade M, Reece B, Bhaumik S, Harley D, Piachaud J, Regan A, Thomas DA, Karatela S, Rao B, Dzendrowskyj T, Lenotre L, Watson J, Tyrer P. Overcoming the barriers experienced in conducting a medication trial in adults with aggressive challenging behaviour and intellectual disabilities. J Intellect Disabil Res 2010; 54: 17–25.

Pearson, DA, Lane DM, Santos CW, Casat CD, Jerger SW, Loveland KA, Faria LP, Mansour R, Henderson JA, Payne CD, Roache JD, Lachar D, Cleveland LA. Effects of methylphenidate treatment in children with mental retardation and ADHD; individual variation and response. J Am Acad Child Adolesc Psychiatry 2004; 43: 686–98.

Reilly JG, Ayis SA, Ferrier IN, Jones SJ, Thomas SH. QTc-Interval abnormalities and psychotropic drug therapy in psychiatric patients. Lancet 2000; 355: 1048–52.

Reiss S, Aman M (Hrsg). Psychotropic Medication and Developmental Disabilities: The International Consensus Handbook. Columbus, OH: The OSU Nisonger Center 1997.

Reyes M, Croonenberghs J, Augustyns I, Eerdekens M. Long-Term Use of Risperidone in Children with Disruptive Behavior Disorders and Subaverage Intelligence: Efficacy, Safety, and Tolerability. J Child Adolesc Psychopharmacol 2006; 16: 260–72.

Robertson J, Emerson E, Gregory N, Hatton C, Kessissoglou S, Hallam A. Receipt of psychotropic medication by people with intellectual disability in residential settings. J Intellect Disabil Res 2000; 44: 666–76.

Rummans TA, Lauterbach EC, Coffey CE, Royall DR, Cummings JL, Salloway S, Duffy J, Kaufer D. Pharmacological Efficacy in Neuropsychiatry. J Neuropsychiatry Clin Neurosci 1999; 11: 176–89.

Sabers A. Lamotrigine plasma levels reduced by oral contraceptives. Epilepsy Res 2001; 47: 151–4.

Sandman CA, Matrick WP, Taylor DV et al. Dissociation of POMC peptides after self-injury preducts responses to centrally acting opiate blockers. Amer J Mental Retard 1997; 102: 182–99.

Sandman CA, Matrick WP. Opiate mechanisms in self injury. Mental Retard Develop Disabil Res Rev 1995; 1: 130–6.

Santosh PJ, Baird G. Psychopharmacotherapy in children and adults with intellectual disability. Lancet 1999; 354: 233–54.

Schanze C. Stationäre und ambulante psychiatrische Versorgung von Menschen mit Intelligenzminderung in Deutschland. In: Seidel M (Hrsg). Die stationär-psychiatrische Versorgung von psychisch erkrankten Menschen mit geistiger Behinderung. Materialien der DGSGB; Berlin 2005.

Soares-Weiser K, Fernandez HH. Tardive dyskinesia. Semin Neurol 2007; 27: 159–69.

Spießl H, Cording C. Aggressives Verhalten von psychische Kranken: Inzidenz, Therapie. Extracta Psychiatrica 1999; 13: 20–6.

Thompson T, Hackenberg T, Cerutti D et al. Opioid antagonist effects on self-injury in adults with mental retardation: Respons form and location of medication effects. Amer J Mental Retard 1994; 99: 85–102.

Troost PW, Althaus M, Lahuis BE, Buitelaar JK, Minderaa RB, Hoekstra PJ. Neuropsychological effects of risperidone in children with pervasive developmental disorders: a blinded discontinuation study. J Child Adolesc Psychopharmacol 2006; 16: 561–73.

Tsiouris JA. Pharmacotherapy for aggressive behaviours in persons with intellectual disabilities: treatment or mistreatment? J Intellect Disabil Res 2010; 54: 1–16

Tyrer P, Oliver-Africano PC, Ahmed Z, Bouras N, Cooray S, Deb S, Murphy D, Hare M, Meade M, Reece B, Kramo K, Bhaumik S, Harley D, Regan A, Thomas D, Rao B, North B, Eliahoo J, Karatela S, Soni A, Crawford M. Risperidone, haloperidol, and placebo in the treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. Lancet 2008; 371: 57–63.

Unwin GL, Deb S, Bodfish J. Use of Medication for Management of Behavior Problems Among Adults With Intellectual Disabilities: A Clinicians' Consensus Survey. Am J Ment Retard 2008; 113: 19–31.

Unwin GL, Deb S. Efficacy of atypical antipsychotic medication in the management of behaviour problems in children with intellectual disabilities and borderline intelligence: A systematic review. Res Dev Disabil 2011; 32: 2121–33.

21 Gesprächsführung, Beratung und personzentrierte Gesprächstherapie

Badelt I. Die klientenzentrierte Gesprächspsychotherapie mit geistig behinderten Erwachsenen. In: Görres S, Hansen G (Hrsg). Psychotherapie bei Menschen mit geistiger Behinderung. Bad Heilbrunn: Klinkhardt 1992.

Došen A. Psychische Störungen bei geistig behinderten Menschen. Stuttgart: Gustav Fischer Verlag 1997.

Gaedt C. Der Beitrag eines psychodynamischen Konzeptes zum Verständnis und zur Therapie von psychischen Störungen bei Menschen mit geistiger Behinderung. In: Häßler F, Fegert JM. Geistige Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005.

Hautzinger M, Davison N. Klinische Psychologie. Weinheim: Beltz, PVU 2002.

Hennicken K (Hrsg). Ambulante Psychotherapie bei Menschen mit geistiger Behinderung und psychischen Störungen. Praktische Erfahrungen mit den so genannten Richtlinienverfahren. Materialien der DGSGB Band 9. Berlin: DGSGB 2004.

Jaspers K. Allgemeine Psychopathologie. Berlin, Heidelberg: Springer 1948.

Klauß T. Gesprächsführung als sonderpädagogische Basiskompetenz. In: Geistige Behinderung 3; 37/98; Marburg: Lebenshilfe Verlag 1998.

Kubinger KD, Deegener G. Psychologische Anamnese bei Kindern und Jugendlichen. Göttingen: Verlag für Psychologie 2001.

Lang-Körsgen R. Dialogisches Denken. Entscheidungsfindung im Zeichen des Multikulturellen. Unveröffentlichtes Manuskript. München 2000.

Lempp R. Psychotherapie und geistige Behinderung. In: Görres S, Hansen G (Hrsg). Psychotherapie bei Menschen mit geistiger Behinderung. Bad Heilbrunn: Klinkhardt 1992.

Niedecken D, Lauschmann I, Pötzl M. Psychoanalytische Reflexion in der pädagogischen Praxis. Innere und äußere Integration von Menschen mit Behinderung. Weinheim, Basel, Berlin: Ernst Reinhardt Verlag 2003.

Pörtner M. Ernstnehmen, Zutrauen, Verstehen. In: Behinderte in Familie, Schule und Gesellschaft Nr. 3/2000.

Rogers C. Therapeut und Klient. Grundlagen der Gesprächstherapie. Frankfurt: Fischer Taschenbuch Verlag 1983.

Rojahn J, Weber G. Geistige Behinderung. In: Margraf J. Lehrbuch der Verhaltenstherapie. Bd 2. Heidelberg: Springer 1996; 401–13.

Salzmann E. Psychotherapie. Wege zur inneren Selbständigkeit. Münster: LIT 2005.

Staabs von G. Der Scenotest. Bern, Stuttgart, Wien: Huber 1978.

Uexküll T, Wesiack W. Theorie der Humanmedizin. München, Wien, Baltimore: Urban & Schwarzenberg 1988.

22 Verhaltenstherapie bei Menschen mit Lern- und geistiger Behinderung

Angermeier W, Bednorz P, Hursh S (Hrsg). Operantes Lernen. Methoden, Ergebnisse, Anwendung. Ein Handbuch. München: Reinhardt 1994.

Aster M v. Entwicklungsstörungen und Intelligenzminderungen. In: Linden M, Hautzinger M. Verhaltenstherapie. Berlin, Heidelberg New York: Springer 1996; 418–26.

Brown M., Duff H. A review of the literature relating to psychological interventions and people with intellectual disabilities: Issues for research, policy, education and clinical practice. Journal of Intellectual Disabilities 2011; 15: 31–45.

Carr EG. Functional equivalence as a mechanism of response generalization. In: Horner RH, Dunlap G, Koegel RL (eds). Generalization and maintenance. Baltimore/MD: Paul Brooks 1988; 221–41.

Carr EG, Horner RH, Turnbull AP, Marquis JG, Magito-McLaughlin D, Smith CE, Anderson Ryan K, Ruef MB, Doolabh A. A positive behavioral support for people with development disabilities. A research synthesis. Washington: American Association on Mental Retardation 1999.

DGVT. Deutsche Gesellschaft für Verhaltenstherapie (Hrsg). Verhaltenstherapie. Theorien und Methoden. Tübingen: dgvt 1999.

Didden R, Duker PC, Korzilius H. Metaanalytic study on treatment effectiveness for problem behaviours with individual who have mental retardation. Am J Mental Retard 1997; 101: 387–99.

Hautzinger M. Depression. Göttingen, Bern, Toronto, Seattle: Verlag für Psychologie 1998.

Hinsch R, Pfingsten U. Gruppentraining sozialer Kompetenzen. Weinheim: Psychologie Verlagsunion 1998.

Hölscher F, Schneider F. Intelligenzminderungen (F7) und psychische Störungen bei Menschen mit geistiger Behinderung. In: Schneider F (Hrsg). Facharztwissen Psychiatrie und Psychotherapie. Berlin: Springer 2012: 433–41.

Kaestele G: Umarme deine Angst: Freiburg, Basel, Wien: Herder 1993.

Kane J, Kane G. Geistig schwer Behinderte lernen lebenspraktische Fertigkeiten. Bern: Huber 1978.

Kanfer FH, Reinecker H, Schmelzer D. Selbstmanagementtherapie. 2. Aufl. Berlin, Heidelberg, New York: Springer 1996.

Kanfer FH, Saslow G. Behavioral analysis: An alternative to diagnostic classification. Arch Gen Psychiatry 1965; 12: 529–38.

Kanfer FH, Saslow G. Behavioral diagnosis. In: Franks CM (ed). Behavior therapy: Appraisal and status. New York: McGraw-Hill 1969; 417–44 (deutsch: Verhaltenstheoretische Diagnostik. In: Schulte D. Diagnostik in der Verhaltenstherapie. München: Urban & Schwarzenberg 1974; 24–59.

Kazdin A. The token economy: A review and evaluation. New York: Plenum 1977.

Langone J, Clees TJ, Oxford M, Malone M, Ross G. Acquisition and generalisation of social skills by High School student with mild mental retardation. Mental Retardation 1995; 33: 186–96.

Lindsay WR, Michie AM. Teaching new skills. In Fraser W, Sines D, Kerr M (eds). Hallas' The Care of People with Intellectual Disabilities. Oxford: Butterworth Heinemann 1998.

Margraf J. Lehrbuch der Verhaltenstherapie. Bd. 1 u. 2. 2. Aufl. Berlin, Heidelberg, New York: Springer 2008.

Matson JL, DiLorenzo TM. Punishment and its Alternatives: A New Perspective for Behaviour Modification. New York: Springer 1984.

Prout H, Browning B. Psychotherapy with persons with intellectual disabilities: A review of effectiveness research. Advances in Mental Health and Intellectual Disabilities 2011; 5: 53–9.

Repp AC, Felce D, Barton LE. Basing the treatment of stereotypic and self abusive behaviors on hypotheses of their causes. J Appl Behav Anal 1988; 21: 281–90.

Salkovskis PM. Obsessions and Compulsions. In: Scott J, Williams JM, Beck AT (eds). Cognitive therapy in clinical practice. An illustrative casebook. London: Routledge 1989.

Sappok T, Voß T, Millauer E, Schade C, Diefenbacher A. Psychotherapie bei Menschen mit Intelligenzminderung. Theoretischer Hintergrund und praktische Umsetzung. Nervenarzt 2010; 81: 827–36.

Scotti JR, Evans IM, Mayer LH, Walker P. A meta analysis of intervention research with problem behaviour: treatment validity and standards of practice. Am J Mental Retard 1991; 96: 233–56.

Staabs G von. Der Szenotest. Bern: Huber 1964.

Stenfert Kroese B, Dagnan D, Loudmidis K. Cognitive Behaviour Therapy for People with Learning Disabilities. London: Routledge 1997.
Sturmey P. Cognitive therapy with people with intellectual disabilities: A selective review and critique. Clinical Psychology and Psychotherapy 2004; 11: 223–32.
Sturmey P. Against Psychotherapy with people who have mental retardation: In response to the responses. Mental retardation 2006; 44: 71–4.
Taylor J, Lindsay W ,Willner P. CBT for people with intellectual disabilities: emerging evidence, cognitive ability and IQ effects. Behavioural and Cognitive Psychotherapy 2008; 36: 723–33.
Thompson T, Felce D, Symons FJ. (eds). Behavioural Observation. Technology and Applications in Developmental Disabilities. Baltimore: Paul H Brooks 2000.
Willner P. The effectiveness of psychotherapeutic interventions for people with learning disabilities: A critical overview. J Intellectual Disabil Res 2005; 49: 73–85.
Willner P. Cognitive behavioural therapy for people with learning disabilities: focus on anger. Advances in Mental Health and Learning Disabilities 2007; 1: 14–21.
Yarbrough SC, Carr EG. Some relationships between informant assessment and functional analysis of problem behaviour. Am J Mental Retard 2000; 105:130–51.

23 Kognitive Verfahren

Ayres J. Lernstörungen. Sensorisch-integrative Dysfunktionen. Heidelberg: Springer 1986.
Ciompi L. Affektlogik. 5. A. Stuttgart: Klett-Cotta 1998.
Frank R. Rehabilitation von Jugendlichen mit neuropsychiatrischen Erkrankungen. Freiburg: Lambertus-Verlag 2005.
Roder V, Brenner HD, Kienzle N. Integriertes psychologisches Therapieprogramm für schizophrene Patienten (IPT). Berlin: Beltz 1997.
Došen A. Psychische Störungen bei geistig behinderten Menschen. Stuttgart: Urban & Fischer 1997.
Feiner T. Hirnleistungstraining. Regenstauff: Eigenverlag 1997; http://www.lrs-auditiv.de.
Roder V, Brenner H D, Kienzle N. Integriertes Psychologisches Therapieprogramm bei schizophren Erkrankten (IPT). Weinheim: Beltz 2008.
Spitzer M. Geist im Netz. Modelle für Lernen, Denken und Handeln. Heidelberg: Spektrum Verlag 2000
Spitzer M. Nervensachen, Geschichten vom Gehirn. Stuttgart: Suhrkamp Verlag 2005.

24 Dialektisch-behaviorale Therapie bei Menschen mit Intelligenzminderung

Linehan M. Dialektisch behaviorale Therapie der Borderline-Persönlichkeitsstörung. München: CIP Medien 1996.
Rahn E. Umgang mit Borderline Patienten. Bonn: Psychiatrie Verlag 2003.
Kernberg O, Dulz B, Sachsse U. Handbuch der Borderline-Störung. Stuttgart: Schattauer Verlag 2004.
Tscheuschner W, Frommeyer R, Bremenkamp W. Materialsammlung zum Skillstraining für Menschen mit Lernbehinderungen. Warstein 2004.

25 Psychotherapeutisches Reiten als innovative Behandlungsmethode für geistig behinderte Menschen mit psychischer Erkrankung

Bateson G. Ökologie des Geistes.1. Aufl. Frankfurt am Main: Suhrkamp 1985.
Liljenroth-Denk A. Mit Persona auf Schattensuche. 1. Aufl. Mainz: Wissenschaftsverlag 1996.
Scheidhacker M, Bender W, Vaitl P. Die Wirksamkeit des therapeutischen Reitens bei der Behandlung chronisch schizophrener Patienten. Nervenarzt 1991; 62: 283– 7.
Scheidhacker M., Bender W. Ich träumte von einem weisen Schimmel, der mir den Weg zeigte… 1. Aufl. Haar: BKH Haar Eigenverlag 1998.
Scheidhacker M, Friedrich D, Bender W. Über die Behandlung von Angststörungen mit dem Psychotherapeutischen Reiten. Krankenhauspsychiatrie 2002; 13: 145– 52.
Watzlawick P. Menschliche Kommunikation. 7. Aufl. Bern: Verlag Hans Huber 1985.

26 Der TEACCH-Ansatz

Mesibov GB. Formal and informal measures on the effectiveness of the TEACCH programme. In: Autism. Int J Res Pract 1997; 1: 25–35.
Mesibov GB, Schopler E, Schaffer B, Landrus R. AAPEP Entwicklungs- und Verhaltensprofil für Jugendliche und Erwachsene. Dortmund: Verlag modernes lernen 2000.
Mesibov GB, Shea EV, Schopler E. The TEACCH approach to autism spectrum disorders. New York: Kluwer Academic/Plenum Publishers 2005.
Peeters T. Autism – From theoretical understanding to educational intervention. London: Whurr Publishers 1997.
Peeters T, Gillberg C. Autism – medical and educational aspects. London: Whurr Publishers 1998.
Schopler E, Reichler RJ, Bashford A, Lansing M, Marcus LM. PEP-R Entwicklungs- und Verhaltensprofil. Dortmund: Verlag modernes lernen 2000.
Schopler E, Lansing M, Reichler R, Marcus LM. Psychoeducational Profile (PEP-3): TEACCH Individualized Psychoeducational Assessment. Austin Texas: Pro-ed 2005.

27 Bedeutung pädagogischer Arbeit

Andersen T. Das reflektierende Team. Dortmund: Verlag modernes lernen 1990.
Bank-Mikkelsen NE. Das Normalisierungsprinzip. (unveröffentl. Manuskript). Kopenhagen 1972.
Bundesvereinigung Lebenshilfe für geistig Behinderte e.V. (Hrsg). Normalisierung – eine Chance für Menschen mit geistiger Behinderung. Bericht des 1. Europäischen Kongresses der ILSMH in Hamburg 1985. Marburg: Lebenshilfe-Verlag 1986.
Cecchin G. Zum gegenwärtigen Stand von Hypothetisieren, Zirkularität und Neutralität. Eine Einladung zur Neugier. In: Familiendynamik 1988; 13: 190–203.
Deutscher Bildungsrat. Empfehlungen der Bildungskommission: Zur pädagogischen Förderung behinderter und von Behinderung bedrohter Kinder und Jugendlicher. Stuttgart: Klett 1974.
Deissler KG. Sich selbst erfinden? Von systemischen Interventionen zu selbstreflexiven therapeutischen Gesprächen. Münster: Waxmann Verlag GmbH 1997.
Feuser G. Thesen zu den Stichworten ‚Pädagogik, Heil- und Sonderpädagogik und Psychiatrie'. In: Dreher W, Hofmann T,

Bradl C (Hrsg). Geistigbehinderte zwischen Pädagogik und Psychiatrie. Bonn: Psychiatrie-Verlag 1987.
Haveman MJ. Congres on Casemanagement for persons with challenging behaviour. Maastricht 1994 (unveröffentl. Manuskript).
Keller T, Greve N (Hrsg). Systemische Praxis in der Psychiatrie. Bonn: Psychiatrie-Verlag 1996.
Kobi E.E. Grundfragen der Heilpädagogik. Bern: Haupt Verlag 1993.
Lingg A, Theunissen G. Psychische Störungen bei Geistigbehinderten. Freiburg im Breisgau: Lambertus 1993.
Petry D, Bradl C (Hrsg). Multiprofessionelle Zusammenarbeit in der Geistigbehindertenhilfe. Projekte und Konzepte. Bonn: Psychiatrie-Verlag 1999.
Petry D, Došen A. Geistig Behinderte zwischen Psychiatrie und Behindertenhilfe. Über den Umgang mit psychischen Störungen bei geistigbehinderten Menschen, Maastricht und Venray Oktober 1994 (unveröffentl. Manuskript).
Richter HE. Patient Familie. Entstehung, Struktur und Therapie von Konflikten in Ehe und Familie. Reinbek bei Hamburg: Rowohlt 1970.
Sorrentino AM. Behinderung und Rehabilitation. Ein systemischer Ansatz. Dortmund: Verlag modernes leben 1988.
Wolfensberger W. The principle of normalisation in human services. Toronto: National Institute on Mental Retardation 1972

28 Psychiatrische Pflege bei Menschen mit Intelligenzminderung

Bauer R. Beziehungspflege. München: Urban & Fischer 2002.
Bauer R, Jehl R. Humanistische Pflege in Theorie und Praxis. Stuttgart: Thieme 2000.
Grundsatzprogramm der Lebenshilfe e.V. Geistige Behinderung. Marburg: Lebenshilfe Verlag 1990.
Heller E. Wie Farben wirken. Reinbek: Rowohlt 2001.
Hulsegge J, Verheul A. Snoezelen – eine andere Welt. Ein Buch für die Praxis. 9. Aufl. Marburg: Lebenshilfe Verlag 2001.
Löding C. Snoezelen. München: Urban & Fischer 2004.
Schnaubelt K. Neue Aromatherapie. Köln, Berlin: VGS Verlagsgesellschaft 1995.
Schultz JH. Das Autogene Training. 20. Aufl. Stuttgart: Georg Thieme Verlag 2003.
Schultz JH. Das Original-Übungsheft für das Autogene Training. Stuttgart: TRIAS Verlag 2004.
Schwanecke F. Snoezelen – Möglichkeiten und Grenzen in verschiedenen Anwendungsbereichen. Marburg: Lebenshilfe Verlag 2004.
Van Erkelens-Zwets JH, Kars H. Medizinische Betreuung beim geistig behinderten Kind. Praktische Hilfen für Heilberufe, Erzieher und Eltern. Köln: Deutscher Ärzteverlag 2002.

29 Betreuungsrechtliche Aspekte bei Menschen mit Intelligenzminderung

Bauer A, Klie T (Hrsg). HK-BUR. Gesetzessammlung zum Betreuungsrecht. 3. Aufl. Heidelberg: Müller 2005.
Betreuungsrecht. 7. Aufl. München: Deutscher Taschenbuch Verlag 2005.
Betreuungsrechtliche Praxis. Zeitschrift für soziale Arbeit, gutachterliche Tätigkeit und Rechtsanwendung in der Betreuung. Köln: Bundesanzeiger Verlagsgesellschaft. http://www.btprax.de
Bienwald W, Sonnenfeld S, Hoffmann B. Betreuungsrecht: Kommentar. 4 Aufl. Bielefeld: Gieseking 2005.
Dodegge G, Roth A. Systematischer Praxiskommentar Betreuungsrecht. 2. Aufl. Köln: Bundesanzeiger Verlag 2005.
Hoffmann B. Information einwilligungsunfähiger Erwachsener vor ärztlichen Maßnahmen. Recht und Psychiatrie 2005; 23: 52–9.
Jurgeleit A. Betreuungsrecht. Handkommentar. Baden-Baden: Nomos Verlagsgesellschaft 2005.
Marschner R. Zwangsbehandlung in der ambulanten und stationären Psychiatrie. Recht und Psychiatrie 2005; 23: 47–51.
Online-Lexikon Betreuungsrecht. http://www.betreuerlexikon.de [20.07.2006]
Seidel M, Hoffmann K (Hrsg). Freiheitseinschränkende Maßnahmen und geschlossene Unterbringung in der Behindertenhilfe – eine kritische Bestandsaufnahme. Dokumentation der Arbeitstagung der DGSGB am 9.11.2012 in Kassel. Materialien der DGSGB. Berlin: Eigenverlag der DGSGB 2013.

30 Psychiatrische Versorgung von Menschen mit Intelligenzminderung in Deutschland

Cranach von M. Über die Zukunft der Krankenhauspsychiatrie. Sozialpsychiatrische Informationen 2001; 2/11.
Deutscher Bundestag: Bericht über die Lage der Psychiatrie in der Bundesrepublik Deutschland. Zur psychiatrischen und psychotherapeutischen/psychosomatischen Versorgung der Bevölkerung. Drs. 7/4200, 7/4201, Bonn 1975.
Gromann-Richter P (Hrsg). Was heißt hier Auflösung – die Schließung der Klinik Blankenburg. Bonn: Psychiatrie Verlag 1991.
Grünbuch. Europäische Gemeinschaft (Hrsg). 2005. Download unter http://www.apk-ev.de/Datenbank/themen/0089_mental_gp_de.pdf [04.08.2006].
Hoffmann C. Enthospitalisierung oder Umhospitalisierung? – am Beispiel der Neuen Länder. In: Theunissen G (Hrsg). Enthospitalisierung – ein Etikettenschwindel? Bad Heilbrunn: Klinkhardt 1998.
Kolschewski M, Schüler G. Die Therapeutischen Wohngruppen für Geistig Behinderte im Saarland. In: Werner W, Schmitt R. Etappe 2001. Wo steht die saarländische Psychiatrie? Merzig: Eigenverlag Aktion Psychiatrie Saar 2001; 161–75.
Schanze C. Vernetzung der psychiatrischen Versorgung von Menschen mit Intelligenzminderung. In: Häßler F, Fegert JM. Geistige Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005.
Stichtagserhebung 1973. Deutscher Bundestag, Bonn 1975; 200.
Theunissen G, Garlipp B. Rehabilitation Kinder und Jugendlicher mit geistiger Behinderung in der ehemaligen DDR. Zschr Heilpädagogik 1996; 9: 680–7.
Xenitidis K, Gratsa E, Bouras N, Hammond R, Ditchfield H, Holt G, Martin J, Brooks D. Psychiatric inpatient care for adults with intellectual disabilities: generic or specialist units? J Intellect Disabil Res 2004; 48: 1.

31 Orientierungshilfen zum besseren Verständnis der Erfahrungswelt von Menschen mit Intelligenzminderung

Bank-Mikkelsen NE, Berg E. Das dänische Verständnis von Normalisierung. In: Vereinigung Integrationsförderung e.V. (Hrsg). Behindernde Hilfe oder Selbstbestimmung der Behinderten – Neue Wege gemeindenaher Hilfen zum selbständigen Leben. Kongressbericht 24.–26. März. München: Selbstverlag 1982.Bayerisches Staatsministerium für Arbeit und Sozialordnung, Familie und Frauen (Hrsg). Prüfleitfaden für Einrichtungen der Pflege und Menschen mit Behinderungen in Ba-

yern, Version 6.0 (Projektleitung: Gesellschaft für Ausbildungsforschung und Berufsentwicklung – GAB München). http://www.stmas.bayern.de/imperia/md/content/stmas/stmas_internet/pflege/pruefleitfaden.pdf; 2012.
Brüsseler Kreis. Ausgangslage und Zukunftsvision für die Behindertenhilfe in Deutschland. Erarbeitet vom Brüsseler Kreis in Zusammenarbeit mit dem Vorstand der Bundesarbeitsgemeinschaft überörtlicher Träger der Sozialhilfe. 21. Juli 2004.
Bundesagentur für Arbeit (Hrsg). Kurzinformation: Der Arbeitsmarkt für schwerbehinderte Menschen. http://statistik.arbeitsagentur.de/arbeitsmarktberichte 2012.
Dörner K. Entweder alle oder keiner. Diakonie Report 1/2003.
Dörner K. Heim in die Wohnung statt Wohnen im Heim. In: Soziale Psychiatrie 2001; 23: 18–21.
Dörner K, Hopfmüller E, Röttger-Liepmann B. Aufforderung an die Fraktionen des Deutschen Bundestages, eine Kommission zur Enquete der Heime einzurichten. Bielefeld 2001. Öffentlicher Brief unter http://www.dbfk.de/nw/aktuell/download/Enquete%20de%20Heime.pdf [03.08.2006].
Doose S. Übergänge aus den Werkstätten für behinderte Menschen in Hessen in Ausbildung und Arbeit auf dem allgemeinen Arbeitsmarkt. Verbleibs- und Verlaufsstudie der von Fachkräften für berufliche Rehabilitation (FBI) der Werkstätten für behinderte Menschen (WfbM) in Hessen in Ausbildung und Arbeit auf dem allgemeinen Arbeitsmarkt vermittelten Menschen mit Behinderungen. Hrsg.: Landesarbeitsgemeinschaft der Werkstätten für behinderte Menschen in Hessen e.V. Frankfurt: bidok-Volltextbibliothek: Wiederveröffentlichung im Internet 2005.
Gromann-Richter P (Hrsg). Ich wohne hier! Individuelle Wohnraumgestaltung für geistig behinderte Menschen. Bremen: Selbstverlag 1989.
Nirje B. How I came to formulate the Normalization principle. In: Flynn RJ, Lemay RA (Hrsg). A Quarter-Century of Normalization and Social Role Valorization: Evolution and Impact. Ottawa: University of Ottawa Press 1999; 17–50.
Metzler H, Wachtel G, Wacker E. Die Wende in der Behindertenhilfe. Tübingen: Attempto 1999.
Schwerbehindertengesetz (SchwbG)
Sozialministerium Baden-Württemberg: Dezentralisierung von Einrichtungen für Menschen mit Behinderung. Stuttgart 2005.
Sozialgesetzbuch IX (SGB IX)
Sozialgesetzbuch XII (SGB XII)
Stemshorn A. Barrierefrei Bauen für Behinderte und Betagte. Erweitert durch den Entwurf zur neuen DIN 18030. Leinfelden-Echterdingen: Koch 2003.
http://www.respect.de
http://www.gaga-filmfest.de

32 Behandlung von intelligenzgeminderten Patienten im Maßregelvollzug

Dittmann V. „Dittmann-Kriterienkatalog“ – Kriterien der Beurteilung des Rückfallrisikos besonders gefährlicher Straftäter. Basel 1999.
Hax-Schoppenhorst T, Schmidt-Quernheim F. Professionelle forensische Psychiatrie. Bern: Verlag Hans Huber 2003.
Müller-Isberner R, Gonzales-Cabeza S, Jöckel D. Die Vorhersage von Gewalttaten mit dem HCR 20. Haina: Institut für forensische Psychiatrie Haina 1998.
Müller-Isberner R, Gonzales-Cabeza S, Jöckel D. Die Vorhersage sexueller Gewalttaten mit dem SVR 20. Haina: Institut für forensische Psychiatrie Haina 2000.
LVR: eigene Auswertung 2012
Strafgesetzbuch STGB. Bachner-Foregger H (Hrsg). Wien: Manz’sche Verlags- und Universitätsbuchhandlung 2006.
Volckart B. Maßregelvollzug. Neuwied: Luchterhand 1997.

33 Deeskalations- und Krisenmanagement

Breakwell, G. Coping Aggressive Behaviour: Personal and Professional Development. British Psychological Society. Leicester 1997.
Brylewski J, Duggan L. Antipsychotic medication for challenging behaviour in people with learning disability. Cochrane Database of Systematic Reviews, 3, CD000377, 2004.
Cooper SA, Smiley E, Jackson A, Finlayson J, Allan L, Mantry D, Morrisson J. Adults with intellectual disabilities: prevalence, incidence and remission of aggressive behaviour and related factors. Journal of Intellectual Disability Research, Special Issue: Mental Health and Intellectual Disability: XXV, 2009; 53: 217–32.
Crocker AG, Mercier C, Lchapelle Y, Brunet A, Morin D, Roy M-E. Prevalence and types of aggressive behaviour among adults with intellectual disabilities. Journal of Intellectual Disability Research 2006; 50: 652–61.
Deb S, Thomas M, Bright C. Mental disorder in adults with intellectual disability. I: Prevalence of functional psychiatric illness among community-based population aged between 16 and 64 years. Journal of Intellectual Disability Research 2001; 45: 495–505.
Došen A. Psychische Störungen, Verhaltensprobleme und intellektuelle Behinderung. Göttingen: Hogrefe 2010.
Emerson E, Kiernan C, Alborz A, Reeves D, Mason H, Swarbrick R, Mason L, Hatton C. The prevalence of challenging behaviours: a total population study. Res Dev Disabil 2001; 22: 77–93.
Eyman RK, Call T. Maladaptive behavior and community placement of mentally retarded persons. American Journal of Mental Deficiency 1977; 2: 137–44.
Friedman NDB, Shedlack KJ. Assessment and Management of Patients with Intellectual Disabilities by Psychiatric Consultants. Psychosomatics 2011; 52: 210–7.
Gillott A, Stand PJ. Levels of anxiety and sources of stress in adults with autism. Journal of Intellectual Disabilities 2007; 11: 359–70.
Harris P. The nature and extent of aggressive behaviour amongst people with learning difficulties (mental handicap) in a single health district. Journal of Intellectual Disability Research 1993; 37: 221–42.
Horner-Johnson W, Drum CE. Prevalence of maltreatment of people withintellectual disabilities: a review of recently published research.Mental retardation und developmental disabilities research reviews 2006; 12: 57–69.
Hulbert-Williams L, Hastings RP. Life events as a risk factor for psychological problems in individuals with intellectual disabilities: a critical review. Journal of Intellectual Disability Research, Special Issue: Mental Health and Intellectual Disability: XXIV, 2008; 52: 883–95.
Hutt C, Hutt S, Lee D, Ounsted C. Arousal and childhood autism. Nature 1964; 204: 908–9.
Klein S, Wawrok S, Fegert HJ. Sexuelle Gewalt in der Lebenswirklichkeit von Mädchen und Frauen mit geistiger Behinderung – Ergebnisse eines Forschungsprojekts. Praxis der Kinderpsychologie und Kinderpsychiatrie 1999; 48: 497–513.
McDonnell A A, Waters T, Jones D. Low Arousal Approaches in the Management of Challenging Behaviours. In D. Allen (ed). Ethical approaches to physical interventions: Responding to Challenging behaviours in people with Intellectual Disabilities. Plymouth: BILD 2002; 104–13.

Murphy J. Perceptions of communication between people with communication disability and general practice staff. Health Expectations 2006; 9: 49–59.

Noone SJ, Hastings R. Using acceptance and mindfulness-based workshops with support staff for adults with intellectual disability. Mindfulness 2010; 1: 67–73.

Pörtner M. Ernstnehmen – Zutrauen – Verstehen. Ein personenzentriertes Alltagskonzept für den Umgang mit psychischen Störungen bei Menschen mit geistiger Behinderung. Materialien der DGSGB, Band 2, Berlin 2000.

Schanze C. Vernetzung der psychiatrischen Versorgung von Menschen mit Intelligenzminderung. In: Häßler F, Fegert HJ. Geistige Behinderung und seelische Gesundheit. Stuttgart: Schattauer 2005.

Smith S, Branford D, Collacott R, Cooper S-A, McGrother C. Prevalence and cluster typology of maladaptive behaviours in a geographically defined population of adults with learning disabilities. British Journal of Psychiatry 1996; 169: 219–27.

Tyrer P, Oliver-Africano PC, Ahmed Z, Bouras N, Cooray S, Deb S, Murphy D, Hare M, Meade M, Reece B, Kramo K, Bhaumik S, Regan A, Thomas D, Rao B, North B, Eliahoo J, Karatela S, Soni A, Crawford M: Risperidone, haloperidol and placebo in treatment of aggressive challenging behaviour in patients with intellectual disability: a randomised controlled trial. Lancet 2008; 371: 57–63.